REG. U.S. PAT. OF F.

M.I.RGTRDA NO.8447

69

GENERAL INDEX IN CENTER OF CATALOG

Mechanics' Tools		1
Agricultural Tools		251
Builders' Hardware		401
Wagon Hardware		651
Woodenware		751
Pyrex, Aluminum, Nickel Plated Ware -		851
Enameled Ware		901
Tinware and Japanned Ware		925
Stoves and Ranges		1101
Lamps and Lanterns		1201
Electrical Supplies		1251
Paints and Varnishes		1351
		1451
Saddlery		1651
Fire Arms and Ammunition		
Fishing Tackle and Sporting Goods -		1801
Bicycles and Supplies		2001
Automobile Supplies		2101
Sewing Machines and Store Fixtures		2401
Cutlery		2501
	AND DESCRIPTION OF THE PERSON NAMED IN	

To Our Customers

With the return of more normal conditions many changes have been made in hardware lines, and we are able to offer a more complete assortment than in several years.

Lists and discounts as explained in the attached slip should enable our customers to solicit orders upon many items not ordinarily carried in stock.

New goods have been added, and in so far as possible changes in design, lists, etc., have been made up to the date of issue.

We have tried to keep our catalog simple and compact, and hope that we have the approval of the trade.

Yours truly,

Milbard Spencer Bartha rles



Mechanics'Tools

QUICK INDEX

AUCED DITE	age
AUGER BITS P	09 MALLETS Page
BLACKSMITHS' TOOLS	1 PLANES 69
	66 PLUMPS and LEWIS 147
DRACES, BIT	LUMBS and LEVELS 92
CONTROL OF THE PARTY OF THE PAR	
CEMENT TOOLS	OU RULES and INDES
Cindetes, wood	SAND and EMERY PAPER 100
CLAMES	67 SCREW DRIVERS 48
COLD CHISELS	40 SUREW PLATES
DRAWING KNIVES	TO SLEDUES and PICKS
DRILLS, Hand and Breast 13	
DRILLS, Post and Floor	TOOLS
	TOOL CHESTS and CABINETS174
GRINDSTONES	TOOL GRINDERS
TIMITULEO	VISES and ANVILE
HAICHELS	
and the second s	6 WRENCHES 155



HIBBARD, SPENCER, BARTLETT & CO.

WELDLESS AXES

ONE PIECE CONSTRUCTION

Eliminating high welding heats, mis-welds, soft body steel and all other faults of old style welded axes, axes are one-piece from bit to head, with no joint, seam, weld or weakness of any sort.

HIGHEST GRADE STEEL

The result of years of experience and service tests, evolving an axe steel which is a revelation in hardness and toughness.

SPECIAL DOUBLE TEMPER

Careful heat treatment gives extreme toughness and stiffness combined with special tempering at the bit to produce a keen edge, hard yet tough.

LONG SERVICE

Bits are hardened all the way through, 15 inches back, or more. Can be ground repeatedly without reaching soft temper, thus doubling the life of the axe.

RIGIDITY OF EYE

The toughening of the steel, together with the reinforcing of the eye by our taperpunching process, affords an eye which will never buckle, even under severest service.

HARDENED FACES

Not soft steel as in most axes, but crucible steel. Will stand hard service without battering.

UNIFORMITY OF SHAPE

Patterns are accurate and uniform, not the hit-or-miss patterns resulting from usual guess-work methods.

HANDLES

We handle axes to order with a wide selection of handles, from white handshaved finest second-growth white hickory, to competitive grades of good value. Patterns large or small, straight or regular, octagon or oval, long or short as desired.

OUR WARRANTY

will stand the hardest of fair service, and even much abuse, BUT OUR WARRANTY DOES NOT COVER ABUSE. Axes are ground correctly. If they break because re-ground too thin by the user, we cannot replace. Return to us, LESS HANDLE, any axe claimed defective, and each case will be adjusted fairly, on its merit.

POSITIVELY NO AXES EXCEPT U. S. A. AND HIBBARD ARE WARRANTED OR REPLACED.

HIBBARD, SPENCER, BARTLETT & Co.

◎ IVORY BLACK AXES

AXES—Highest Quality Forged Crucible Steel, Smooth Ivory Black Finish with Trade Mark Deep Btched in Gold. Carefully Hand Tempered, Keen, Thin-Ground Bits, with Edges Polished and Hand-Honed. Warranted Against Defects in Material and Workmanship. Our Most Practical and Beautiful Finish.

HANDLES-Our Handles are Specially Graded and Gauged for the Purpose and We Guarantee Correct "Hang" and Secure Wedging.



SINGLE BIT

MICHIGAN PATTERN



HANDLED

Kind of W't, Assorted, lbs			31to31 69	31to4 72	31to41	4to5
No. T011C_048 hickory, regular, oval 36 inper	dozen	\$40.00	40.00	41.00	41.00	42.00
No. T011E-Hibbard hickory, regular, oval 36 inper		37.00	37.00	38.00	38.00	39.00
No. T011F-Hibbard hickory, regular, octagon 36 inper		37.00	37.00	38.00	38.00	39.00
No. T011G-Hibbard hickory, slim, oval 36 inper		37.00	37.00	38.00	38.00	39.00
No. T011H-Hibbard slim, oval 33 inper		37.00	37.00	38.00	38.00	39.00
No. T011K-Hibbard oak, regular, oval 36 inper		36.00	36.00	37.00	37.00	38.00
UNHANDLED						
W'ts, Assorted, Ibs.			31to31	31to4	31to41	4to5

ONE DOZEN IN A CASE

......per dozen \$26.00



No. T011-Full dozen case

SINGLE BIT

DAYTON PATTERN



26.00

28.00

27.00

29.00

27.00

29.00

28.00

30.00

HANDLED

Kind of W't, Assorted, Ibs. Handle W't per doz., Ibs.	31to41 74	4to5 79	41to51 84
No. T012C_CVB hickory, regular, oval 36 inper dozen	\$41.00	42.00	43.00
No. T012E—Hibbard hickory, regular, oval 36 in	38.00	39.00	40.00
the tale illegal meneral referred on the street control for the first	30.00	35.00	40.00

UNHANDLED


Kind of Handle	W't, Assorted, ibs. 31to41 W't per doz, ibs. 54	4to5 59	41to51 64
No. T012-Full dozen case	per dozen \$27.00	28.00	29.00
No. 012-Less than case	per dozen 29 00	30 00	21 00

IBBARD, SPENCER. BARTLETT &

IVORY BLACK AXES

KES—Highest Quality Forged Crucible Steel, Smooth Ivory Black Finish with Trade Mark Deep Etched in Gold. Carefully Hand Tempered, Keen, Thin-Ground Bits, with Edges Polished and Hand-Honed. Warranted Against Defects in Material and Workmanship. Our most Practical and Beautiful Finish.

ANDLES-Our Handles are Specially Graded and Gauged for the Purpose and We Guarantee Correct "Hang" and secure Wedging.



HANDLED

	Kind of W't, Assorted, Ibs	311031
10.	Handle W't per doz., lbs	\$40.00
0.	T013C SYS hickory, regular, oval 36 in per dozen	37.00
0.	T013G—Hibbard hickory, slim, oval 36 in per dozen	37.00
0.	T013G—Hibbard hickory, slim, oval 36 in	36.00
o.	T013H—Hibbard slim, oval 33 inper dozen T013K—Hibbard oak, regular, oval 36 in	

UNHANDLED

	A Comment	lbs. /	31to31
y't	s, Assorted,	lbs	49
Vit	per doz., lbs.	per_do	zen \$26.00
lo.	T013-Full de	ozen caseper do an caseper do	zen 28.00
lo.	013-Less th	an case	

ONE DOZEN IN A CASE




MICHIGAN PAT			
Kind of Wt. Assorted, Ibs Handle W't per doz., Ibs T0110L—SYS hickory, regular, oval 36 in T0110T—Hibbard hickory, regular, oval 36 in	per dozen	31to41 74 49.00 46.00 46.00	4to5 79 50.00 47.00 47.00

UNHANDLED

Wt	Assorted, lbs.	3to4 49	31to41 54	4to5
35.00	TOUGH Less than case	\$34.00 36.00	35.00 37.00	36.00

IVORY BLACK AXES

roupsal outil toward For Description See Page 3, and aldion begand till ly Hand Tempered, Warranted Against Defects in Material and Workmanship, solder ste Specially Graded and Gaoged 16: the Purpose and We Guarantee







No. T0120L—CVB hickory, regular, oval 36 in	040 00	79 50.00 47.00	84 51.00 48.00
UNHANDLED			
[1] [1] [1] [1] [1] [1] [1] [1] [1] [1]			
W't, Assorted, Ibs.	31+041	4to5	Albert
W t per doz. 108.	DOMESTIC TOTAL	59	41to51
No. 10120—Full dozen case	200 00		04
No. 0120—Less than caseper dozen	\$35.00	36.00	37.00
per dozen	37.00	38.00	39.00
ONE DOZEN IN A CASE		TO CALL YOU WANTED	A17 8 (x000)

E DOZEN IN A CASE

UNHANDLED



OWN DOUBLE BIT

WISCONSIN PATTERN

edi bareana UNHANDLED

yor moved forer case New Di-Less than case .

Kind of W't, Assorted, Ibs. 31to31 Handle W't per doz. lbs. 69 W't per doz., lbs. 49 No. T0130—Full dozen caseper dozen \$34.00 No. 0130—Less than caseper dozen 36.00 No. T0130L_SWD hickory, regular, oval 36 in. . . \$48.00 No. T0130T-Hibbard hickory, slim, oval 36 in. . . 45.00 No. Tero Hisbird hickory, slim, eval an its

ONE DOZEN IN A CASE

W. Asserted Dr.siteti.



OWD DOUBLE BIT

CALIFORNIA REVERSIBLE PATTERN



UNHANDLED

				-	_					
W't,	Assorted,	lbs.				 +4	 			31to41
W't	per doz., lbs.					 	 			. 54
No.	T0140-Full	dozen	case	ð .			 . De	ro	lozen	\$35.00
No.	0140-Less 1	than c	ase	100		20	. Det	1	ozen	37 00

Total - Ribbard incasty, allen oval 36 in. 44.66 ONE DOZEN IN A CASE

IBBARD, SPENCER, BARTLET

金基 BLUE BEVELED AXES


AXES—Highest Quality Forged Crucible Steel, With Full Polished Finish, Except Blue Lacquered "Perfect" Bevels, Labeled, Carefully Hand Tempered, Warranted Against Defects in Material and Workmanship.

HANDLES—Our Handles are Specially Graded and Gauged for the Purpose and We Guarantee Correct "Hang" and



SINGLE BIT MICHIGAN PATTERN

HANDLED



UNHANDLED

TE LI MISSURLEU, 103	312041	4105
W't per doz., lbs	54	59
No. T01-Full dozen case per dozen \$25.00	26.00	27.00
No. 01-Less than caseper dozen 27.90	28.00	29.00
ONE DOZEN IN A CASE		



SINGLE BIT

DAYTON PATTERN HANDIED


	THE RESERVE AND ADDRESS OF THE PARTY OF THE		A T C T I T IN THE BELLEY	
Kind of Handle	W't, Assort	ed, Ibs.		•••

	Handle W't per doz., lbs.		4to5
0.		14	79
0.	T02E Hibbard hickory, regular, oval 36 in	\$40.00	41.00
0	Took Hibbard history, regular, was so in per dozen	37.00	38.00
-	T02F—Hibbard hickory, regular, octagon 36 inper dozenper dozen	37.00	38.00
-	The state of the s	37.00	
0.	THE PARTY OF THE P		38.00
	, the second sec	36.00	37.00
	IIMITANDI PO		



W't, Assorted, lbs.31to41 4105 W't per doz., lbs. 54 59 No. T02-Full dozen caseper dozen \$26.00 27.00 No. 02—Less than caseper dozen 28.00 29.00

ONE DOZEN IN A CASE



MICHIGAN PATTERN



Kind of	W't, Assorted, Ibs. 3 to4
Handle	W't per doz., Ibs 74
Hibbard hickory.	doz. gular, oval 36 in \$47.00 regular, oval 36 in 44.00 alim, oval 36 in

4to5	
79	
doz.	
48.00	
45.00	

W't,	Asse	orted,	lbs.	3	to4
W.D.	per do	z., lbs.	*****		54
NA.	TOTA	42.11			doz.

No. T010-Full doz, case \$34.00 45.00 No. 010—Less than case 36.00

4to5 59 doz. 35.00 37.00

ONE DOZEN IN AROSETOOLS, INC.


U. S. A. AXES

AXES—Forged Steel Body, Extra Quality Crucible Tool Steel Bits, Full Polished, Blued and Etched, Carefully Hand Tempered, and Sharpened Ready for Use. An Axe of exceptional Quality and Handsome Appearance. Packed in Individual Wood Cartons, with Sliding Cover. Warranted against Defects in Material and Workmanship.

HANDLES-Our Handles are Specially Graded and Gauged for the Purpose and We Guarantee Correct "Hang" and




MICHIGAN PATTERN



HANDLED

UNHANDLED

W't, Assorted, Ibs. W't per doz., Ibs. No. T41—Full dozen case	49	31to31 49 26.00 28.00	31to4 52 27.00 29.00	3½to4½ 54 27.00 29.00	4to5 59 28.00 30.00
ONE DOZEN IN A CASE					



HANDLED

Kind of W't, Assorted, Ibs. Handle W't per doz., Ibs. No. T410L—CVD hickory, regular, oval 36 in. No. T410P—Hibbard hickory, regular, oval 36 in. Per dozen No. T410T—Hibbard hickory, slim, oval 36 in. per dozen per dozen	69 \$48.00	31to41 74' 49.00 46.00 46.00	4to5 79 50.00 47.00 47.00
---	---------------	--	---------------------------------------

UNHANDLED

talla Anna tal II			
W't, Assorted, Ibs W't per doz., Ibs	****		THE PERSON NAMED IN
W't per doz., lbs	3to4	31to41	4105
W't per doz., lbs	49	54	59
No. T410—Full dozen case	\$34.00	35.00	36.00
Der dozen	36 00	37.00	
	30.00	31.00	38.00


O G A

IBBARD, SPENCER, BARTLETT & CO.

HIBBARD HAND MADE AXES

AXES-Highest Quality Forged Crucible Steel, With Natural Forged Finish. Carefully Hand Tempered. Warranted Against Defects in Material and Workmanship.


HANDLES-Our Handles are Specially Graded and Gauged for the Purpose and We Guarantee Correct "Hang" and





MICH	IGAN	PAT	TERN
	HANI	OLED	

HANDLED	-			-	
Kind of W't, Assorted, Ibs	3 to4	3 to3 69	31to4 72	31to41 74	4to5
No. TilC hickory, regular, oval 36 in per dozen \$	\$38.00	38.00	39.00	39.00	40.00
No. TilE_Hibbard hickory, regular, oval 36 in per dozen	35.00	35.00	36.00	36.00	37.00
No. Tilf-Hibbard hickory, regular, octagon 36 in per dozen	35.00	35.00	36.00	36.00	37.00
No. IllG-Hibbard hickory, slim, oval 36 in	35.00	35.00	36.00	36.00	37.00
No. T11H-Hibbard hickory, slim, oval 33 inper dozen	35.00	35.00	36.00	36.00	37.00
No. T11K-Hibbard oak, regular, oval 36 inper dozen	34.00	34.00	35.00	35.00	36.00
No. Till-II-a-noy hickory, regular, oval 36 inper dozen	32.00	32.00	33.00	33.00	34.00
UNHANDLED	and the state	元公司 [[[25]			
W't, Assorted, Ibs.	3to4	3[to3]	31to4	31to41	4to5
W't per doz., lbs	49	49	31to4 52	54	59
No. T11—Full dozen case	\$24.00	24.00	25.00	25.00	26.00
No. 11—Less than caseper dozen	26.00	26.00	27.00	27.00	28.00
ONE DOZEN IN A CASE		The state of the s			THE REST



	MA	NDLED		
	Kind of	W't Assorted,	Ibs., 31to41	4to5
	Handle	W't per doz., lbs		79
No. TI2C_GWD	hickory, re	gular, oval 36 in	\$39.00	40.00
No. T12E-Hibbs	ard hickory	y, regular, oval 36	in 36.00	37.00
No. T12F-Hibbs	ard hickory,	regular, octagon 3	6 in 36.00	37.00
No. T12J-II-a-n	oy hickory,	regular, oval 36 in.	33.00	34.00

Tito-Fall docen case

110-Less than case ...

UNHANDLED	
W't, Assorted, Ibs31to4)	4to
W't per doz., lbs 54	59
No. T12-Full dozen case.\$25.00	26.
No. 12-Less than case 27.00	28.

00

34:00

36.00



		the state of the s	
Kind of W't, Assorted, lbs. W't per doz., lbs.	69	31to41	4to5
No. Tilot. eve hickory, regular, oval 36 in	\$46.00	47.00 44.00	48.00
No. TiloT—Hibbard hickory, slim, oval 36 inper dozen	43.00	44.00	45.00
UNHANDLED			
Wt. Assorted. lbs.	3to4	311041	Atos

33.00 35.00per dozen 34.00 ONE DOZEN IN A CASE ROSE TOOLS, INC.

.....per dozen \$32.00

HIBBARD BRONZED AXES

AXES-Highest Quality Forged Crucible Steel, Gold Bronzed Body, Polished Bits, Carefully Hand tempered. Warranted Against Defects in Material and Workmanship.

HANDLES-Our Handles are Specially Graded and Gauged for the Purpose and We Guarantee Correct "Hang" and Secure Wedging.



Kind of W'ts, Assorbed, lbs. Handle W't per doz., lbs. No. T31C—3VB hickory, regular, oval 36 in. per No. T31E—Hibbard hickory, regular, oval 36 in. per No. T31F—Mibbard hickory, regular, octagon 36 in. per No. T31G—Hibbard hickory, slim, oval 36 in. per No. T31H—Hibbard hickory, slim, oval 33 in. per No. T31K—Hibbard oak, regular, oval 36 in. per No. T31J—II-a-noy hickory, regular, oval 36 in. per	dozen \$38.0 dozen \$5.0 dozen \$5.0 dozen \$5.0 dozen \$5.0 dozen \$3.0	69 0 38.00 0 35.00 0 35.00 0 35.00 0 35.00 0 34.00	31to4 72 39.00 36.00 36.00 36.00 35.00 33.00	31to41 74 39.00 36.00 36.00 36.00 36.00 35.00 33.00	4to5 79 40.00 37.00 37.00 37.00 37.00 36.00 34.00
UNHANDLED	BEIN				

W'ts, Assorted, Ibs. 3to4 31to31 31to4 31to41 4to5 W't per doz., lbs. 49 52 54 59 24.00 25.00 25.00 26.00 26.00 27.00 27.00 28.00

ONE DOZEN IN A CASE



Wind of



DAYTON PATTERN

	•	ы	-		-	г.
•	-	м	D	_	т.	

	Handle W't per doz., lbs.		74	4to5	41to51
No.	nickory, regular, oval 36 in.	r dozen	\$39 00	40.00	41.00
No.	T32E—Hibbard hickory, regular, oval 36 in	dozen	36.00	37.00 37.00	38.00
No.	. T32J—II-a-noy hickory, regular, oval 36 inpe	dozen	33.00	34.00	35.00
	the octaves 38 in				

UNHANDLED

W'ts, Assorted, Ibs. W't per doz., Ibs. No. T32—Full dozen case	\$25 00	4to5 59 26 00 28 00	41to51 64 27.00 29.00

HIBBARD BRONZED AXES



HIBBARD SINGLE BIT

WISCONSIN PATTERN




HANDLED	1	,
Kind of W'ts, Assorted, Ibs		31to31
No. T33C—SVB hickory, regular, oval 36 in	dozen	\$38.00
No. T33G—Hibbard hickory, slim, oval 36 in	dozen	35.00
No. T33H-Hibbard hickory, slim, oval 33 inper	dozen	35.00
No. T33K—Hibbard oak, regular, oval, 36 inper	dozen	34.00
W'ts, Assorted, Ibs		31to31
Wit ner doz lbs		49
No. T33—Full dozen caseper	dozen	\$24.00
No. 33—Less than case	dozen	29.00




SOUTHERN KENTUCKY PATTERN

I	b	15	5																				31to41
				*	•	•		*			* .		•		*					per		dozen	\$36.00
			À				2		Ų	1		2		١,		+			13	per	•	dozen dozen	36.00 33.00

AND STATE OF THE PARTY OF THE P	HANDLED	014-41	ALAC	AIAAEI
Kind of	W'ts, Assorted, Ibs	. 31TO41	4to5	41to51
Handle	W't per doz., lbs	74	79	84
Me Tour Williams	The Lord Lord Lord Lord Lord Lord Lord Lord	n \$38 00	37.00	38.00
No. 134E-Hibbard hickory	y, regular, oval 36 inper doze	20.00		
No. T34F-Hibbard hickory	, regular, octagon 36 inper doze	n 36.00	37.00	38.00
No. T341_III-a-nov hielcom	y, regular, oval 36 inper doze	n 33.00	34.00	35.00
mo. 1545 In-a-noy mckory	y, regular, ovar oo in.			
	UNHANDLED			
With Assessed the		314041	4to5	41to51
W ts, Assorted, Ibs		. 024012	59	Q.A
W't per doz., lbs		. 04	The state of the s	0.8
No. T34_Full dozen case	per doze	n \$25.00	26.00	27.00
No 24 I was then seen case .	per doze	n 27.00	28.00	29.00
no. 31-Less than case		11 61100	20.00	
	ONE DOTEN IN A CACE			





-7	liblan
of What Asso	

	Kind of W'ts, Assorted, lbs. W't per doz., lbs.		4to5 79	41to51 84
No.	The Hibbard hickory, regular, oval 36 in	\$36.00 36.00	37.00 37.00 34.00	38.00 38.00 35.00
	UNHANDLED			The second

MANDIED

With Asserted, Day	31to41	4to5	41105
White day, 3st	54	59	64
See Total Communication case	en \$25.00	26.00	27.00
No. 75-Les dan caseper doz	n 27.00	28.00	29.00
ONE DOZEN IN A CASE			
ONE DOLLA IN A CASE			

HIBBARD BRONZED AXES

AXES-Highest Quality Forged Crucible Steel, Gold Bronzed Body, Polished Bits, Carefully Hand Tempered. Warranted Against Defects in Material and Workmanship.

HANDLES—Our Handles are Specially Graded and Gauged for the Purpose and We Guarantee Correct "Hang" and Secure Wedging.



HIBBARD DOUBLE BIT

MICHIGAN PATTERN

HANDLED

	Kind of	W't, As	sorted,	lbs.					3to4	31to41	4to5
	Handle -	W't per	doz., Ibs.						69	74	79
No.	T310L_SVB hickory, regular	, oval 36	in				per	dozen	\$46.00	47.00	48.00
	T310P-Hibbard hickory, reg									44.00	45.00
	T310T-Hibbard hickory, slin									44.00	45.00
				I I BALL I	AMPLE	0					

	O I THE PERSON NAMED		
W't, Assorted, Ibs.		31to41	4to5
W't per dozen, lbs		54	59
No. T310-Full dozen	caseper dozen \$32.00	33.00	34.00
No. 310-Less than ca	ase per dozen 34.00	35.00	36.00
	ONE DOZEN IN A CASE	BEN SHEET,	



HIBBARD DOUBLE BIT

WESTERN PATTERN

HANDLED

	Rind of W.t, Assorted, lbs		 .34to41	4105
	Handle W't per doz., lbs		. 74	79
No.	T320L— hickory, regular, oval 36 inper	dozen	 47.00	48.00
No.	T320P—Hibbard hickory, regular, oval 36 in	dozen	 44.00	45.00
No.	T320T—Hibbard hickory, slim, oval 36 inper	dozen	 44.00	45.00
	UNHANDLED			THE REAL PROPERTY.

				A Ref Broken day		
W't, As	sorted, Ib	S			31to41	4to5
W't per	doz., Ibs				54	59
No. T320	Full dez	en case .		per	dozen \$33.00	34.00
					dozen 35.00	36.00
		ONE	DOZEN	IN A CASE		



HIBBARD DOUBLE BIT

WISCONSIN PATTERN

QZLIGRIANIU

HANDLED

Kind of W't, Assorted, Ibs.3 to3 W'ts, Assorted, Ibs.3 to 3 W't per dozen, lbs. 49 No. T330-Full doz. case, per dozen \$32.00 No. 330-Less than case, per dozen 34.00



		Part of the last	0
104		1	1
ibba	ırd	With the	
		1	
	ibb.	ibbard	ibbard



VALLEY FORGE AXES

AXES—Good Quality Forged Steel, Black Forge Finish, Well Tempered and Sharpened. A Good Reliable Axe—Will Stand Hard Service, but Because of its Price Cannot be sold with a Warranty.

HANDLES—Our handles are Specially Graded and Gauged for the Purpose and We Guarantee Correct "Hang" and Secure Wedging.



VALLEY FORGE SINGLE BIT

HANDLED

MICHIGAN PATTERN





Kind of W't, Assorted, Ibs.	24-4	312041	4to5
namate wt per doz., ibs	69	74	79
No. T61C_6V@ hickory, regular, oval 36 inper dozen	\$36.00	37.00	38.00
No. T61E—Hibbard hickory, regular, oval 36 inper dozen	22 00		A STATE OF THE PARTY OF THE PAR
No. T61F—Hibbard hiskory reguler octagen 26 in	33.00	34.00	35,00
No. T61F—Hibbard hickory, regular, octagon 36 inper dozen	33.00	34.00	35.00
No. T61G-Hibbard hickory, slim, oval 36 inper dezen	33.00	34.00	35.00
No. T61K—Hibbard, oak, regular, oval 36 in per dozen	32.00	33.00	34.00
No. T61J—II-a-noy hickory, regular, oval 36 inper dozen	30.00	31.00	32.00
UNHANDLED			
W't, Assorted, Ibs	2404	312041	40-1
W't per doz., lbs	3104		4to5
Me Tet Dull James and	. 49	54	59
No. T61—Full dozen caseper dozen	\$22.00	23.00	24.00
No. 61—Less than caseper dozen	24.00	25.00	26.00





VALLEY FORGE DOUBLE BIT

MICHIGAN PATTERN

HANDLED

Kind of W't, Assorted, Ibs.	69	31to41 74	4to5
No. TeloL_678 hickory, regular, oval 36 in	\$38.00	39.00	40.00
No. TsioP-Hibbard hickory, regular, oval 36 inper dozen	35.00	36.00	37.00
No. TeloT Hibbard hickory, slim, oval 36 in	35.00	36.00	37.00
UNHANDLED			
Wt. Assorted, Ds	3to4	31to41	4to5

per dozen 26.00

ONE DOZEN IN A CASE

.....per dozen \$24.00

ROSE TOOLS, INC.

54

25.00

27.00

59

26.00

28.00

FIREMEN'S HANDLED AXES



extra quality forged crucible tool steel body and pick point, painted red, polished bit, carefully hand tempered. Fitted with 36 in. select hickory handle, painted red.

ONE DOZEN IN A CASE

MEN'S HANDLED AXES



CAMP FIRE, Michigan pattern, forged steel, body painted red and labeled, polished bit, with pressed blue bevels. Fitted with 36 in. good grade oval hickory handle. One of our best sellers.

W't, Asst., Ibs. 3to4 31to41 4to5 W't per doz., handled, lbs. 65 70 75 No. T101J-Full half dozen case,

per dozen\$30.00 31.00 32.00 No. 101J-Less than case,

per dozen\$32.00 33.00 34.00

ONE DOZEN IN A CASE



CRUSO, Michigan pattern, forged steel, black finish. Fitted with good 36 in. oval hickory handle. Medium quality, not warranted, but a surprising value at the price. No. T915-Full one dozen case, per dozen\$26.00 27.00 28.00 No. 91S-Less than case,

per dozen\$28.00 29.00 30.00 ONE DOZEN IN A CASE

MINERS' HANDLED AXES



CRUSO. Yankee pattern, forged steel black finish, fitted with good 26 in. oval hickory straight miners' handle. W't, Asst., Ibs. 3to4 31to41 No. 92W-Less than case per dozen 28.00 29.00 ONE DOZEN IN A CASE

BOYS' HANDLED AXES



with polished bit, Yankee pattern, solid crucible steel, with 28 in. oval hickory handles.

No. T24-Full half dozen crate per dozen \$21.00 No. 24-Less than crateper dozen 23.00 W'T PER DOZEN 35 LBS.

HALF DOZEN IN A CRATE



HIBBARD, black finish. Yankee pattern, solid forged steel, with 28 in. oval hickory handles.

No. T25-Full half dozen crateper dozen 20.00 No. 25-Less than crateper dozen 22.00 W'T PER DOZEN 35 LBS.

HALF DOZEN IN A CRATE



CAMP FIRE, good quality forged steel, body painted red, polished bit, pressed blue bevels, with 28 in. white hickory handle.

No. T2-Full half dozen crateper dozen \$20.00 No. 2-Less than crateper dozen 22.00 W'T PER DOZEN 35 LBS.

HALF DOZEN IN A CRATE



CRUSO, good quality forged steel, black finish, with 28 in. medium hickory handle.

No. T13-Full half dozen crateper dozen \$18.00 No. 13-Less than crateper dozen 20.00 W'T PER DOZEN 35 LBS.

> HALF DOZEN IN A CRATE ROSE TOOLS, INC.

HOUSE AXES



色砂型

Extra quality forged crucible steel, smooth ivory black finish, fitted with extra quality 19 in. hickory handle.

Nos0V0	18	19
W't less handle, lbs	21	29
W't per dozen, lbs	30	39
Per dozen\$2	1.00	26.00

HALF DOZEN IN A BOX



> HALF DOZEN IN A BOX WE DO NOT BREAK BOXES

SHEATHS AND BELTS



SHEATHS ONLY

Select brown leather sheaths, with belt loops and nickeled snap catch, but without belt, w't per doz. about 12 lbs.

No. 1 - Will fit any of our Scout or Camp axesper dozen \$6.00

BELTS ONLY

Select black leather belts, 1 in. wide, mickeled steel buckle, for use with

BOY SCOUT AXES



One of the handiest tools in our line. While originally designed for the youthful scout, these axes have a far larger field of service. No camping or touring equipment is complete without one. They are just right for many uses around the house or yard, and will stand severe service.

Forged from one piece of highest grade crucible steel, with nail-slot. Smooth gun metal black finish. Keen tough-tempered bit. Handle is finest second growth hickory, stained an attractive forest green. Each tool is fully warranted.



AXES ONLY

No. 28 CVB.—W't with handle 27 oz., width of cut 31 in., length of handle over all 141 in., without sheath or belt, w't per dozen 16 lbs., per dozen\$24.00

HALF DOZEN IN A BOX

AXE WITH SHEATH

No. 28S CVB—Axe, as above, with No. 13 sheath, without belt, per dozen\$30.00

AXE WITH BELT AND SHEATH

HALF DOZEN IN A BOX

CAMP OR HUNTERS' AXES



Hand forged, black gun-metal finish, one-piece highest grade crucible steel, with select white hickory handles.

No. 211 CVS...W't with handle 27 oz., 31 in. cut with 141 in. handle, w't per dozen 16 lbs., per dozen\$24.00

No. 23 CVD W't with handle 35 oz., 31 in. cut, 142 in. handle, w't per dozen 25 lbs. per dozen \$24.50

HALF DOZEN IN A BOX



No. 231—Cruso, black finish, solld forged steel, w't with handle 31 oz., 31 in. cut, with 141 in. hickory handle, w't per doz. 20 lbs., per dozen\$23.00

HALF DOZEN IN A BOX



Converted cast steel heat treated and tempered, black finish, good hickory handle. Not warranted.

AXES ONLY

> HALF DOZEN IN A BOX WE DO NOT BREAK BOXES

AXE, WITH SHEATH

AXE, WITH BELT AND SHEATH

No. 20BS Calumet, axes as above, with No. 13 sheath and No. 10 belt, per dozen \$22.00

HALF DOZEN IN A BOX

HIBBARD. SPENCER. BARTLETT & CO.

BROAD AXES

Extra quality forged tool steel, ivory black rust-proof polished finish, polished face and bevel. Large, full eye, built to take a stout, husky handle.

Eye very broad, giving a better hold and leverage on the handle. Eye set close to the blade, gives user perfect control of the cutting edge.

Long, narrow blade, carried full to end of cutting edge, the weight evenly distributed. Makes a perfect balance for a true stroke.

A straight edge, laid from top of head to cutting edge, touches the bottom of the eye and cutting edge only. The

Ground accurately, with a perfectly straight edge, except that the corners are set forward slightly giving timber spring. Corners cannot catch or gouge.



CAMED Improved Canada Pattern, Round Edge, Ridge Bit.

Nos. 67 78
W't, assorted, lbs. 6to7 7to8
Width of cut, in. 10to11 11to12
Per dozen 590.00 96.00
BARTON'S, Canada pattern, round edge, extra quality forged steel, black finish, polished face and bevel.

Nos. 75A67 75A78
W't, assorted, lbs. 6to7 7to8
With of cut, in. 10to11 11to12
Per dozen \$120.00 130.00



多标题

Pennsylvania Pattern, Curved Edge.

Forged steel, black finish, curved edge, polished face and bevel.

HALF DOZEN IN A CASE

CARPENTERS' ADZES



@ 100

No. 10—Half head, extra quality forged tool steel, ivory black rustproof polished finish, assorted 31 to 41 in. cut, w't per doz. 48 lbs., per dozen\$32.00

WHITE'S

HALF DOZEN IN A CASE

SHIP ADZES

母科學



WHITE'S

No. 311—Spur head, extra quality forged steel, black finish, polished bit, assorted 4 to 41 in. cut, w't per doz. 36 lbs.

RAILROAD ADZES



No. 50—Cruso, regular eye, full head, special quality forged steel, black hand forged finish, width of cut 5 in., w't per doz. 51 lbs.,

per dozen\$24.00

HALF DOZEN IN A CASE

●學動 BRONZED HATCHETS

A line of Hatchets expressly made for the carpenter and builder, whose requirements are most exacting. We would not know where to look for better quality, pattern and construction in any hatchet than we have attained in (1) Each tool is forged from highest quality tool steel, scientifically heat-treated, and tempered to give a cutting edge which is hard, yet tough. So seldom is resharpening required that the (1) Hatchets will be found remarkably long-lived

Each hatchet is fitted with a well-shaped handle of selected white second growth hickory, waxed, with flared end to prevent slipping. The balance or "hang" is correct for easy, fast and accurate work. Heads are beautifully shaped, with smooth, gold-bronzed finish, and highly polished bit and face. A display of these tools in the dealer's window or show case is a joy to behold. EACH THE HATCHET IS FULLY WARRANTED.

SHINGLING



	• 401	402
Size		2
Cut.	in 3h	4
WY	less handle, oz	23
TATEL	man dea Bea	26
44 7	(1) 数据15.500 (2) 2017 (2015) (2) 20 17 (2015) (2) 20 18 18 18 18 18 18 18 18 18 18 18 18 18	The second second
1'er	dozen\$23.00 1	24.00
	HALF DOZEN IN A BOX	- ALIVE



Nos						*******	411 412
Size							1 2
W14	non d	0.49	lba				22 27
D.	per u	Offers !	IMO			4	25.00 26.00
rer	dozen						20.00 20.00
			HAL	FDOZEN	A MA	BIA.P.A.	



ú		'n	ä		4		6-	.,	,																	*										2	12		924	
		i,	ä	þ	-	*		.,	5	ö			. 10		_	-	,	~	~	-	_			_	-										13				2	
	m	ë	ä	Ġ	-	*	-	4		ü	i	i	9			-																				3	5		39	
ı	'n		8	h	×	a	đ	ě	5	ð	p	-				-	-	•	•	•	•		т.	5.7	- 3				ж.	~	70	т.	77			- 2	Sec.		0.4	
9	H		Z	á		£,		3	a	8	i		ė			9	÷	*	×	*	×	.,					*		٠	*	*	*		14			0		25.0	20
		×	Ħ	n										6		ė	2	-	Ġ	Ŕ		ė	'n	2	ė	9	0	*		E		Ÿ		. 3	12	0	.00	1	COP. 1	10
											Ħ	E	ä	ü	2	t	Z	×	Ц	Ξ	B	g	1	ä	Į,	A	d	B	Q	X	'n									

LATH



		APPE CONTRACTOR							
Score	45	K SAR							
COUNTY S	56 m.	E APPLICA							

Nos			432
Size			2
Cut, in			21
W't less handle,			17
W't per doz., lbs.	**********		The second second
Per dozen			24.00
	IALF DOZEN IN	V ROY	

THE RESERVED



Nos				441	442	443	444
					2	8	4
	in				41	5	53
W	less handle,	lbs	Contract of the Contract of th	15	13	21	21
XXIII	per doz., lb	II.		25	30	35	40
Don	dozen	2111		\$28.00	33.00	36.00	39.00
rer	GOZEH			IN A BOX			Maria
117		TLABLE A	NATURE OF	THE PERSON			


EL OORING



Nos.	P. Della Co.		451	458
Size			1	2
Cut,	in		81	44 27
W't	less handle,)S	95	27
Don.	dezen		\$31.00	
Ter	dozen *****	IALF DOZEN IN A BO	X	-

STE BRONZED HATCHETS

SPECIAL OF HATCHET ASSORTMENT



A convenient stock assortment for the dealer, in a single case. Made for the expert workman whose requirements are most exacting. We would not know where to look for better quality, pattern and construction in any hatchet than we have attained in SAM. Each tool is forged from highest quality tool steel, scientifically heat-treated, and tempered to give a cutting edge which is hard, yet tough. So seldom is resharpening required that the GAM Hatchets will be found remarkably long-lived.

Each hatchet is fitted with a well-shaped handle of select white second growth hickory, waxed, with flared end to prevent slipping. The balance or "hang" is correct for easy, fast and accurate work. Heads are beautifully shaped, with smooth, gold-bronzed finish, and highly polished bit and face. A display of these tools in the dealer's window or show case is a joy to behold. EACH CACH CALLY WARRANTED.

No. 462—Case contains a dozen No. 402 Shingling, a dozen No. 412 Claw, a dozen No. 422 Haif, a dozen No. 432 Lath, a dozen No. 442 Broad, and 1/12 dozen No. 452 Flooring; w't per assortment 30 lbs.per assortment \$26.50

ONE ASSORTMENT IN A CASE, WE DO NOT BREAK CASES



Nos 0420	0430
Size 2	3
Cut. in 38	31
W't, less handle, oz 32	36
Wt. doz., lbs	27
Per dozen\$31.00	33,00

HALF DOZEN IN A BOX



No. 0418—Size 2, 33 in. cut, w't less handle 2 lbs., w't per doz. 32 lbs. per dozen \$33.00

HALF DOZEN IN A BOX

BARREL OR PRODUCE



Light pattern, scored face, with nail slots at lower and upper sides of blade. Pocket size.




Heavy pattern, scored face, with nail slots in lower side of blade and in cutting edge.

HALF DOZEN IN A BOX

● POLISHED HATCHETS

A line of Hatchets expressly made for the carpenter and builder, whose requirements are most exacting. We would not know where to look for better quality, pattern and construction in any hatchet than we have attained in Carp. Each tool is forged from highest quality tool steel, scientifically heat-treated, and tempered to give a cutting edge which is hard, yet tough. So seldom is resharpening required that the Carp Hatchets will be found remarkably long-lived.

Each hatchet is fitted with a well-shaped handle of select white second growth hickory, waxed, with flared end to prevent slipping. The balance or "hang" is correct for easy, fast and accurate work. Heads are beautifully shaped, with full polished finish, etched with our Carp Hatchet IS FULLY WARRANTED.





Nos	131	132
Size	1	2
Cut, in.	23	21
W't less handle, oz	14	17
W't per doz, lbs	18	20
Per dozen\$2	9.00	30.00
HALF DOZEN IN A BOX		

BROAD



Nos 141	142	143
Size 1	2	8
Cut, in	43	5
W't less handle, lbs 11	- 12	25
W't per doz., lbs 25	30	85
Per dozen\$37.00	40 00	47 00

HALF DOZEN IN A BOX

HIBBARD, SPENCER. BARTLETT & Co.

POLISHED HATCHETS

Highest Quality Forged Tool Steel, Full Polished and Etched, Select White Second Growth Hickory Handle,





per dozen

.....\$35.00





HALF DOZEN IN A BOX

UNDERHILL LATH

Extra quality forged tool steel, square head, full polished, milled scoring. Tough hard temper, perfect balance, correctly proportioned second growth white hickory handles. In every respect the master lather's ideal.



UNDERHILL.S



UNDERHILL'S



Nos. 310—St. Louis Pattern, 21/16 in. cut, 10 rows of scoring, size of head 11/16×11/16 in., w't with handle 23 oz.,



12 rows of scoring, size of head 11x11 in., w't with handle 19 oz., w't per doz. 17 lbs.per dozen \$56.00 HALF DOZEN IN A BOX

BBARD, SPENCER, RARTLE

HIBBARD CHARCOAL BLACK HATCHETS

Extra Quality Forged Tool Steel, Smooth Charcoal Black Finish, With Select White Hickory Handle.

SPECIAL HIBBARD HATCHET ASSORTMENT

A convenient assortment for the dealer in a single case. Tools of our Hibbard Brand are first quality and fully warranted for exacting service as well as a most attractive in appearance. Made from extra quality forged tool steel, smooth charcoal black finish, with select white hickory handle.

ONE ASSORTMENT IN A CASE. WE DO NOT BREAK CASES



HALF DOZEN IN A BOX



DERRICK Hibbard

Scored face, extra heavy, with shoulder for starting nails, specials 18 inch flared handle, for rig builders or oil der-

No. 32-Size 3, 31 in. cut, w't less handle 2 lbs., w't per doz.per dozen \$33.00 HALF DOZEN IN A BOX

BROAD



Nos 241	242	243	244
Size 1	D.	293	244
Out, ill.	13	3	4
W't less handle, lbs	19	D	51
W t per doz., lbs os	90	25	21
Per dozen\$26.00	20 00	35	40
HALE DOZEN IN A M	27.00	33.00	31.00
ROSETOOLS MON IN A BO	X		

CRUSO BLACK HATCHETS

Good Quality Forged Steel, Black Finish, Medium Grade Hickory Handle.

SHINGLING



Nos	601	602
Size	1300	2
Cut, in,		4
W't less handle, oz		23
W't per doz., lbs		26
Per dozen\$	15.00	16,00

HALF DOZEN IN A BOX



Nos 6	11	612
Size	1	2
Cut, in	33	4
W't less handle, oz	19	25
W't per doz., lbs.	22	27
Per dozen\$17	nn	18.00
Per dozen	,00	10100

HALF DOZEN IN A BOX

HALF



Nos	621	622
Size	1	2
Cut, in	31	38
W't less handle, oz	15	21
W't per doz., lbs	20	24
Per dozen	6.00	17.00

HALF DOZEN IN A BOX



Scored Face.

Nos	631	632
Size		2
Cut, in	24	21
W't less handle, oz	14	17
W't per doz., lbs	18	20
Per dozen\$	15.00	16.00

HALF DOZEN IN A BOX

BROAD



Nos.		. 641	642	643	644
			2	3	4
THE PERSON NAMED IN	h		43	5	53
	ss handle, lbs		19	21	21
	er doz., lbs		30	35	40
	778P		23.00	26.00	29.00

HALF DOZEN IN A BOX

Assorted.

A convenient CRUSO hatchet assortment for the dealer in a single case.

No. 662-Case contains & dozen each Nos. 602 Shinging, 612 Claw and 632 Lath, also 1 dozen each Nos. 622 Half and No. 642 Broad. W't per assortment 29 lbs.,

Per assortment\$20.00

ONE ASSORTMENT IN A CASE. WE DO NOT BREAK CASES ROSE TOOLS, INC.

HIBBARD, SPENCER. BARTLETT & Co.

CALUMET HATCHETS

Converted cast steel, full size, good temper, with white hickory handle, a good household grade, but not suitable for mechanic's use; not warranted.

SHINGLING



Size 2, cut 4 in., w't per doz. 26 lbs.

No. 62-Natural black steel finish,

per dozen\$8.0

HALF DOZEN IN A BOX. WE DO NOT BREAK BOXES




Size 2, cut 3% in., w't per doz. 24 lbs.

No. 722—Silver bronzed body, polished head and bitper dozen \$11.00

No. 52-Natural black steel finish,

per dozen\$8.

HALF DOZEN IN A BOX. WE DO NOT BREAK BOXES



Size 2, cut 4 in., w't per doz. 27 lbs.

No. 712—Silver bronzed body, polished head and bitper dozen \$11.00

No. 72—Natural black steel finish,

BALF DOTEN IN A BOX. WE DO NOT BREAK BOXES

ASSORTED

Some breezed body, polished head and bit, some season was to standing, 722 half and 712 half and

the state of the s

BUR-NOR HATCHETS

BUR-NOR, all steel, riveted, with reinforced hollow steel handle, oil-tempered blade, black enameled body, polished bit.




No. 198-33 in. cut, w't per doz. 18 lbs. ..per dozen \$11.00 ONE DOZEN IN & BOX. WE DO NOT BREAK BOXES

HALF



No. 199-34 in. cut, w't per doz. 17 lbs., per dozen \$11.00 ONE DOZEN IN A BOX. WE DO NOT BREAK BOXES

CLAW



This style is used by several leading railroads as standard equipment.

No. 200-3% in. cut, w't per doz. 20 lbs.,dozen \$14.00 HALF DOZEN, ASSORTED, IN A BOX. WE DO NOT BREAK

Whatever the price you can afford, we have the besti Hatchet for the money.

We would rather sell you the the because it is THE VERY BEST, and couldn't be better at double the price.

But if you MUST consider price, try the RENEWED, first quality black—for hard service, the CRUSO, standard quality black—for all ordinary uses, the CALUMET or BURNOR, for light household use or for the woodshed. All zre full value for the price we ask.

Steel—Crucible steel of special analysis, proven the best by years of experience, and tested constantly to insure uniformity of composition.

Temper—Tempering and hardening heats regulated automatically by thermometer. Steel of uniform composition, uniformly treated, must give uniformly perfect results.

Faces—Of extreme hardness, yet not brittle, will do the severest work without cracking, denting or breaking down.

Claws—Short, compact, tough, with fine drawn slot, whose sharp knife edge will grip and hold and pull straight any nail which will enter it.

OWD HAMMERS



NAIL HAMMER HEAD

Sectional cut of Bell Face Hammer Head, showing eye tapering from both ends towards the center, and Patent Wedge, which locks the handle perfectly. It cannot come out. Notice also the perfect proportions of the head.

Patterns—Embodying the best suggestions of scores of practical mechanics. No "hit or miss" designs, but the best shape in each tool for comfort and efficiency.

Handles—Turned from best second growth white hickory, split, not sawed, insuring straight grain. Made with full grip and slightly flared end will not slip from hand. Wedged with patent wedges, heads and handles never part company.

OWD, OCTAGON NAIL

Octagon neck, octagon face, full nickel plated and burnished head, cherry stained select second growth hickory handles.

Nos	4211	422
SizeLength over all, in	13	121
W't less handle, oz	20	14 17
Per dozen\$	36.00	34.00

Octagon neck, octagon face, full polished head, select second growth white hickory handles.

Nos					. ,					*		. 2211	222
Size Length over all, in.		2										. 15	125
W't loss handle, oz.	Ų		E.						 36			. 17	14
W't per doz., lbs Per dozen	 							*				\$29.00	

TRIPLE CLAW FINISHERS



Solid forged steel, bell face, patent triple claw, full polished, select white hickory handle.

This hammer will pull nails that no other hammer can reach, and draw finishing nails straight out of the wood without using a block under the hammer head and wthout marring the surface. Pulls nails driven close to corners.

No					2								*		+				*	*	611
Longth over all in																	*				19
W/4 love handle or	P. C.		. 17	Ma.	37		23	543	-	259	3			6.0	-			6.4	18		TO
W's now dog the																à.					TO
Per dozen						* *	100					3.5					•			41	20.0

ADZE EYE NAIL



Plain poll, full polished, select second growth white hickory handles.


Nos 0	1	11	2
Length over all, in 14	132	13	121
W't less handle, oz 28	20	16	13
1774 non dog the 25	22	20	15
Per dozen\$37.00	25.00	23.50	22.00



Bell face, full polished, select second growth white hickory handles.

Nos 11	111	12	13	14
Length over all, in 134	13	129	113	103
W't less handle, oz 20	16 20	13 15	10	6
W't per doz., lbs 22 Per dozen\$26.00	25.00			22.00

SCORED FACE NAIL



Special concentric scored bell face, full polished head, with select second growth, white hickory handle.

No. 3211-Size 15, w't less handle 16 oz., w't per doz. 20 lbs.per dozen \$25.00

ABOVE, HALF DOZEN IN A BOX

Under this stamp and label we supply a complete line of Hammers, which the experience of many years has HAMMERS proven to be the finest obtainable from any source, whether judged by appearance, ability to stand hard service, or the "hang" and balance which so greatly enhance the ease and speed of operation.

Steel—Each hammer is forged from crucible steel of special analysis, tested constantly to insure uniformity of

Temper—The tempering and hardening heats are regulated automatically by thermometer, so that definite and perfect uniformity of hardness and toughness results in each tool. Faces—The striking faces are extremely hard, not brittle, and will do the severest legitimate work without cracking, denting or breaking down.


Patterns—The patterns embody the best suggestions of scores of practical mechanics, and each tool has the shape proven best for comfort and efficiency.

Handles-Handles are turned from the best second growth, white hickory, straight grain, made with full grip and securely wedged.

Finish—Each polished tool has a high mirror polish, while the artistic stamp and label brand each tool now and always

as chim

HAMMER ASSORTMENT



A convenient stock assortment for the dealer in a single case, comprising the best selling items, in proper proportions for quick turnover. Each Hammer fully warranted.

No. 100 Chr. Assortment, case contains, 1/2 doz. No. 4211; 1/2 doz. No. 2211; 1/2 doz. No. 111 and 1/2 doz. No. 12 and 1/2 doz. No. 111 Repring Hammers; w't per ass't 20 lbs.,

ONE ASSORTMENT IN A CASE. WE DO NOT BREAK



Plain poll, full polished, straight claws elect second growth white hickory handles.

No. 11R-Size 11, length overall 13 in., w't less handle 16 oz., w't per doz. 20 lbs.....per dozen \$23.50



had the full polithed, straight claws, select second growth white bickery hander.

The state of the least and the state of the 15 cm. wa per due 20 Beper dozen \$25.00 SHOWN HALF DEEDS IN A BOX

FARRIERS



Adze eye, octagon pattern, full polished.

No. 191-Size 3, length over all 13 in., w't less handle 10 oz., w't per doz. 12 lbs.per dozen \$24.00

HALF DOZEN IN A BOX



Adze eye, highest quality, solid forged steel, round poll, polished, extra select white hickory handle.

No. 192-Length over all 13 in., w't less handle 7 oz.,

HALF DOZEN IN A BOX ROSE TOOLS, INC.

OWD HAMMERS

-Under this stamp and lable we supply a complete line of Hammers, which the experience of many years has proven to be the finest obtainable from any source, whether judged by appearance, ability to stand hard service, or the "hang" and balance which so greatly enhance the ease and speed of operation.

Steel-Forged from crucible steel of special analysis, tested constantly to insure uniformity of composition.

Temper-The tempering and hardening heats are regulated automatically by thermometer, so that definite and perfect uniformity of hardness and toughness results in each tool.

Faces-Extremely hard, not brittle, will do severest legitimate work without cracking, denting or breaking down. Patterns-The patterns embody the best suggestions of scores of practical mechanics, and each tool has the shape proven best for comfort and efficiency.

Handles-Turned from best second growth, white hickory, straight grain, made with full grip and securely wedged. Finish-Polished high mirror polish, while the artistic stamp and lable brand each tool now and always as CVB.

RIVETING

Plain eye, cross pein, full	polis	shed.			
Nos	130	131	132	133	134
Size	0	1	2	3	4
Length over all, in	10	12	12	13	13
W't less handle, oz	4	7	9	12	15
W't per doz., lbs		9	11	13	16
Per dozen\$1	5.00	16.00	16.50	17.00	18.00
HALF DOZE	IN IN	A BO	X		

@華動 RIVETING HAMMER ASSORTMENT

No. 220-Assortment consists of 1/12 doz. each Nos. 130,132. HALF DOZEN IN A BOX. WE DO NOT BREAK BOXES



Ball pein, octagon patter	n, tough	tempe	r full	polishe	d.
Nos 147	7 148	149	150	151	152
Size 4-0	3-0	2-0	0	1	2
Length over all, in. 103		121	133	14	15
W't less handle, oz. 6	8	12	16	20	24
W't per doz., lbs 7	8	13	16	21	24
Per dozen\$18.0	00.81 00	18.00	19.00	20.00	21.00

@ MACHINIST HAMMER ASSORTMENT

No. 300-Assortment, consists of 1/12 doz. Nos. 147 and 152, 1 doz. Nos. 148 and 151, and 1 doz. each Nos. 149 and 150 Machinists' Hammers, w't per ass't 15 lbs.,

ONE ASSORTMENT IN A CASE. WE DO NOT BREAK CASES

TOUGH TEMPER MACHINISTS'

Ball pein, octagon pattern, tough temper, for extra hard service. Smooth black finish, polished ball and face.

Nos	0152	0153	0154
Size	2	3	4
Length over all, in		16	17
W't less handle, oz		28	32
W't per doz., lbs	24	28	32
Per dozen\$	19.00	21.00	23.00
THIRD DOZEN IN A BO	X		

AUTOMOBILE

Highest quality, solid forged tool steel, ball pein, octagon pattern, full polished, extra select white hickory handle.

No. 1490-W't less handle 12 ozs., length of handle 10 in., w't per doz. 12 lbs. per dozen \$16.00 THIRD DOZEN IN A BOX

ENGINEERS' OR BLACKSMITHS' Cross pein, smooth ivory black finish, octagon face.

Nos. .. 0183 Size 3 Length over all, in. 15 16 W't less handle, lbs. 2 3 W't per doz., lbs. 30 40\$21.00 22.00 24.00



No. 21B-Size 1, w't less handle 11 lbs., w't per doz. 25 lbs.

.....per dozen \$23.00 HALF DOZEN IN A BOX PROSPECTING PICKS Adze eye, full polished, hammer

face, pick point. No. 1P-Size 1, length over all 14 in., length of head 78 in., w't less handle 1 lb., w't per doz. 20 lbs., per dozen HALF DOZEN IN A BOX

HIBBARD HAMMERS

HIBBARD Hammers are first quality in every particular, and in appearance and quality are fully up to the standard of the best and most widely known brands on the market. In price they will be found always favorable as compared to the ruling market prices on other high grade tools, and the dealer may feature and push this line with confidence that it will make friends for him and bring "repeat" orders.

Each tool is forged from extra quality, crucible steel, hardened and tempered with the utmost care. The patterns are standard, and will meet the approval of expert workmen.

Handles of select white hickory, properly shaped and "hing"; finish, branding and labeling so attractive as to greatly aid their salability. Each HIBBARD Tool fully warranted against defects in material or workmanship.



Extra quality, solid forged steel, polished, with black neck, select white hickory handle. Nos. 2011

 Size
 20 12

 Length, over all in.
 1 1½

 W't less handle, oz.
 20 16

 W't per doz., lbs.
 22 18½

 Per dozen
 \$23.00 21.00



Extra quality, solid forged steel, bell face, polished with

black neck, select white hickory handle.
 Size
 1
 1½
 2
 3

 Length over all, in.
 14
 13
 12½
 12

 W't less handle, oz.
 20
 16
 13
 7

 W't per doz., lbs.
 22
 18½
 15
 10

 Per dozen
 \$23.00
 21.00
 20.00
 19.00

 HALF DOZEN IN A BOX



Bell face, polished, except neck. Extra quality, solid forged steel, polished, with black neck, select white hickory handle.

No. 2111R—Size 1½, length over all 13 in., w't less handle 16 oz., w't per doz. 18½ lbs. per dozen \$21.00 HALF DOZEN IN A BOX



Adze eye, extra quality, solid forged steel, Boston pat-tern, polished, select white hickory handle.

No. 262-Length over all 13 in., w't less handle 10 oz.

MACHINISTS' Hibbard Ball pein, octagon pattern, polished, with black neck. Nos. 248 250 251 252 254 Size 3-0 2-0 0 3 4 12% 134 15 16 17

Lght. over all, 121 Less hdl., oz. W't doz. lbs. 12 8 16 28 32 10 13 16 21 Per dozen ..\$16.00 16.00 17.00 18.00 19.00 20.00 21.00 THIRD DOZEN IN A BOX

> RIVETING Habbard Plain eye, cross pein, full polished.

3



No. 261-Size 1-W't, less handle 13 oz., w't per doz. HALF DOZEN IN A BOX

BRICK HAMMERS AND SKUTCHES

The Spalling Face has a hard, tough center, and four tough, sharp edges. Specially tempered chisel end is thin and sharp, ready for use. The special adze-eye holds handle without wedges, and permits easy removal for re-dressing.

Hibbard No. 274 Hibbard

No. 271

No. 271 Hibbard—Brick hammer, size 1,

12 lbs., length over all 12 in., length of
head 82 in., face 1 in. square, chisel 11 in. wide, w't per
doz. 25 lbs.

No. 274 Hibbard—Brick skutch, double cutter size 1,
121b., length over all 12 in., length of head 101 in., chisels
11 in. wide, w't per doz. 25 lbs.

HALF DOZEN IN A BOX

BOSE TOOLS INC.

HIBBARD, SPENCER, BARTLETT & Co.

COMBINATION AUTO TOOLS




Extra quality solid forged steel head and handle in one piece, with lower end shaped as a tire tool for removing tire from rim. Fluted handle, 10% in. long over all, head 3% in. long. Dull black finish with polished face and ball pein.

No. 2120—Size 2-0, w't each 18 lbs., w't per doz. 17½ lbs., per dozen\$9.00

HALF DOZEN IN A BOX

VANADIUM HAIL HAMMERS

black finish, axcapt political bell and from hickory



VAUGHN'S "UNCLE SAM," made of special Vanadium steel, heat treated and tempered for greatest possible toughness and strength. Inspected and Approved by the Underwriters Laboratories, Inc. Bell face, octagon neck, round poll, with special white hickory octagon neck handle. Each handle has a wax-hole in end for waxing nails to be driven into hardwood. Wedged with patent expansion wedge, which permits re-tightening of handles. Handles are protected by a waxed paper envelope, and hammers packed one in a carton.

Nos	41	411	42
Size	1	11	2
Length over all, in	14	13	123
W't, less handle, oz	20	16	13
W't per doz., lbs	22	20	15
Per dozen\$		34.80	34.80

MAYDOLE NAIL HAMMERS



Extra quality forged crucible steel, plain poll, regular claw, with shellaced handles of select hickory.

Nos		1011
Factory Nos	1	11
Length, over all, in	137	13
W't, less handle, oz	20	16
W't per doz., lbs	20	18
Per dozen\$2	26.00	24.00

HALF DOZEN IN A BOX



Extra quality, forged crucible steel, bell face, regular claw, polished, with shellaced handles of select hickory.

Nos	111	1111	112	1121	113
Factory Nos	11	111	12	121	13
W't, less handle, oz	20	16	13	10	7
Length, over all, in	133	13	128	113	200
W't per doz., lbs	20	17	14	12	8
Per dozen\$2	26.00	24.00	22.50	21.00	20.00

HALF DOZEN IN A BOX

MAYDOLE RIPPING HAMMERS



Extra quality, forged crucible steel, bell face, straight claw, polished, with shellaced handles of select hickory.


No. 711 - W't, length over all 13 in., less handle 16 oz., w't per doz. 18 lbs.per dozen \$24.00

HALF DOZEN IN A BOX ROSE TOOLS, INC.

ONE IN A CARTON, HALF DOZEN IN A BOX

CRUSO HAMMERS

Under our Cruso Brand we offer a line of good quality, forged steel Hammers, suitable for all ordinary purposes, and which will be found highly satisfactory for use around the farm, house or shop. While Cruso Tools are neat and attractive in appearance, they have not the high finish or superior grade of handles used in our or HIBBARD tools. Every Cruso Hammer is a surprising value for the price we ask.





Solid forged steel, plain poll, black finish, polished face and claw.

Nos		041	0411
Length, over all, in.		10	16
W 6, less nandle, oz.		00	13
v c, per dozen, ibs.		17.03	18
Per dozen	.\$	11.00	10.00

Solid forged steel, plain poll, polished finish, good grade hickory handle.

No. 011-W't less handle 16 oz., length, over all, 13 in., w't per doz. 18 lbs.per dozen \$16.00

HALF DOZEN IN A BOX

BELL FACE NAIL



Solid forged steel, bell face, black finish, polished poll and claw.

Nos	 0511 05	2 053
Length, over all, in	 13 121	113
W't less handle, oz	 16 13	7
W't per doz., lbs	 18 14	10
HALF DOZEN IN A BOX.	 10.00 9.5	0 9.00

Solid forged steel, bell face, polished finish, black neck, good grade hickory handle.

No. 0111-W't less handle 16 oz., length, over all, 13 in., w't per doz. 18 lbs. per dozen \$16.00

HALF DOZEN IN A BOX



Solid forged steel, straight claw, bell face, black finish, collished poll and claw.

No. 151 - Wt less handle 16 oz., length, over all, 13 in., ** per dos. 18 lbs.per dozen \$10.00 FAIR DOTES IN A BOX. WE DO NOT BREAK BOXES

MACHINISTS'



Solid forged steel, ball pein, octagon pattern, polished finish, except black necks, good quality hickory handle.

Nos0371	0372	0373
Sizes 000	00	0
Length, over all, in 12	12	14
W't less handle, lbs 1	2	1
W't per doz., lbs 10	13	16
Per dozen\$8.00	9.00	10.00

Solid forged steel, ball pein, round pattern, natural black finish, except polished ball and face, hickory handle.

Nos 0374	0375	0376	0377	0378
Sizes 1	2	3	4	5
Length, over all, in 151	16	16	17	175
W't less handle, lbs 11	15	19	2	21
W't per doz., lbs 21	24	27	30	33
Per dozen\$13.50	14.50	15.50	16 50	17 50

NOS. 0371, 0372 AND 0373, HALF DOZEN; OTHERS THIRD DOZEN IN A BOX. WE DO NOT BREAK BOXES

BLACKSMITHS' OR ENGINEERS'



Solid forged steel, cross pein, octagon face, natural black finish, except polished face, hickory handle.

Nos 02	281 0282	0283
Length, over all, in.,	5 15	16
W't less handle, oz	32 42	48
W't per doz., lbs 3	39	46
Per dozen\$16	.00 18.00	20.00

THIRD DOZEN IN A BOX. WE DO NOT BREAK BOXES ROSE TOOLS, INC.

HANDLED HAMMERS

BATTLE GREY NAIL

The Cheapest Good Forged Steel Hamer on the Market. Suitable for all Ordinary Service About the House or Farm. New galvanized rust proof finish. Good sound straight-grained handles.



No. 211 Battle grey, w't less handle, 16 oz., length over all, 13 in., w't per doz. 18 lbs.....per dozen \$10.00 ONE DOZEN IN A BOX. WE DO NOT BREAK BOXES



No. 31 Battle grey, w't less handle, 16 oz., length over all, 13 in., w't per doz. 18 lbs.per dozen \$10.00 HALF DOZEN IN A BOX. WE DO NOT BREAK BOXES



Converted cast steel, bell face, natural black steel finish, except polished poll and top of claws, good hickory handle, not warranted.

No. 71½—W't less handle 16 oz., length over all, 13 in. w't per doz. 18 lbs. per dozen \$7.00 ONE DOZEN IN A BOX. WE DO NOT BREAK BOXES


CALUMET BALL PEIN



Converted cast steel, octagon pattern, natural black steel finish, except polished ball and face, hickory handle. Not

Nos	803B 802B 801B 81B
Size	
W't less handle, ozs	
W't per doz., lbs	10 13 16 21
Per dozen	4.00 4.00 4.50 5.00
HALF DOZEN IN A BOX. WE DO	NOT BREAK BOXES


CAST STEEL NAIL



Converted cast steel, bell face, polished finish, except black neck, good hickory handle, not warranted.

No. 611-W't less handle 16 oz., length over all, 13 in. w't per doz. 18 lbs.per dozen \$8.00 HALF DOZEN IN A BOX. WE DO NOT BREAK BOXES

CAST IRON NAIL



Adze eye, octagon poll, nickel plated and buffed, hardwood finished handles.

No. 122-W't less handle 16 oz., w't per doz. 12 lbs., per dozen HALF DOZEN IN A BOX. WE DO NOT BREAK BOXES



Adze eye, nickel plated and buffed hardwood finished handles.

Nos110	1221 600
W't, less handle, oz	16 6
W't per doz., lbs 9	12 48
Per dozen\$3.00	
HALF DOZEN IN A DOY WE DO NOT DEFAK	BOYES



Cast iron, japanned, hardwood handle.

No. 91-Japanned Face, weight, each, 13 oz., length of handle, 9 in., w't per doz. 10 lbs. per dozen \$1.60

No. 15-Polished Face, weight, each 15 oz., length of handle, 9 in., w't per doz. 12 lbs.per dozen \$2,40 ONE DOZEN IN A BOX. WE DO NOT BREAK BOXES

TACK HAMMERS

No. 10 @WE-5 oz., horseshoe pattern, magnetic, with claw, highest quality forged crucible tool steel, adze eye, polished, with select white hickory handles, head 42 in. long, length over all 11 in., w't per doz. 6½ lbs.per dozen \$16.00

HALF DOZEN IN A BOX WE DO NOT BREAK BOXES

No. 310-Hibbard, 5 oz., horseshoe pattern, magnetic, with claw, extra uality forged crucible steel, adze eye, smooth charcoal black finish, with walnut stained hickory handles 47 in. head length over all 11 in., w't per doz. 61 lbs., per dozen\$12.00



Horseshoe pattern, magnetic, without claw, highest quality forged crucible steel, polished, with select white hickory handles.

No. 33 0 5 oz., head, 4 in. long, length over all 11 in., w't per doz. 6 lbs. per dozen \$16.00

No. 38 2 8 oz., head, 41 in. long, length over all 11 in., w't per doz, 94 lbs. per dozen \$18.00

HALF DOZEN IN A BOX WE DO NOT BREAK BOXES

Horseshoe pattern magnetic without claw, extra quality forged crucible steel, smooth charcoal black finish, with walnut stained hickory handle.

No. 333-Hibbard, 5 oz., head, 4 in. long, length over all 11 in., w't per doz. 61 lbs. per dozen \$12.00

HALF DOZEN IN A BOX WE DO NOT BREAK BOXES



No. 32 CVB-5 oz. non-magnetic, with claw, highest quality forged crucible steel, adze eye, polished, with selected white hickory handle, 41 in., head, length over all 11 in., w't per doz. 61 lbs. per dozen \$12.00

No. 332 CVB-5 oz. non-magnetic, with claw, extra quality forged cruchie tool steel, adze eye, smooth stained buckury harries. 42 in. head, seguit over all 11 in, w't per doz. BACK DOUBLE IN A BOX

TACK HAMMERS



No. 190—II-a-noy, 5 oz., horseshoe pattern, magnetic, with claw, converted cast steel head, polished, hickory handle, head 4% in. long, length over all 11 in., w't per doz.

No. 192—II-a-noy, 5 oz. plain pattern, non-magnetic, with claw, converted cast steel head, polished, hickory handles, head 4½ in. long, length over all 11 in., wt per doz. 6 lbs.per dozen \$6.00




No. 195-II-a-noy, 5 oz., horseshoe pattern, magnetic, without claw. converted cast steel head, polished hickory handle, head 43 in. long, length over all 11 in., w't per doz. 6 lbs.per dozen \$7.50

HALF DOZEN IN A BOX WE DO NOT BREAK BOXES



No. 2-Stanley, magnetic, cast iron head, tinned, ash handle, with steel claw on end, head 4 in. long, length over all 111 in., w't per doz. 37 lbs., per dozen\$3.20

ONE DOZEN IN A BOX WE DO NOT BREAK BOXES




No. 57—Cast iron, 7 oz., nickel plated head, unpolished, plain hardwood handle, head 51 in. long, length over all 101 in., w't per doz. 5 lbs., per dozen\$1.60

ONE DOZEN IN A BOX WE DO NOT BREAK BOXES



No. 25—Standard, cast iron head, polished, hardwood handle with claw on end, head 32 in. long, length over all 11t in., w't per doz. 3t lbs. ONE DOZEN IN A BOX
WE DO NOT BREAK BOXES

UPHOLSTERERS' HAMMERS



OSBORNE, French Pattern. The finest made, for expert upholsterers who want the best. Solid forged steel one-piece handle and head, full polished and well tempered, with oval handle grip, overlaid with genuine rosewood, riveted on. Length overall, 103 in.

Nos 61-3	61_4	61-5
Size	4	5
Diam. of face, in 74.	1	9
Length of head, in., 61	67	7
W't, each, oz 15	151	16
W't per doz., lbs 12	13	14
Per dozen\$48.00	48.00	48.00

BILL POSTERS HAMMER HEADS




Horseshoe pattern, highest quality forged crucible steel, strongly magnatized, full polished.

No. 500 Own 5 oz., without handle, w't per doz. 41 lbs., per dozen\$15.00

No. 800 @ 8 oz., without handle, w't per doz. 61 lbs., per dozen \$12.00

HALF DOZEN IN A BOX

EXTRAS FOR BILL POSTERS HAMMERS



No. 36BJ-Handles, 36 in., jointed, 2 sections, ribbed grip white ash, with polished brass screw socket, per dozen\$24.00

No. 10B Card Holding Attach-ments, nickel plated spring steel, with rubber adjusting ring to put on handles for holding card to set first tackper dozen sets \$2.40

LOOSE

TOOL WEDGES



Malleable iron, natural finish.

TWO DOZEN IN A BOX



Malleable iron, natural finish.

THREE DOZEN IN A BOX




Malleable Iron, Natural Finish.

REVO-NOC

We Stand Behind the Brand.

TOOL WEDGES



Malleable iron, natural finish, plain wedge pattern, cross ribbed to hold securely.

No. 1704—Hammer, for sizes 2 and 3 nail hammers, length % in., depth 1% in., w't per gross 1½ lbs., per gross\$1.30

No. 1703—Hammer, for medium and large machinists and riveting hammers, length %6 in, depth 11/16 in., w't per gross 1 lb., per gross\$1.00

No. 1702—Hammer, for small machinists and riveting hammers, length 3 in., depth 1½6 in., w't per gross 3 lb. per gross \$0.80 ONE GROSS IN A BOX. WE DO NOT BREAK BOXES

Our reputation founded on over sixty-seven years' business stands back of the

All goods branded are guaranteed to be of highest quality material and workmanship and free from imperfections.

In selling articles there is a profit for you and satisfaction to your customers.

WHITE MASONS' TAPE



Rubberized Fabric, 2 in. Wide, Similar to Tire Tape.

White Mason tape is used for wrapping the fingers and hands of stone masons, bricklayers, mechanics and kindred trades. Is also used for wrapping tool handles, baseball bats, etc.

The strong friction, wearing and insulating qualities of this tape, together with its light color, makes its particularly adapted for interior work in the electrical line.

No. 2½—4 lb. roll, w't per doz. 3 lbs., per dozen\$3.60 ONE ROLL IN A CARTON; 100 LBS. IN A CASE

AXE RACKS



Can be used on the counter or on the wall by supporting with brackets. For counter use a fine display can be made by placing two racks back to back. The rack is ornamental and attractive, and will save its cost by keeping axes off the floor, away from the dirt and sprinkler.

No. F15 Briggs—Semi-circular, hard wood, painted red, base 22½×11½ in., height 13 in., holds up to sixteen handled and sixteen unhandled axes, w't each 16 lbs.,

each*\$7.50
ONE IN A FIBRE SHIPPING CARTON

NOTE—We do not give away Axe Racks as premiums.

* Items Marked Thus * Are Shipped From Factory Only. ROSE TOOLS, INC.

STRIKING HAMMERS



Regular or Nevada long pattern, solid forged steel, polished faces, oil finish.

Nos. 863 864 865 866 W't, lbs. ... 3 4 5 6 Per dozen ..\$8.65 11.50 11.50 11.50

Nos. 867 868 8610 8612 W't, Ibs. ... 7 8 10 12 Per dozen \$13.45 15.35 19.20 23.05 LOOSE

with the Loose and the left distributed for the left distributed for interior with the left distributed for the left dist



Oregon short pattern, solid forged steel, polished faces, oil finish.

Nos. 874 875 W't, Ibs. 4 5 Per dozen\$11.50 11.50 11.50

Nos. 877 878 8710 8712 W't, lbs. ... 7 8 10 Per dozen. \$13.45 15.35 19.20 23.05 LOOSE and the planter but racks been to

MASON'S HAMMERS



Solid Forged Steel, Polished Faces Oil Finish. 10 100

Mos. 954 955 956 WE BE 4 5 6 Per dopen\$17,30 19.80 23.75

BLACKSMITHS' HAND HAMMERS



ENGLISH PATTERN, solid forged steel, polished face, oil finish.

The second of		
Ditte media	LOOSE	

BLACKSMITHS' SLEDGES



Solid forged steel, cross pein, polished face, oil finish.

Nos	40
LOOSE	10



Solid forged steel, double face, oil finish, polished faces.

W't, lbs 4 Per dozen	0	LES THE
H - NA OF HUDDON		

Nos. 1610 1612 1614 1616 W't, lb. . . . 10 12 14 16 Per dozen..\$19.20 23.05 26.90 30.70 LOOSE A BUILD DE LOOSE

STONE SLEDGES



Solid forged steel, polished facoil finish.

Nos. 9210 921 W't, lbs. 10 Per dozen\$19.20 23.0

LOOSE

WOOD CHOPPERS' MAULS



Oregon pattern, oval eye, solid forged steel, polished face, oil finish.

Nos. 2135 2136 2137 2138 W't, ea., lbs. 5 6 7 8 Per dozen. \$14.40 17.30 20.15 23.05

LOOSE

SHIP OR TOP MAULS



Solid Forged Steel, Polished Faces Oil Finish.

Nos. 1565 1566 W't, Ibs. 5 6 Per dozen\$16.65 19.95 LOOSE

We Stand Behind the Brand. ROSE TOOLS, INC.

WOOD CHOPPERS' WEDGES



Forged steel, regular fluted pattern, oil finish.

Nos	CHEST
Nos 53	54
W't each, lbs 3	4
A Cr dozen	6.70
Nos.	
W't each, lbs 5	56
Per dozen	6
Per dozen\$8.40	10.10
LOOSE	

LOOSE

No. T10-Assorted, one dozen in a case, 3 to 6 lbs., w't per case about 55 lbs.per case \$8.50

WE DO NOT BREAK ASSORTMENTS



Forged steel, Truckee pattern, oil finish.

W't each The	3 154
W't each, lbs. 3 Per dozen\$5.	4
Nos	7.20
to to teatin, ins.	
Per dozen\$9.0	0 10.80
LOOSE	E JENS

No. T16-Assorted, one dozen in a case, 3 to 6 lbs, w't per case about 55 lbs.per box \$8.00

WE DO NOT BREAK ASSORTMENTS



Forged steel, Oregon pattern, oil finish at it strongs of &

Nos.	405	406
Wt each, lbs. vii	JR I	- 0

STAVE WEDGES



Forged steel, Ozark pattern, oil finish.

Nos. 303 304 305 W't each, lbs. 31 Per dozen\$6.70 7.70 8.65

LOOSE

SAW WEDGES



Forged steel, improved pattern, oil finish.

Nos 451	
W't each, the	452
W't each, Ibs	2
Per dozen\$4.50	5.50

LOOSE Plant point, soild forgod high cur-

on sheet well tempered, all finish

APIG APIS APIG

Carry a line of goods upon which you can rely.

The dealer who carries H. S. B. & Co. Brands marks his store as a place where the better goods are sold.

A house with over sixty-seven years' experience stands back of our brands.


COAL MINERS' WEDGES



Alton pattern, oil finish, solid forged crucible steel, well tempered.

Nos.201½ 202 202½ W't each, Ibs. 11 Per dozen\$3.50 4.00 5.00 LOOSE

COAL MINING PICKS



Alton pattern medium eared, oil finish, solid forged crucible steel, well tempered.

Nos 311	
W't each the	32
W't each, lbs	2
Per dozen\$9.00	10.00
Nos 331	The same of
W't each the	33
W't each, lbs 21	3

Per dozen\$11.00 12.00 LOOSE

COAL CUTTING PICKS



Alton pattern medium eared, oil finish, solid crucible steel, well tempered.

W't each, lbs	42½ 2½
Nos	431

LOOSE

IBBARD, SPENCER, BARTLETT & CO.

MATTOCKS



No. 3.

carbon, highest quality forged tool steel, green bronzed, polished bits, extra well tempered and finished. Short cutter, light, cutter blade

4 in. long, 21 in. cut, hoe blade 71 in.

long, 31 in cut.

No. W24 CWB-Full one dozen cases, per dozen\$20,00 No. 24 OWB—less than case,

per dozen\$21.00 Short cutter, medium, cutter blade 4½ in long, 3½ in. cut, hoe blade 8 in.

long, 4 in. cut. No. W35 OMB-Full one dozen case, per dozen\$20.00

per dozen\$21.00 Long Cutter, heavy, cutter blade 6 in. long, 31 in. cut, hoe blade 81 in.

long, 41 in. cut. No. W136 CWB-Full one dozen case, per dozen\$21.00



No. 16.

Standard, adze eye, extra quality forged steel, oil finish.

Short cutter, light, cutter blade 4 in, long, 21 in, cut, hoe blade 71 in.

long, 31 in. cut. No. W44—Full two dozen case,

Short cutter, medium, cutter blade in. long, 3h in. cut, hoe blade 8 in. long, 4 in. cut.

No. W55—Full two dozen case, per dozen\$12.00 No. 55—Less than case,

per dozen\$13.00 Long cutter, heavy, cutter blade 6 in. long, 31 in. cut, hoe blade 81 in. long, 41 in cut, w't 6 lbs.

No. W166-Full dozen case,

per dozen\$13.00 No. 166-Less than case,

per dozen TWO DOZEN IN A CASE \$14.00

PICK MATTOCKS



Standard, adze eye, extra quality, forged steel, oil finish, pick 8 in. long, blade 8 in. long, 4 in cut, w't 5 lbs., No. W145-Full two dozen case,

per dozen\$13.00 No. 145-Less than case,

RAILROAD PICKS



adze eye, one-piece, high carbon, highest quality forged tool steel, green bronzed, polished points, extra well tempered and finished.

Full Dozen Cases.

Less Than Case.

Nos. 0 000 4056 4067 W't, lbs. 5 to 6 6 to 7 Per dozen\$19.00 20.00

ONE DOZEN IN A CASE

MAS-Full dozen carton, Standard, adze eye, extra quality forged steel, oil finish.

Full Two Dozen Cases.

Nos. W3045 W3056 W3067 W3078 Length, over all, Illian and all

in. 20 to 22 22 to 24 24 to 25 25 to 27 W't, notice and seed an estion, t'W

Ibs. 4 to 5 5 to 6 6 to 7 7 to 8 Per dozen son Hull on at 1884 .ol

00 \$10.00 10.50 11.00 12.00 No. 44 -33 in, Less than carton

Co. Ole. Less Than Case. Tog

Nos. 3045 3056 3067 3078 W't, Ibs. ..4 to 5 5 to 6 6 to 7 7 to 8 Per dozen .\$11.00 11.50 12.00 13.00

TWO DOZEN IN A CASE

ORE PICKS



Standard, extra quality forged steel, oil finish. REVENOC

No. 3567-Length, over all, 22 to 24 in; w't assorted 6 to 7 lbs., per dozen\$12.00

TWO DOZEN IN A CASE

disk van direct dayle onle 33 in. DRIFTING PICKS



Standard, extra quality forged steel, oil finish. Nos. 24 25

Length, over all, 22 24 Wt, lbs. 4 5 per dozen\$12.00 14.00

TWO DOZEN IN A CASE

POLL PICKS



Standard, extra quality forged steel, oil finished.

No. 31-W't each 31 lbs., length over all 131 in., per dozen\$12.00

TWO DOZEN IN A CASE

GRUB HOES

SINGLE SEE, SYAL, REGULAR



owin, adze eye, one-piece, high carbon, highest quality forged tool steel, green bronzed, polished bit, extra well tempered and finished.

No. 1131 CVD-3? in. bit, length, over all, 102 in., w't 31 lbs.,

per dozen\$16.00

ONE DOZEN IN A CASE

No. N70 Full dozen carton


GRUB HOES

Standard, adze eye, extra quality, forged steel, oil finish.

Nos. 031 024 133 L'gth, over all, in. 101 102 111 Width of bit, in. . . 31 37 W't, lbs. 3 31 4 Per dozen\$10.00 10.50 11.00

TWO DOZEN IN A CASE

HAZEL HOES



Standard, adze eye, extra quality, forged steel, oil finish.

No. 54-Round eye, width of bit 6 in., w't 3 lbs., per dozen\$16.00

TWO DOZEN IN A CASE

AXE HANDLES

Hickory—Made from extra select, clear white second growth hickory, straight grained and carefully seasoned and finished. The highest grade handle, which can be produced.

HIBBARD Oak-Select second growth, handsome dark oak, well finished and durable. The best oak handle on the

market.

HIBBARD Hickory—Extra fine quality XX white hickory, straight grained and carefully seasoned, well finished, labeled and packed. A big value at a moderate price.

IL-A-NOY-Splendid value, No. 1 medium grade, tough, durable timber, forest hickory, well seasoned and finished.

Will give service equal to many higher priced handles.

CRUSO-Next in rank to the "Il-a-noy., Good strong sound forest hickory, medium grade. All right for ordinary use and a splendid value at the price.

SINGLE BIT, OVAL, REGULAR



hickory, 36 in., w't per doz. 23 lbs.

No. N40-Full	dozen	carton,
per dozen .		\$12.00

No. 40—Less than carton,

per dozen					\$13.00
-----------	--	--	--	--	---------

HIBBARD, finest dark oak, 36 in., w't per doz. 22 lbs.

No. N70-Full dozen carton, per dozen\$8.00

No. 7	0—Less	than	carton,	1000	
per	dozen .		coho d		.\$9.00

HIBBARD XX second growth hickory, 36 in., w't per doz 22 lbs.

No. N	111-Ful	l dozen	carton,	
per	dozen .	560.		.\$9.00

No. 11—Less than carton, per dozen\$10.00

ONE DOZEN IN A CARTON

IL-A-NOY, good quality forest hickory, 36 in., w't per doz. 21 lbs.

No. N240—Full dozen carton, per dozen\$6.00

CRUSO, sound forest hickory, 36 in., wit per doz. 21 lbs.

No. N340—Full dozen carton, per dozen\$4.00

ONE DOZEN IN A CARTON

SINGLE BIT, OCTAGON, REGULAR



hickory, 36 in., w't per doz. 23 lbs.

No. N45—Full dozen carton, per dozen\$12.00

No. 45—Less than carton, per dozen\$13.00

HIBBARD XX second growth hickory, w't per doz. 22 lbs.

No. N33-36 in., Full dozen carton, per dozen\$9.00

No. N441-33 in., Full dozen carton, per dozen\$9.00

No. 441—33 in., Less than carton, per dozen\$10.00

ONE DOZEN IN A CARTON

SINGLE BIT, OVAL, SLIM



hickory, 33 in., w't per doz. 21 lbs.

No. N55—Full dozen carton, per dozen\$12.00

No. 55—Less than carton, per dozen\$13.00

HIBBARD XX second growth hickory, 33 in., w't per doz. 20 lbs.

No. N22—Full dozen carton, per dozen\$9.00

No. 22—Less than carton, per dozen\$10.00

HIBBARD, finest dark oak, 33 in., w't per doz. 20 lbs.

No. N82—Full dozen carton, per dozen\$8.00

No. N250—Full dozen carton, per dozen\$6.00

No. 250—Less than carton, per dozen\$6.75

ONE DOZEN IN A CARTON

SINGLE BIT, OVAL, SLIM STRAIGHT



HIBBARD, finest dark oak, 33 in., w't per doz. 21 lbs.

No. N80-Full dozen carton,

per dozen\$8.00

No. 80-Less than carton,

per dozen\$9.00

HIBBARD XX second growth hickory, 36 in., w't per doz. 21 lbs.

No. N77-Full dozen carton,

per dozen\$9.00

No. 77—Less than carton, per dozen\$10.00

ONE DOZEN IN A CARTON

DE-Pail Live closest care.

BOYS' SINGLE BIT, OVAL



IL-A-NOY, good quality forest hickory, 28 in., w't per doz. 13 lbs.

No. N241-Full dozen carton,

per dozen\$5.00

No. 241—Less than carton,

ONE DOZEN IN A CARTON ROSE TOOLS, INC.

IBBARD, SPENCER, BARTLETT & Co.

HANDLES

6 Hickory-Made from extra select, clear white second growth hickory, straight grained and carefully seasoned and finished. The highest grade handle, which can be produced.

HIBBARD Hickory-Extra fine quality XX white hickory, straight grained and carefully seasoned, well finished, labeled and packed. A big value at a moderate price.

HIBBARD Oak-Select second growth, handsome dark oak, well finished and durable. The best oak handle on the

IL-A-NOY-Splendid value, No. 1 medium grade, tough, durable timber, forest hickory, well seasoned and finished. Will give service equal to many higher priced handles.

CRUSO-Next in rank to the "Il-a-noy.,, Good strong sound forest hickory, medium grade. All right for ordinary use and a splendid value at the price.

DOUBLE BIT AXE, OVAL, REGULAR



6 10, finest second growth white blekory, 36 in., w't per doz. 23 lbs.

																																																																										į	ļ	1	ļ		l		l	į		ì	,				7	۱	1	ć	4	,	Ų	ļ
per dozen\$12.	00	0	0	0)))))))))))))))))))))))))))))))													5	-																												

Mo. 60-Less than carton,

per dozen\$13.00

HIBBARD, finest dark oak, 36 in., w't per doz. 22 lbs.

Mc MS5-Full dozen carton,

per dozen\$8.00

Mo. 85-Less than carton,

per dozen\$9.00

THE ARD ALL second growth hick-

ary, 36 in., w't per der. 22 lbs. Mo. N44-Full dozen carten,

No. 44-Less than carton.

per domen\$10.00

IL-A-NOY, good quality forest hickcry, 36 in., w't per doz. 21 lbs.

No. N260-Full dozen carton.

per dozen\$6.00

Mo. 260-Less than carton.

per dozen\$7.00

ONE DOZEN IN A CARTON

DOUBLE BIT AXE, OVAL, SLIM

HIBBARD XX, second growth hickory 36 in., w't per doz. 20 lbs.

No. N66-Full dozen carton, per dozen\$9.00

No. 66-Less than carton,

per dozen\$10.00

HIBBARD, finest dark oak, 36 in., w't per doz. 20 lbs.

No. N90-Full dozen carton, per dozen\$8.00

No. 99-Less than carton. per dozen\$9.00

ONE DOZEN IN A CARTON

BROAD AXE

HIBBARD, select XX second growth hickory, oval.



MINNESOTA pattern, 36 in., extra heavy, w't per doz. 26 lbs.

No. N124-Full dozen carton, per dozen\$8.00

No. 124-Less than carton, per dozen\$9.00

REVERSIBLE pattern, 28 in., medium weight, with off-set eye end, w't per doz. 18 lbs.

No. N123-Full dozen carton, per dozen\$6.00

No. 123-Less than carton, per dozen\$7.00 ONE DOZEN IN A CARTON

GOAL MINERS' AXE



IL-A-NOY, good quality hickory, oval, straight, 26 in., w't per doz.

No. N227-Full dozen carton, per dozen\$5.00

No. 227-Less than carton, per dozen\$6.00

ONE DOZEN IN A CARTON

COAL PICK. OVAL MEDIUM EYE 3x1 INCHES



HIBBARD XX, second growth hickory, 34 in., w't per doz. 23 lbs.

No. N118-Full dozen carton.

per dozen\$8.00

No. 118-Less than carton,

per dozen\$9.00

IL-A-NOY, hickory, 34 in., w't per doz. 23 lbs.

Mo. N218-Full dozen carton.

per dozen\$6.00

No. 218-Less than carton,

per dozen\$7.00

CRUSO, sound forest hickory, 34 in., w't per doz. 23 lbs.

No. N318-Full dozen carton,

per dozen\$4.00

No. 318-Less than carton.

per dozen\$5.00 ONE DOZEN IN A CARTON

DRIFTING PICK



IL-A-NOY, good quality forest hickory, oval, 34 in., w't per doz. 27 lbs.

No. N219-Full dozen carton,

per dozen\$8.00

No. 219-Less than carton. per dozen\$9.00

ONE DOZEN IN A CARTON

HANDLES

GVB Hickory-Made from extra select, clear white second growth hickory, straight grained and carefully seasoned and finished. The highest grade handle, which can be produced.

HIBBARD Hickory-Extra fine quality XX white hickory, straight grained and carefully seasoned, well finished, labeled and packed. A big value at a moderate price.

HIBBARD Oak-Select second growth, handsome dark oak, well finished and durable. The best oak handle on the market.

IL-A-NOY-Splendid value, No. 1 medium grade, tough, durable timber, forest hickory, well seasoned and finished. Will give service equal to many higher priced handles.

CRUSO-Next in rank to the "Il-a-noy.,, Good strong sound forest hickory, medium grade. All right for ordinary use and a splendid value at the price.

RAILROAD PICKS OR MATTOCK

finest second growth white

hickory, 36 in., w't per doz. 38 lbs. No. N17-Full two dozen crate, per dozen\$12.00

No. 17-Less than crate, per dozen\$13.00

HIBBARD XX second growth hickory, 36 in., w't per doz. 37 lbs.

No. N117-Full two dozen crate, per dozen\$10.00

IL-A-NOY, good quality forest hickory, 36 in., w't per doz. 36 lbs.

No. N217-Full two dozen crate, per dozen\$8.00

No. 217-Less than crate. per dozen\$9.00

CRUSO, good quality white ash. 36 in., w't per doz. 34 lbs.

No. N317-Full two dozen crate. per dozen\$6.00

No. 317—Less than crate, per dozen\$7.00 TWO DOZEN IN A CRATE

POLL PICK



IL-A-NOY, good quality forest hickory, oval, 34 in., w't per doz.

No. N221-Full dozen carton, per dozen\$8.00

No. 221-Less than carton, per dozen\$9.00

ONE BOZEN IN A CARTON

SLEDGE

finest second growth white hckory, oval, with slim neck.

Full dozen carton. Nos. N30 N36 Length, in. 30 36 W't doz. lbs. 22 Per dozen\$7.50 8.00 Less than carton,

Nos. Per dozen\$8.50 9.00 ONE DOZEN IN A CARTON

CVD, finest second growth white hickory, octagon, with slim neck, 36 in., w't per doz. 22 lbs.

No. N36X-Full dozen carton, per dozen\$8.00

No. 36X-Less than carton, per dozen\$9.00

ONE DOZEN IN A CARTON

IL-A-NOY, good quality forest hickory, oval, regular pattern.

Full dozen carton,
Nos.N230 N232 N234
Length, in. 30 32 34
W't, doz., lbs. 18 19 21 N236 36 22 Per dozen ..\$4.50 5.00 5.50 6.00

Less than carton, Nos. 230 232 234 236 Per dozen\$5.50 6.00 6.50 7.00

N2266 — Assorted, lengths, doz. No. 230; & doz. No. 232; doz. No. 234 and 5/12 doz. No. 236; w't per ass't 20 lbs., per assortment\$5.50 ONE ASSORTMENT IN A CARTON

CRUSO, Hickory.

Full dozen carton. Nos. Length, in. 30 36 W't per doz., lbs. 18 Per dozen \$3.50 4.00 ONE DOZEN IN A CARTON. WE DO NOT BREAK CARTONS

CARPENTERS' ADZE

IL-A-NOY, good quality forest hickory, oval, 34 in., w't per doz. 22 lbs.

No. N215-Full dozen carton, per dozen\$6.00

No. 215-Less than carton. per dozen\$7.00

ONE DOZEN IN A CARTON

RAILROAD ADZE

IL-A-NOY, good quality forest hickory, oval, 34 in., w't per doz. 22 lbs.

No. M216-Full dozen carton, per dozen\$6.00

No. 216-Less than carton,

per dozen\$7.00

ONE DOZEN IN A CARTON

POST MAUL

IL-A-NOY, good quality forest hickory, oval 36 in., w't per doz. 21 lbs.

No. N225-Full two dozen carton. per dozen\$6.00

No. 225-Less than carton, per dozen\$7.00

ONE DOZEN IN A CARTON

GRUB HOE

IL-A-NOY, good quality forest hickory, oval, straight, 36 in., w't per doz. 33 lbs.

No. N222-Full two dozen carton,

per dozen\$8.00 No. 222-Less than carton.

per dozen\$9.00

ONE DOZEN IN A CARTON ROSE TOOLS, INC.

IBBARD, SPENCER, BARTLETT & Co.

HAMMER HANDLES

Hickory—Made from extra select clear white, second growth hickory, the finest grown; straight grained and carefully seasoned, properly shaped to give balance and to fit the hand. The highest grade handles which can be produced.

IL-A-NOY Hickory-An unusual value in No. 1 tough, durable, forest hickory, of good appearance, wellseasoned and finished. Will give service equal to many higher priced handles.

CRUSO Hickory-Our leader value, next in rank to the Il-a-noy. Good strong, sound forest hickory, medium grade. Suitable for ordinary use, but not comparative in appearance with our better grades.

ADZE EYE, NAIL HAMMER

finest second growth white hickory. 11N 12N 13N For hammers .. 4 3 1 or 13 Length, in. 11 12 13 W't per doz. lbs. 41 5 51 Per dozen\$2.00 2.40 2.40

Nos 14	N 15N
For hammers10	r11 0 or 1
Length, in 1	4 15
W't per doz., lbs	6 61
Per dozen\$2	.40 2.40
DO NOT BREAK CAR	TONS

No. 1511N-Assortment consists of-
12 dozen No. 11N-11 in.
Ha dozen No. 12N-12 in.
dozen No. 13N-13 in.
dozen No. 14N-14 in.
W't per assortment 51 lbs.
Per assortment\$2.40
COME ASSORTMENT IN A CAPTON WE

DO NOT BREAK CARTONS

heart.	od qui	ality	forest
Nos	.212N	213N	214N
For hammers		2	10
When he is			14
W t per don, lbs			
DAY DOMEN IN A CA			
BREAT	DATE OF THE PARTY	WE D	ONOL

Min. 21	NOR-Asse	etment	consists	of-
Ha t	dioen No.			1
5 2 4	dozen No.			
	dinen No.			
Per 1	issortment			1.60
COLE AS	SORTMENT SO NOT BE	IN A	CARTON.	WE

No. 314N-14 in., for sizes 1 and 16	CRUSO, sound	forest hickory.
Marie Marie and the same and the same of t	No. 314N-14 in.	for sizes 1 and 1h
Nail Hammers, w't per doz. 6 lbs.,	Nan Hammers,	wt per doz. 6 lbs.,
per comem\$0.80		
CONT DOZEN IN A CARTON. WE DO NOT	CRE DOTEN IN Y	CARTON WE DO NOT

FARRIERS' HAMMER

No. 14F GVB-finest second growth hickory, 14 in. w't per doz. 6 lbs., per dozen\$2.40 ONE DOZEN IN A CARTON. WE DO NOT BREAK CARTONS

MACHINISTS' HAMMER

own, finest second growth white hickory.

Nos 12M	14IW	16M
For hammers000,0 Length, in 12	14	16
W't, doz., lbs 41 Per dozen\$2.40	6	71
Nos		
For hammers	2 & 3	4 & 5

Length, in	18	20
W't, doz., lbs	9	11
Per dozen		
ONE DOZEN IN A CARTON.	WE DO	NOT

BREAK CARTONS

No. 1220M-Assortment consists of-1/12 dozen No. 12M-12 in. dozen No. 14M-14 in. 5/12 dozen No. 16M-16 in. dozen No. 18M-18 in. 1/12 dozen No. 20M—20 in. W't per assortment 9 lbs. Per assortment\$3.00

ONE ASSORTMENT IN A CARTON. WE BREAK CARTONS

IL-A-NOY, good quality forest hickory.

1103:	21414	SIGIN	
For hammers000,00	0	1	
Length, in 12	14	16	
W't, doz., lbs 45	6	71	
Per dozen\$1.60	1.60	1.80	
Nos	.218M	220IVI	
For hammers	9	9	

Nos218M	220W
or hammers 2	3
Length, in	20
W't, doz., lbs 9	11
Per dozen\$2.00	2.20

OME DOZEN IN A CARTON. WE DO NOT BREAK CARTONS

No. 2220M-Assortment consists of-

3/12 dozen No. 212M-12 in. i dozen No. 214M-14 in. Win dozen No. 216M-16 in.

dozen No. 218M-18 in. His dozen No. 220M-20 in. W't per assortment 9 lbs.

Per assortment\$2.40 ONE ASSORTMENT IN A CARTON. WE BREAK CARTONS

RIVETING HAMMER

finest second growth white hickory.

For hammers ... 0 1 2 Length, in. 11 12 13 15 W't, doz., lbs. .. 31 41 51 6 Per dozen\$2.40 2.40 2.40 2.80

ONE DOZEN IN A CARTON. WE DO NOT BREAK CARTONS

No. 1115R-Assortment consists of-

å dozen No. 11R-11 in.

dozen No. 12R-12 in.

1 dozen No. 13R-13 in.

4 dozen No. 15R-15 in.

W't per assortment 5 lbs.

Per assortment\$2.40

ONE ASSORTMENT IN A CARTON

IL-A-NOY, good quality forest

Nos.211R 212R 213R For hammers 0 1 Length, in... 11 12 13 15 W't, dz., lbs. 31 43 54 Per dozen ..\$1.60 1.60 1.60 1.80

ONE DOZEN IN A CARTON. WE DO NOT BREAK CARTONS

No. 2115R-Assortment consists ofà dozen No. 211R-11 in.

dozen No. 212R-12 in.

dozen No. 213R-13 in.

dozen No. 215R-15 in.

W't per assortment 5 lbs. Per assortment\$1.60

ONE ASSORTMENT IN A CARTON. WE BREAK CARTON

TACK HAMMER

No. 12T -finest second growth hickory. 113 in., w't per doz. 43 lbs., per dozen\$2.40

ONE DOZEN IN A CARTON WE DO NOT BREAK CARTONS

HAMMER AND HATCHET HANDLES

Carefully seasoned, properly shaped to give balance and to fit the hand. The highest grade handles which can be produced. IL-A-NOY Hickory—An unusual value in No. 1 tough, durable, forest hickory, of good appearance, well seasoned and finished. Will give service equal to many higher priced handles.

CRUSO Hickory—Our leader value, next in rank to the IL-A-NOY. Good strong, sound forest hickory, medium grade. Suitable for ordinary use, but not comparative in appearance with our better grades.

BLACKSMITHS' HAMMER



own, finest second growth, hick-

ory.		
Nos	168	198
For hammers	1	2
Length, in	15	18
W't per doz., lbs.	11	14
Per dozen	\$2.80	3.20
		TITLE
Nos	20B	24B
For hammers	3	48-5
Length, in.	20	24
W't per doz., lbs	71	9
Per dozen	\$3.40	4 40
ONE DOZEN IN A CARTON, V	VE DO	NOT
BREAK CARTONS.		

IL-A-NOY, good quality forest hickory. Nos.216B 218B

For hammers 1 2 Per dozen\$1.80 2.00

For hammers 3 4 & 5 Length, in. 20 24 W't per doz., lbs. 11 14 Per dozen \$2.20 2.60 ONE DOZEN IN A CARTON. WE DO NOT BREAK CARTONS.

Carry a line of goods upon which you can rely.

The dealer who carries H. S. B. & Co. Brands marks his store as a place where the better goods are sold.

A house with over sixty-seven years' experience stands back of our brands.

REGULAR HATCHET



own, finest second growth, white hickory.

ONE DOZEN IN A CARTON. WE DO NOT BREAK CARTONS

No. 13-Assortment consists of-# dozen No. 1—13 in.
dozen No. 2—14 in.
dozen No. 3—15 in. W't per assortment 6 lbs. Per assortment\$2.40

ONE ASSORTMENT IN A CARTON

IL-A-NOY, good quality forest hickory.

......... 201 202

ONE DOZEN IN A CARTON. WE DO NOT BREAK CARTONS.

No. 204—Assortment consists of t dozen No. 201—13 in. # dozen No. 202-14 in. dozen No. 203-15 in. W't per assortment 6 lbs. Per assorment\$1.60

ONE ASSORTMENT IN A CARTON. WE DO NOT BREAK CARTONS

UNDERHILL PATTERN LATHING HATCHET



No. 4 CVB_Finest second growth white hickory. 13 in., w't per doz. 51 lbs.per dozen \$2.40

ONE DOZEN IN A CARTON. WE DO NOT BREAK CARTONS.

DERRICK HATCHET



No. 9 6 Finest second growth white hickory. 18 in., w't per doz. 9 lbs. per dozen \$4.80

ONE DOZEN IN A CARTON. WE DO NOT BREAK CARTONS

BROAD HATCHET



own, finest second growth, white hickory.

Nos. 5½ 6 6½
For hatchets 2 3&4 5&6
Length, in. 16 17 18
W't per doz., lbs. ... 7½ 8 9 3&4 5&6 Per dozen\$3.00 3.50 4.00

ONE DOZEN IN A CARTON. WE DO NOT BREAK CARTONS.

No. 1618-Assortment consists of %2 dozen No. 51-16 in.

dozen No. 6 —17 in. 1/12 dozen No. 7 —18 in. W't per asst. 8 lbs. Per assortment\$3.50

ONE ASSORTMENT IN A CARTON. WE DO NOT BREAK CARTONS

IL-A-NOY good quality forest hick-

Nos.205½ 206 207 Length, in. 16 17 18 W't per doz., lbs. 71 8 9 Per dozen\$2.00 2.50 3.00

ONE DOZEN IN A CARTON. WE DO NOT BREAK CARTONS.

No. 208-Assortment consists of-912 dozen No. 2052—16 in. 3 dozen No. 206—17 in. 112 dozen No. 207—18 in. W't per assortment 8 lbs. Per assortment\$2.40

ONE ASSORTMENT IN A CARTON. WE DO NOT BREAK CARTONS

SHORT AXES



finest second growth, white

hickory. No. 81-Scout or light hand axe, 14 in., w't per doz. 6 lbs., per dozen\$2.40

No. 91-House or medium hand axe, 19 in., w't per doz. 10 lbs... per dozen\$6.00

ONE DOZEN IN A CARTON. WE DO NOT BREAK CARTONS

IRON SPOKE SHAVES



No. 1—9 in. japanned straight handle, 13 in. cast steel cutter, w't per doz. 53 lbs. per dozen \$5.00



No. 63—Bailey's, 9 in. straight handle, japanned, 13 in. single cutter, w't per doz. 4% lbs., per dozen \$4.30



No. 2—10 in. japanned raised handle, 2½ in. cast steel cutter, w't per doz. 8 lbs. per dozen \$8.00



No. 3—10 in. japanned straight handle; 1% in. straight knife and 1% in. concave knife high grade steel; w't per doz. 8 lbs. ...per dozen \$10.00



No. 55—Bailey's, 10 in. japanned raised handle, double iron, hollow face, 21 in. cast steel cutter, w't per doz. 71 lbs. per dozen \$7.20



No. 151—Raised Handle, 10 in long,



No. 152

Bailey Adjustable Cutters can be quickly adjusted both endwise and sidewise by means of the adjusting screws which engage the slots near the



IRON SPOKE SHAVES

BAILEY'S



Extra Irons, for No. 52, per dozen\$2.50



No. 53—10 in. japanned raised handle, 2½ in. adjustable cast steel cutter, w't per doz. 9 lbs., per dozen \$9.60

ABOVE HALF DOZEN IN A BOX

RABBET SPOKE SHAVES



For carriage makers, car builders and cabinet makers for finishing panels. Rabbets and similar work.

No. 68-10% in. japanned straight handle, 2% in. steel cutter, w't per doz. 15 lbs. per dozen \$19.40

No. 71—10% in. straight handle, brass frame, 2% in. steel cutter with gauge, w't per doz. 21 lbs., per dozen\$54.00

WOOD SPOKE SHAVES



No. 180—10 in. beechwood handle, 2½ in. cast steel cutter, w't per doz. 2½ lbs. per dozen \$11.80

No. 181-11 in. beechwood handle, 3 in. cast steel cutter, w't per doz. 31 lbs.per dozen \$13.60



No. 192-10; in. beechwood handle, 2; in. cast steel cutter, brass set screws, w't per doz. 3; lbs.,

ALL ABOVE, HALF DOZEN IN A BOX
ROSE TOOLS, INC.

1 Ingula over all 8g in., wt per set \$17.80

ABOVE ONE SET IN A BOX

UNIVERSAL SPOKE SHAVES



Two detachable bottoms, adapted to circular work or straight; and, by means of a movable width-gauge, can be used in rabbeting. Both handles are detachable, and either of them can be screwed into a socket on top of the stock, thus making it possible to work into corners or panels as no other spoke shave can do.

No. 67—Stanley's Improved, nickel plated rosewood handle, length 9½ in., w't, doz. 10 lbs., doz. \$31.60 ONE IN A BOX

WOOD CARVING SETS



No. 1—64×3½ in. varnished case, containing one each U tool, scraper, bevel chisel, V tool, curved gouge and straight chisel, tool steel blades, cocobola handles, length over all 5½ in., w't per set § 1b. per set § 3.70



No. 2—9x3½ in. varnished case, containing one each V tool, bevel chisel, curved gouge, straight chisel, U tool and straight gouge, tool steel blades, cocobola handles, length over all 8½ in., w't per set 1 lb., per set \$5.20




Designed for manual training schools and for amateurs generally.

No. 3-10×8½ in. case, nicely finished, containing twelve carving tools and one punch, blades of best grade steel, nicely finished, carefully tempered and sharpened, cocobola handles, length over all 8½ in., w't per set 3½ lbs.per set \$17.80

CHISELS

SOCKET FIRMER



Beveled, solid cast steel. full polished, leather cap-ped hickory handles.

No. 225 WB-In sets of 12, one each 1, 2, 2, 1, 5, 2, 1, 1, 11, 11, 19 and 2 in., ground sharp and set ready for use, packed one set in a polished and oiled hinged dovetailed box, w't per set 10 lbs., per set\$19.80

ONE SET IN A BOX

SOCKET FIRMER




Beveled, extra cast steel, full polished, leather capped hickory handle, 6 to 7 in. blades.

W't per doz., lbs.	. 31	4	3-8 4± 12.80	1-2 5 12.80
No. 15 @WD—Inches	. 61	7	73	1 8 16.40
W't per doz., lbs	. 11 . 105	1½ 12	12 14	2 15

Per dozen\$18.00 19.20 20.80 21.60 HALF DOZEN IN A WOODEN BOX

THE SETS



Sets commist of 12 No. 15 chisels, one each &, &, &, &, &, L L L In 11, 12 and 2 inch.

Parked one set in a canvas roll, w't 8 lbs.,

to ITTE CARE Packed one set in a slide cover wood box. #1 8 Decper set \$16.80

SOCKET FIRMER



Plain, extra cast steel, full polished, leather capped hickory handle, 6 to 7 in. blades. No. 20 0 Inches..... 1-8 1-4

2 15

ON SETS Consist of 12 one each \$, \$, \$, \$, \$, \$, \$, \$, 1, 13, 13, 12, 2 in.

No. 1220 CVB-Packed in canvas rolls, w't 8 lbs., per set

No. 1120 @ Packed one set in a slide cover wood box, w't 8 lbs.per set \$15.20

TANGED BUTT



Beveled, solid cast steel, 31 inch blade, round shank, full polished, heavy brass ferrule, leather capped hardwood handle.

No. 213 @ __ Inches..... 1-4 3-8 No. 213 Tiches 3-4 7-8 1 11 W't per doz., lbs. 4 41 41 5 Per dozen\$14.20 15.00 16.20 18.30 No. 213 @ ___ Inches..... 11

....\$20.80 23.80 27.60

No. 1213 CVD—Sets of 11 No. 213 chisels, one each 1, 8,

SOCKET BUTT



Beveled, extra steel, 23 in. blade, full polished, leather capped hickory handle.

Per dozen\$12.50 12.50 12.50 12.50 No. 315 @WB-Inches..... 5-8 3-4 7-8 1

W't per doz., lbs. 42 43 5 Per dozen\$13.70 14.10 15.70 16.10

No. 1315 CVD—Sets of 12 No. 315 chisels, one each t, t 1, 1, 2, 1, 1, 11, 11, 11, 11, 2 in., w't 51 lbs., per set \$19.00 No. 1306 OWD-Sets of 6 No. 315 chisels, one each 1, 1,

\$, 1, 1\frac{1}{4} and 1\frac{1}{2} in., w't 2\frac{2}{3} lbs. per set \$9.90 PACKED IN CANVAS ROLLS.

SOLID HANDLE CHISELS

Solid Handle Chisels, Beveled Edge, Polished Blade, Stained Handle, Blade, Shank and Head are One Piece of Solid Steel. Blade is Forged from One End of Steel Rod which Goes Entirely Through the Handle, the Other End Being "Up Set" to Form the Head. A Leather Washer is Placed Under Head to Act as a Cushion. With this Form of Construction the Full Power of the Plantic Through the Head to Act as a Cushion. of the Blow is Transferred from the Head to the Cutting Edge.



No. 400 @WB—Pocket Chisel, 41 in. Inches	1-8	1-4	3-8	1-2	5-8	3-4
W't per doz., lbs	33	4	48	5	5%	59
Fer dozen	\$17.20	18.00	20.00	20.60	21.60	22.00
Inches	7-8	1	11	11	18	2
W't per doz., lbs	6	63	9	10	113	13
Per dozen HALF DO	\$22.80 ZEN IN A	24.00 BOX	25.80	29.60	32.00	36.00

自动面 IN SETS No. 412-Sets of 12, No. 400, one each, packed one set in canvas roll, w't 9 lbs., per set



No. 500 GVD_Butt C	hisels, 3 in. blad	e, all i	sizes—	1-2	5-8	3-4	7-8
Wt per doz., lbs		4	41	11	43	3-4	1-8
Ter dozen		\$17.60	19.20	20.00	20 40	21 00	21 60
inches			1	11	11	17	2
a t per doz., lbs			. 6	8	9	101	12
Per dozen	HALF DOZEN	TNI A	\$22.80	25.20	28.50	30.00	33.60

②學證 IN SETS Mo. 508—Sets of six, No. 500, one each 1, 1, 2, 1, 11 and 11 in., w't 41 lbs.,

BUCK BROS. TANGED FIRMER CHISELS



Made from highest grade crucible carefully tempered and sharpfancy handles, beveled edges, m blade is 53 in, long,

		40.	
We 10-Inches . W't doz., lbs Per dozen	31	4	41
Wt doz, lbs Per dozen	5	68	7
W't doz, lbs Per dozen	. 75	- 8	104
No. 30—Inches W't doz., lbs	12	14	15

BUCK BROS. TANGED FIRMER CHISELS IN SETS

HALF DOZEN IN A WOODEN BOX

No. 300-Sets of 12 No. 30, one slide cover, w't 8 lbs., per set \$15.30

BUCK BROS. SOCKET FIRMER CHISELS



Beveled edges, fancy handles. The

1 in	blade is 5				
No.	36-Inches		1-8	1-4	3-8
W't	doz., lbs		31	4	41
	dozen				
No.	36-Inches		1-2	5-8	3-4
W't	doz., lbs		5	61	7
	dozen				
No.	36—Inches		7-8	1	11
W't	doz., lbs		71	8	101
	dozen				
	36—Inches				
W't	doz. lbs	***	12	14	15
Per	dosen	\$	27.40	32,00	35,40

HALF DOZEN IN A WOODEN BOX PEXTO IN SETS

No. 360-Sets of 12 No. 36, one each 8, 1, 1, 8, 1, 1, 1, 11, 11, 12, and 2 in., packed in a wood box with slide cover, w't 8 lbs. ... per set \$24.80

BUCK BROS. SOCKET BUTT CHISELS



Made of highest grade crucible beveled edges, ground sharp, fancy handles. Blade is 33 in. long. No. 39-Inches .. 1-8 1-4 W't doz. lbs. 4 41 44 Per dozen\$14.40 14.40 14.40 No. 39-Inches . . 1-2 5-8 3-4 W't doz., lbs. 49 Per dozen\$15.30 16.40 17.40 No. 39—Inches . 7-8 1 11 W't doz., lbs. 6 6 8 Per dozen \$18.40 19.40 22.20 No. 39—Inches .. 11 13 W't doz. lbs. 9 104 12 Per dozen \$24.00 28.00 30.80 No. 390—Set of 12 No. 39 one each to 2 in. in a canvas roll, w't 6 lbs., per set\$22.30 No. 3900-Set of 6 No. 39 one each 4, 4, 4, 1, 14, 15 in. in a canvas roll. w't each 45 lbs.each \$12.00 HALF DOZEN IN A BOX

ALL STEEL CHISELS




solid steel, polished blade, black hexagon body.

This chisel is forged from special steel, tempered for use as ordinary wood chisel and also for cutting soft metal.

No. 10-Inches 1-	2 5-8	
Length, in 9	9 91	10
W't, doz., Ibs 3	1 5	6
Per dozen\$6.	00 7.50	9.00
No. 10-Inches	1	13
Length, in	11	114
W't, doz., lbs	103	151
Per dozen	\$10.20	12.3
HALF DOZEN IN	A BOX	-

CHISEL ROLLS



Brown canvas cover, wool lining, adjustable straps

No. 06-For holding 6 socket firmer chisels, w't per doz. 32 lbs.,

No. 12—For holding 12 socket firmer chisels, w't per doz. 61 lbs.. per dozen


No. 6-For holding 6 butt chisels, w't per doz. 34 lbs., per doz. \$24.00 No. 11-For holding 11 butt chisels, w't per doz. 5 lbs., per doz. \$28.80
PACKED LOOSE

HIBBARD: SPENCER, BARTLETT & CO.

SOCKET FRAMING CHISELS



SOCKET CARPENTERS SLICKS



SOCKET FIRMER GOUGES



6 in. blade, extra cast steel, full polished, hickory handle.

OUTSIDE BEVEL

W't per doz., lbs		20 00	01 00
No. 60 (**) Inches 3-4 7-8 W't per doz., lbs 6 7½ Per dozen	1	11	11/2

INSIDE BEVEL			
No. 160 @ Inches 1-4	3-8	1-2	5-8
W't per doz., 1bs 4	43	51	53
Per dozen\$19.00	19.00	20.00	21.00
No. 160 @ Trohan a	1	15000	

No. 160 CVES Inches ... 3-4 7-8 1 1½ 1½ W't per doz., lbs. ... 6 7½ 8 10½ 12
Per dozen\$22.50 24.00 25.50 28.50 32.00

HALF DOZEN IN A WOOD BOX

SOCKET CORNER CHISELS



8 in. blade, extra forged steel, polished outside, hickory handle with ring.

No. 50 GWD—Inches	3-4	7-8	1
W't per doz., lbs Per dozen	1.1	17	21

HALF DOZEN IN A WOOD BOX

TANGED FIRMER CHISELS



Extra cast steel, polished, applewood handle.

No. 13—Inches	1-4	3-8	1-2	3-4	1
W't per doz., lbs	1 80	11 10 80	13	21	31

HALF DOZEN IN A WOOD BOX

TANGED FIRMER GOUGES



Extra cast steel, polished, applewood handle, outside bevel.

No. 123-Inches W't per doz., lbs.	1-4	3-8	1-2	5-8
Per dozen	\$13.90	13.90	13.90	14.70

W't per doz., lbs. 5 54 6 8 9
Per dozen\$15.70 17.10 18.50 22.00 26.00

HALF DOZEN IN A WOOD BOX ROSE TOOLS, INC.

HIBBARD, SPENCER, BARTLETT & CO.

TANGED TURNING CHISELS



Forged Steel, Polished.

No. 73—Inches 1-4 3-8 1-2 3-4 1 Wt per doz., lbs. 13 2 3 5 7 Per dozen\$10.20 10.20 10.20 11.40 13.40

ONE DOZEN IN A WOOD BOX.

TANGED TURNING GOUGES



Forged Steel, Polished.

No. 113—Inches 1-4 3-8 1-2 3-4 1 Toper doz., lhs. 1½ 2 3 5 7 Per dozen\$13.20 13.20 13.20 14.80 16.60

ONE DOZEN IN A WOOD BOX.

DRAWING KNIVES



Especially suitable for household use and cabinet work, where the regular size knife is too large.

HALF DOZEN IN A BOX

CARPENTERS' DRAWING KNIVES



PEXTO, forged steel razor blade, hickory handles, polished caps and ferrules.

HALF DOZEN IN A PACKAGE

CARPENTERS' DRAWING KNIVES



extra forged steel razor blade, ebonized handles, polished caps and ferrules.

HALF DOZEN IN A BOX



forged steel razor blade, folding rosewood stained handles.

QUARTER DOZEN IN A BOX



REVONOC extra forged steel razor blade polished caps, mahogany stained handles.



REVENOC folding handle, forged steel razor blade, interchangeable hickory handles.

QUARTER DOZEN IN A BOX

SHINGLE KNIVES



No. 17—14 in.—13 in. forged steel blade, beech handles, w't per doz. 27 lbs.per dozen \$60.00

HALF DOZEN IN A PACKAGE ROSE TOOLS, INC.

CIRCULAR RIP AND CROSS-CUT SAWS DISSTON

F. O. B. Factory in Chicago. Solid Tooth, Ground and Tempered.

In ordering, be particular to state whether cross-cut or rip, right or left hand is wanted; also size mandrel hole and speed of saw.

Nos. F 6 F 8 F10 F12 F14 F16 F18 F20 F22 F24 F26 F30 F32 F34 F36 F38 F40 F42 F44 F46 F48 F50 F52 F54 F56 F58	Diameter, Inches 6 8 10 12 14 16 18 20 22 24 26 28 30 32 34 36 38 40 42 44 46 48 50 52 54 56 58	ness	Size of Hole, Inch Inch I lis 11 lis 11 lis 11 lis 12 lis	Each \$\frac{3.30}{4.40}\times \frac{5.60}{5.60}\times \frac{7.00}{5.00}\times \frac{12.50}{12.50}\times \frac{12.50}{15.00}\times \frac{12.50}{17.50}\times \frac{20.50}{24.00}\times \frac{28.00}{32.00}\times \frac{36.50}{32.00}\times \frac{47.00}{54.00}\times \frac{62.00}{54.00}\times \frac{62.00}{12.00}\times \frac{12.00}{12.00}\times \frac{112.00}{12.00}\times \frac{112.00}{157.00}\times \frac{142.00}{150.00}\times	Extra for Each Gauge Heavier \$ 0.07*	Beveling New Saws (Grinding or Beveling Old Saws Extra) Per Gauge \$0.25* .35* .55* .90* 1.05* 1.20* 1.35* 1.75* 2.15* 2.15* 2.55*
		7	2		7.40*	
			2		8.80*	
F60	60	6	2	200.00*	10.25*	5.50★
	saws filed	ond art	2		11.75* 13.25*	5.95★
All	saws under	6 inches	ready for	use.	AVADOR	<u>6.40</u> ★

All saws filed and set, ready for use.
All saws under 6 inches in diameter take the list of a 6-inch saw.

All saws of odd diameters take the list of next larger saw.

No extra charge for saws one gauge thicker than list. No extra charge for saws one to three gauges thinner than list; when more than three gauges thinner than list, add 5 per cent for each gauge.

Saws 48 inches and under, and 62 inches and over, in diameter, more than two gauges thinner than list, not warranted. Saws 50 inches to 60 inches in diameter thinner than 10 gauges not warranted.

diameter thinner than 10 gauge, not warranted.

Saws 42 inches or less in diameter beveled one gauge without extra charge; 44 inches or larger beveled two gauges without extra charge.

Saws hollow or concave ground add for each additional gauge hollow or concave ground double the list for beveling.

Saws for cutting bone, horn and ivory, add 50 per cent to the above list. When these saws are hollow or bevel ground, the 50 per cent advance is to apply only on the list price of a straight gauge saw, and not to apply on the extras

CIRCULAR CORDWOOD SAWS



	The state of	F-74.5			
	Nos	E20	E22	E24	
	Diam., In.	90	22	24	į,
	uauge	7.1	11	10	
	Speed, rev. per minuta	1000	17740	1630	
	ASSECT **********	\$8.40	10.10		
	Nos.	Foo		11.90	
	Diam in	E-26	E28	E30	
	Diam., in	26	28	30	
t	Gauge	10	10	10	
*	Speed, rev. per minute	1450	1400	1275	
	Each\$1	4.00	16.30	18.50	
	Nos		Fan		
	Diam., in		00	E34	
	Gauge		34	34	
	Speed rev per minut	****	10	10	
	Speed, rev. per minute		1225	1125	
		\$	21.20	23.80	
	rurnished with 12 in	200 - 20	2 . 2	Add	
	10% per cent for other	size l	holog	arda .	
			norda,		

CIRCULAR SAW MANDRELS



Pulley in Center.



goow A or Pulley on End.

Stock has pulley on end, left hand tread.

Latest improved pattern made from high grade, cold drawn steel shafting and best quality gray iron castings. Boxes are filled with high speed babbitt metal, and are parted for taking up the wear.


Made with the pulley on the right hand side when saw is running toward you, unless otherwise ordered.

Nos Et	E2	E3	E4
pulley, in 21 Face of pulley, in. 31 Diam. of	3 4	3½ 4½	4 5
flange, in 2h Diam. of shaft, in. 1 h Size of hole, in 1 Length of	3 1 fb 1 b	3½ 1½ 1½	4 116 116
shaft, in 161 W't each, lbs 15 Each \$8.40 9.	19 22 50 12	21 27 .60 1	24 35 5.80

Diam. of pulley, in. Face of pulley, in. Diam of flange, in. Diam. of shaft, in. Size of hole, in.	54 44 176	5 6 5 1 17 13	53 63 53 176
Size of hole, in Length of shaft, in. W't each, lbs\$1	1 A 26	18 28	18 30

F8	F9	F10
6	7	8
7	8	8
6	6	- 6
%18	111/16	11%
13	18	18
70	37 90 27.30★	41 105
	6 7 6 %s 13	6 7 8 6 6 % 111/16 11 11 11 11 11 11 11 11 11 11 11 11 1

SAW SWAGES



CONQUERER

Swage, jumper or upset, polished steel, carefully hardened and tempered, with blued polished extra steel band, length 4% in., w't 8 oz.


No. 1—For large circular saws, each\$8.30

No. 2—For small circular saws and mill sawseach \$6.70 ONE IN A BOX

CROSS CUT SAW HANDLES



No. 122—Disston's, 8 in. long neck, heavy malleable iron cap, tapped for loop rod, which extends through handle insuring firm grip on saw, micely finished, w't per doz. prs. 30 lbs. ...per dozen pairs \$15.80 LOOSE




Malleable Loop, Short Malleable Ferrule.

No. 010—91 in., plain handle, w't per doz. prs. 15 lbs., per dozen pairs\$7.20

No. 6—ATKINS, 10 in., varnished hand'e, w't per doz. prs. 15 lbs., per dozen pairs\$8.00


CROSS CUT SAW HANDLES



No. 8. No.

No. 8—10 in., malleable loop, extra heavy long malleable ferrule, varnished handle, w't per dozen prs. 27 lbs. per dozen pairs \$9.60


No. 3—10 in., heavy malleable loop, long malleable ferrule, varnished handle, w't per doz. prs. 21 lbs., per dozen pairs\$10.80



No. 1—Atkins, 10 in., wrought loop, extra heavy long malleable ferrule, varnished handle, w't per doz. prs.

25 lbs. per dozen pairs \$10.00 No. 4—Climax, 14 in., reversible, plain handle, w't per doz. prs. 21 lbs., per dozen pairs\$8.00

No. 22—Atkins, 14 in., long heavy malleable castings, large steel bolt, wing nut, w't per doz. 25 lbs., per dozen pairs\$12.00 LOOSE



No. 5—14 in., malleable loop and arm, plain handle, w't per doz. prs. 30 lbs., per dozen pairs\$12.60 CROSS CUT SAW HANDLES



No. 111. No. 108.

per dozen pairs\$10.00

No. 108—Atkins, 12½ in., metal parts tinned, polished handle, w't per doz. prs. 33 lbs., per dozen pairs\$10.80

LOOSE



No. 17—14 in., reversible, malleable loop and arm, plain handle, w't per doz. prs. 30 lbs., per dozen pairs\$14.40

LOOSE



One-man beechwood, for Ajax, Disston's or Atkins saws, w't per doz. about 7½ lbs.

No. 12—One-man supplementary, malleable ferrule and clamp, length 6 in., w't per doz. 4 lbs., per dozen \$4.00 LOOSE


ONE-MAN SAWS

CHAMPION TOOTH



ished, extra wide blade, nickel plated screws, with supplementary handle.

The foundation of these saws is a special process steel, carefully inspected and tested in order to insure uniformity. Great care has been given to hardening and tempering to secure the proper degree of hardness and toughness.



REVENOC, cast steel, polished, with supplementary handle. No. E21 RESSC Feet... 2½ 3 3½ 4 4½ 5
Width at butt, in. ... 6 6½ 6½ 6½ 6½ 7
W't, lbs. ... 3 3¾ 4 5½ 6 6½
Each ... \$3.30 4.00 4.60 5.30 6.00 6.70 QUARTER DOZEN IN A BUNDLE



COMMON TOOTH



spring steel, patent ground and tempered, polished, extra wide blade, nickel plated screws, with supplementary handle.

No. E230 CVB_Feet 31 Each \$5.40 6.20 7.00

GREAT AMERICAN



DESCRIPTION'S cast steel, polished, with supplementary

3 31 4 41 5 71 71 78 72 72 3 41 51 6 71 54 80 5.40 6.20 7.00 7.80

PERFORATED LANCE TOOTH

DISSTON'S CEDAR SAVAGE, spring steel, polished with supplementary handle.

 No. E410—Feet
 3½
 4
 4½

 Width at butt, in.
 7½
 7½
 7½
 7½

 W't, lbs.
 4½
 5½
 6½
 6½

 Each
 \$6.90
 7.90
 8.90

 QUARTER DOZEN IN A BUNDLE


ACCORDANG AND A CONTROL OF THE ACCORDANG AND SIMONDS' CRESCENT GROUND, lance tooth. Accurately tapered from cutting edge to back. An even gauge

all along the tooth edge. Cuts easy and saws fast. Double horn handle with large opening enabling operator to use glove or mitten in winter.



ATKIN'S special steel taper ground, has four cutting teeth and raker, with supplementary handle.

ICE SAWS WAGON



DISSTON'S, wagon cast steel, polished, japanned iron Each\$3.40 3.50 3.60



Cast steel blade, polished malleable iron handle,

POND



DISSTON'S, cast steel, polished, set and sharpened 10 Each\$8.00 9.00 10.00

CROSS-CUT SAWS

HOLLOW BACK, CHAMPION TOOTH

finest crucible steel, specially hardened and pered, taper ground, polished, without handles, 34 in.

The foundation of these saws is a special process steel, carefully inspected and tested in order to insure uniformity. The care has been given to hardening and tempering to the proper degree of hardness and toughness.

No.	E210	en	10	_1	Per	et			 					5	51	6	61
E.	lbs.													31	33	4	5
Sa(c)				000						*	*		\$4	.00	4.40	4.90	5.30

LOOSE

DISSTON'S, cast steel, polished, without handles, 31 in.

	E8-	-	F	e	e	t																		5		51		6	(31
£	lbs	-	-									.,			*	*					S			31		4		41		5
-							*	×	-	*	*			1						•	*	5	4	.00	4	.40	4	.90	5.	.30

DIAMOND TOOTH

AND AND THE PARTY OF THE PARTY

Lose Star pattern, 14 to 18 gauge, high grade street extra thin back, without handles, all 52 in.

3	E295	22	ъ.	-	F	bel	t	ě									5	51	6	61
5	ilbs.																	5		
9	-		-				-		-		-	-			*	\$7	.40	8.20	9.00	9.80
									1	и	25,	8	SE	ĸ.						

ATKINS, special steel, graduated from 14 to 18 gauge,

No. E222-Peet 5	51	6	61
Width at center, in	69	74	79
W't, lbs	54	71	79
Each	8.20	8.90	9.60

CHAMPION TOOTH

DISSTON VIRGINIAN, crucible steel, finely polished and tempered ground 14 to 20 gauge, without handles.

With at center, in	No. E289-Feet							51	6
Wt, lbs. in	Width at center,	in.	 	 	 		. 63		7
	W't, lbs. in	••••	 • • •	 	 	**	. 6		7 20

CHAMPION TOOTH

 REVENCE, cast steel, polished, thin back, graduated from 14 to 16 gauge, without handles.

 No. E9—Feet
 5
 5½
 6
 6½
 7

 Width at center, in
 7
 7½
 7½
 7½
 8
 8½
 9
 9½

 Each
 \$5.90
 6.60
 7.10
 7.70
 8.30

LOOSE

English and the second second

DISSTON'S, cast steel, polished, thin back, graduated from 14 to 16 gauge, without handles.

 No. E2—Feet
 5
 5½
 6
 6½

 Width at center, in.
 7
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½
 7½

DISSTON'S, cast steel, polished, extra thin back, graduated from 14 to 18 gauge, without handles.

No. E1—Feet 5	51	6	61
Width at center, in 7	71	71	79
W't, lbs 5½	64	7	78
Each\$6.90	7.70	8.40	9.00
FOOGB			



 DISSTON'S, zip cross cuts, champion tooth, finest crucible, steel blade, extra thin back, 14×19 gauge.

 No. E33—Feet
 5 5½

 Width at center, in
 5½

1000

SIMOND'S, radial ground, champion tooth, made of Simonds' crucible steel and ground to a gradual and true

Simonds' crucible steel and ground to a gradual and true taper from extreme point of tooth to back edge of saw blade. Even gauge all along the tooth edge, which gives the greatest possible clearance at all parts of the cut. Polished 14 to 19 gauge without handles.

 Nos.
 E1305½
 E1306

 Feet
 5½
 6

 Width at center, in
 6½
 7

 W't, lbs.
 5½
 6½

 Each
 \$11.70
 13.50

INTERNATION OF THE PROPERTY OF

SIMONDS', crescent ground champion tooth. Made of Simonds' crucible steel, tempered to hold a cutting edge longer than the ordinary saw. Ground to an even taper from tooth edge to back. Cut easy, saw fast and wear well. Polished, 14 to 19 gauge, without handles.

 Nos.
 E134½
 E135
 E136½
 136
 E136½

 Feet
 4½
 5
 5½
 6
 6½

 Width at center, in.
 5½
 6½
 6½
 7
 7½

 W't, Ibs.
 4½
 5½
 6½
 7½
 8½

 Each
 \$8.50
 9.50
 10.80
 12.60
 14.60

CROSS CUT SAWS

TUTTLE TOOTH



carp, finest crucible steel, especially hardened and tempered, taper-ground, polished, graduated 14 to 19 gauge, without handles.

The foundation of these saws is a special process steel, carefully inspected and tested in order to insure uniformity. Great care has been given to hardening and tempering to secure the proper degree of hardness and toughness.

No. E200 GVE-Feet	5	51	6	61
Width at center, in	62	7	71	71
W't, lbs	5	6	62	71
Each\$	7.80	8.50	9.30	10.00

LOOSE



DISSTON'S, spring steel, extra thin back, graduated from 14 to 19 gauge, without handles.

No. E3—Feet 5	51	6	61
Width at center, in 63	7	71	73
W't, lbs 4½	51	63	71
Each\$7.80	8.60	9.40	10.20

LOOSE



These saws are known as Crescent Ground Cottonwood saws. They are particularly adapted for use in lumbering operations throughout the lower Mississippi Valley and bordering states.

SIMONDS', crescent ground cottonwood pattern. This saw is slightly narrower than the standard straight back saw. The teeth are ground to an even thickness throughout the entire length of the blade. Made of Simonds' polished, 14 to 19 gauge.

No. E326—Feet	51	6	61	7
Watth at center, in our conce.				
White morning	51	61	73	8
Earl	10.80	12,60	14.60	16.60

LOOSE

TUTTLE TOOTH



ATKINS' cast steel, graduated from 14 to 18 gauge, without handles.

No. E331—Feet	5	51	6	61
Width at center, in	62	67	7	73
W't, lbs	5	6	7	72
Each\$6	.90	7,50	8.30	9.00

ATKINS', cast steel, graduated from 14 to 19 gauge, without handles.

No. E332—Feet	5	51	6	61	7
Width at center, in	64	67	7	71	8
W't, lbs	5	51	61	79	9
Park .			1	The state of the s	-

LOOSE

COMMON TOOTH



DISSTON'S, cast steel patent ground, 14 to 16 gauge, without handles.

wienout manuica.				
No. E6—Feet	4 41	5	51	6
Width at center, in	61 61	63	7	73
W't, 1bs	31 41	51	63	7
Each\$4	.80 5.20	5.80	6.50	7.20

LOOSE

GREAT AMERICAN



DISSTON'S, cast steel, polished, 14 to 16 gauge, without handles.

No. E31—Feet 5	51	6
Width at center, in	7	73
W't, Ibs 55	7	71
Each 87 20	2 00	

CROSS CUT SAWS

PERFORATED LANCE TOOTH



The foundation of these saws is a special process steel, are fully inspected and tested in order to insure uniformity. Great care has been given to hardening and tempering to occure the proper degree of hardness and toughness.

(14 to 19 gauge, high grade spring steel, without handles.

No. E215 ONB_Feet	5	51	6	61
Width at center, in		68	68	71
W't, Ibs.		54	64	73
Each	.\$8.80	9.70	10.60	11.50
LOOSE			0.000	



DISSTON'S, spring steel, extra thin back, graduated from 14 to 18 gauge, without handles.

No. E16—Feet 51	6	61
TO MARKET BED CONTINUES AND	61	67
	69	
Each\$9.70	10.60	11.50
LOOSE		



DISSTON SUWANEE, highest grade crucible steel, carefully ground, tempered and polished, 14 to 20 gauge. Four cutting teeth to each raker, without handles.

No. E34— Length, ft	51 69 51	6 7 63
Each\$9.00	10.80	12.60
LOOSE		



SIMMONS', radial crescent cross-cut saw with lance tooth. Made of Simonds' crucible steel and ground to gradual and true taper from extreme point of teeth to back edge of saw blade, even gauge all along the tooth edge, polished 14 to 19 gauge, without handles.

No. E2200—Feet 5½	6
Width at center, in 62	7
Wt, lbs 63	71
Each\$11.70	13.50
LOOSE	



SIMONDS, cast steel, polished 14 to 19 gauge, four cutting teeth to each raker, used largely in the middle West and South.

West and South	1	
No. E133-Fee	t	55 6 65
Width at center	r, in	52 55 6
WY Ibs		45 55 64
Each		.\$10.80 12.60 14.60

LOGSE

PERFORATED LANCE TOOTH



SIMONDS', crescent ground, lance tooth. Made of Simonds crucible steel, tempered to hold a cutting edge longer than the ordinary saw. Ground to an even taper from tooth edge to back, polished, 14 to 19 gauge, without handles.

No. E22-Feet	5 51	6 6	81
Width at center, in	64 68	7 7	/a
W't, lbs	51 61	71 8	31
Each\$9	.50 10.80	12.60 14	.60

LOOSE



SIMONDS', crescent ground cottonwood pattern. Slightly narrower than the standard straight back saw. The teeth are ground to an even thickness throughout the entire length of the saw. Made of Simonds' crucible steel, polished, 14 to 19 gauge.

No. E316—Feet	51	6	61	7
Width at center, in	51	5%	61	68
W't, lbs		6	61	71
Each\$10	0.80	12.60	14.60	16.60

twarter said a salared to LOOSE there were been bevile



SIMONDS', crescent ground cottonwood pattern. Slightly narrower than the standard straight back saw. The teeth are ground to an even thickness throughout the entire length of the saw. Made of Simonds' crucible steel, polished, 14 to 19 gauge, four cutting teeth to each raker.

No. E324-Feet .		 	 	51	6	61	7
Width at center, in	n		 	51	57	64	69
W't, lbs		 	 	52	6	The same of the	71
Each		 	.\$1	0.80	12.60	14.60	16.60

LOOSE



ATKINS', perfection, silver steel, perforated, lance tooth, 14 to 20 gauge, medium width, four cutting teeth to each raker, without handles.

This saw is especially adapted for hard wood and frozen timber.

No. E	-	Fee	ŧ :							. 51	6	61
Width	at	cen	ter,	in.			 	 		 . 59	6	61
Will	DS.				 	·	 			 . 05	6	7
Each					 		 			 \$10.80	13.50	14.40

HAND AND RIP SAWS



No. 50-Cruso, 26 in., hand, cast steel, beech handle, polished edge, 3 screws, 5, 6, 7, 8 and 9 points, w't per doz. 21 lbs.per dozen \$18.00

HALF DOZEN IN A BOX



No. 75 REVERSE 26 in., special, cast steel, polished blade, skew back, taper ground, carved and varnished beechwood handle, 4 brass screws, 6, 7, 8, 9 and 10 points, w't

THIRD DOZEN IN A BOX



No. 75S REFERENCE_26 in. ship carpenter's hand. Special cast steel, polished blade, skew back, taper ground, carved and varnished beechwood handle, 4 brass screws, 7, 8, 9 and 10 points, is about one inch narrower than regular hand saw, w't per doz. 19 lbs. . . per dozen \$30.40

THIRD DOZEN IN A BOX



Cast steel, grained blade, etched, skew back, polished beech handle, 4 brass screws.

beech handle, 4 brass screws.

No. 80—"I Will," 26 in., hand, 5, 6, 7, 8, 9 and 10 points,
w't per doz. 22 lbs.

No. 80—"I Will," 28 in., rip, 5, 5½ and 6 points, w't per
doz. 27 lbs.

No. 80—"I Will," 26 in., rip, 4½, 5 and 5½ points, w't per
per dozen \$27.20

THIRD DOZEN IN A BOX



Estra cast steel, grained blade, skew back, mahogany 50 1802 26 in hand, 6, 7, 8, 9 and 10 points, w't ne see the second secon 5 Be dozen \$40.00

DETED DOZEN IN A BOX



母班勒 Extra cast steel, grained blade, skew back, apple hand polished and etched, 4 plated brass screws.

No. 82 @W22 _26 in., hand, 6, 7, 8, 9, 10, 11 and 12 points w't per doz. 23 lbs.per dozen \$45 No. 82 0 0 22 in., rip, 6 and 7 points, w't per 6 No. 82 84 24 in. rip, 5, 6 and 7 points, w't per d ...per dozen \$41 No. 82 @1450—26 in., rip, 5, 51, 6 and 7 points, w't p

doz. 23 lbs. ... per dozen \$45. No. 82 @ 28 in., rip, 45, 5, 55 and 6 points, w't doz. 25 lbs.per dozen \$51.

ONE IN A BOX



便量會

No. 82S @學學_26 in., ship carpenters' hand, extra cast steel grained blade, apple handle, polished an etched, 4 brass screws, 7, 8, 9, 10 and 12 points, w't pe Ship pattern is about one inch narrower than hand, the full length of saw. ONE IN A BOX



Extra cast steel, grained blade, straight back, carved apple wood handle, 4 brass screws.

No. 86 @WB-26 in., hand, 7, 8, 9, 10 and 12 points, w't per doz. 24½ lbs.per dozen \$45.80 No. 86 @WB-28 in., rip, 5, 51 and 6 points,

ONE IN A BOX

.....\$51.00



REVONOC.

Cast steel, polished blade, etched, skew back, polished beech handle, 4 brass screws.

No. 72 REVONOC -26 in., hand, 5, 6, 7, 8, 9 and 10 points, w't per doz. 24 lbs.per dozen \$27.60 No. 72 REVONOC.—26 in., rip, 5, 51 and 6 points, w't per doz.
24 lbs. per dozen \$27.60

THIRD DOZEN IN A BOX

HAND AND RIP SAWS



Cast steel, grained blade, etched skew back, apple hanbe polished edge, 5 improved screws.

duz. 30 lbs.per dozen \$61.30

THIRD DOZEN IN A BOX



mission's, spring steel, patent ground and tempered make, etched, skew back, carved apple handle, polished,

THIRD DOZEN IN A BOX



sent steel, etched, grained blade, thin back,

THIRD DOZEN IN A BOX



 IVE - ITOIL

DISSTON'S, spring steel, patent ground and tempered blade, etched, skew back, carved apple handle, polished, 5 improved screws.

No. 100DS—D100S—26 in., ship pattern, hand, 7, 8, 9, 10, 11 and 12 points, w't per doz. 25 lbs.,

THIRD DOZEN IN A BOX



THIRD DOZEN IN A BOX



DISSTON DOUBLE DUTY

Especially adapted for general construction work, studding up houses, railroad, millwright and farm use. The Saw possesses an arrangement of teeth consisting of alternate sections of fine regular cross cutting and two ripping teeth, each section being separated by a deep gullet for full clearance of sawdust. This combination insures free running, easy and very rapid cutting.

No. 17D—Disston Double Duty, 26 in. crucible steel polished blade, skew back, hardwood polished handle with 5 brass screws, w't per doz. 24 lbs. per dozen \$57.90

THIRD DOZEN IN A BOX



THIRD DOZE BOX
ROSE TOOLS, INC.

ONE IN A BOX

HAND AND RIP SAWS



No. 20D-D20-26 in. hand, refined crucible steel, highly polished blade, warranted, apple handle carved and polished, 5 brass screws, 26 in. skew back blade, 61 in. wide at butt, 17 in. at point, 7, 8, 9, 10 and 12 points, w't per doz. 24 lbsper dozen \$60.00

THIRD DOZEN IN A BOX



Refined crucible steel, highly polished blade, warranted, apple handle carved and polished, 5 brass screws.

No. 23D-D23-26 in., hand, 26 in. straight back blade, 6 in. at butt, 12 in. at point, 7, 8, 9, 10 and 12 points, w't per doz. 24 lbs.per dozen \$60.00

No. 23D-26 in., rip, 5, 51 and 6 points, w't per doz. 24 lbs.per dozen \$60.00

THIRD DOZEN IN A BOX



DISSTON'S, extra refined London spring steel, selected and highly polished blade, handle carved and polished, 4 brass screws.

No. 12-26 in., hand, 7, 8, 9, 10, 11 and 12 points, w't per doz. 26 lbs.per dozen \$69.90

No. 12S-26 in. ship hand, 8, 9 and 10 points w't per doz. 21 lbs.per dozen \$69.90

No. 12-28 in., hand, 6, 7, 8, 9 and 10 points, w't per doz. 30 lbs.per dozen \$76.00

No. 12-26 in., rip, 5, 5% and 6 points, w't per doz. 25 lbs., per dozen\$69.90

No. 12-28 in., rip, 42, 5, 52 and 6 points, w't per doz. 31 lbs.per dozen \$76.00

THIRD DOZEN IN A BOX



DISSTON'S, extra refined London spring steel, selected and highly polished skew back blade, carved and polished apple wood handle, 4 brass screws.

No. 112-26 in., hand, 7, 8, 9, 10, 11 and 12 points, w't per des. 27 lbs.per dozen \$71.10

No. 112-28 in., rip, 5, 51 and 6 points, w't per doz. 32 lbs., per dosen\$77.80

THIRD DOZEN IN A BOX

HAND AND RIP SAWS



DISSTON'S ACME, extra London spring steel, sket back, carved and polished apple handle, 5 screws, run entirely without set in dry seasoned lumber only.

No. 120-26 in. hand 8, 9, 10, 11 and 12 point, w't per don 25 lbs.per dozen \$86.3

No. 120-28 in., rip, 5, 5t, and 6 points, w't per don 27 lbs. per dozen \$91.80

No. 60—Dexter, 26 in., combination hand, with 24 in square and rule, straight edge, 3 screws, 6, 7, 8 and 9 points, w't per doz. 20 lbs.per dozen \$19.80 HALF DOZEN IN A BOX



Most successfull where nails are numerous and ruinous to all tools not adapted to cut them. In wood it makes a smooth cut. Handles adjust to any dimensions any pitch. No. 010 @WB-20 in., special blade tempered to suit pur-

pose of sawing nails and metal without injury to teeth, can be resharpened, adjustable carved handle, nickeled trimmings, w't per doz. 11 lbs. per dozen \$48.00 THIRD DOZEN IN A BOX

FLOORING SAWS



For cutting out sections of floor, partitions or ceiling without necessity of boring holes or chiseling. Sections can be replaced in original position.

THIRD DOZEN IN A BOX

SAW SCREWS




No. 1. No. 2. No. 3. No. 4.

No. 1—Brass, diameter ½ in. per dozen \$0.80
No. 2—Brass, diameter ½ in. per dozen 1.00
No. 3—Brass, small eagle, diameter ½ in. ...dozen 1.30
No. 4—Brass, large eagle, diameter 1 in. ...dozen 1.50

No. 8—Iron, raised, diameter 1 in. ... per dozen
ONE DOZEN IN A BOX. AVERAGE WT PER DOZ. 1/4 LBS.
ROSE TOOLS, INC.

HIBBARD, SPENCER, BARTLETT & CO.

SELF-SETTING PLANE ASSORTMENTS



A sortment consistbottom iron planes plane assorted as

Retail Prices. \$4.50 \$ 4.50 4.95 9.90 5.65 16.95 7.20 7.20 4.50 4.50 Total \$43.05

Der aust 48 lbs., \$52.00

.

No. E12 CVB—Assortment consisting of 11 smooth bottom iron planes and one wood plane assorted as follows:

Qt.	No.		Retail	Prices.
1 3	803		\$4.50	\$ 4.50
	804	*********	4.95	14.85
5	805		5.65	28,25
1	806		7.20	7.20
1	807	(0)	8,10	8.10
1	835	••••••	4.50	4.50
12			Total	\$67.40
W't	per as	st. 70 lbs.,		

W't per asst. 70 lbs., per assortment\$81.50 No. ESC CVB-Assortment consistof 7 corrugated bottom iron planes and one wood plane assorted as follows:

Qt.	No. 803C		 .0	Retail \$4.75		77.7
2	804C			5.25		
3	805C			5.95	17.	85
1	806C		11 (1998)	7.60	7.1	333
1	835 .	4.4.4.	 . (1)	4.50	4.	50
0				200 V 4		20

8 Total \$45.20 W't per asst. 48 lbs.,

per assortment\$54.00

No. E12C GVB-Assortment consisting of 11 corrugated bottom iron planes and one wood plane assorted as follows:

Qt.	No.	мапе	(5.15)				50	5			Retail	Prices.
1	803C									@	\$4.75	\$ 4.75
3	804C				-			-		0	5.25	15.75
9	865C											29.75
-	8000				77-	106		-+		(1)	7.60	7.60
-	887C	-	+++1			644		++		 (a)	8.10	8.10
	000			****				+.	117	 • • 個	4.50	4.50
12											Total	\$70.45

No. 835

SELF-SETTING IRON PLANES SMOOTH BOTTOM

The cutter irons are made from special high grade steel, are thin and easily kept in order.

The malleable Frog and Steel Cap reduce greatly the liability of breakage.

Handle and knob are made of highly finished, thoroughly seasoned rosewood. They are securely fastened to plane with steel rods that have brass screw heads. Trimmings are nickel plated and japanned, giving the planes a very fine

The principal features of this line of new Planes are the self-setting cutting iron, the rigidity with which this is held in place by the plane cap, thus preventing any chatter in Plane, the fine adjustments that can be made with cutter for all kinds of work and the few parts used in its construction, which make it almost entirley free from any costs for repairs. The Planes are set for fine work when they leave the factory.

SMOOTH



No. 803 CVE -82 in. long, 12 in. cutter, w't each 3 lbs.,



No. 804 €¥9-9 in. long, 2 in. cutter, w't each 31 lbs.,

JACK



No. 805 648-14 in. long, 2 in. cutter, w't each 41 lbs. each \$6.75

FORE



.....each \$8.70

JOINTER



No. 807 GVE _22 m long 21 in cutter, w't each 7 lbs.

SELF-SETTING IRON PLANES

CORRUGATED BOTTOM

Corrugated bottom planes are preferred by many users, because of there being less friction from the bottom, runs a little lighter. They have the self-setting cutter iron made from special high grade steel.

The malleable Frog and Steel Cap reduce greatly the liability of breakage.

The Handle and Knob are made of highly finished, thoroughly seasoned rosewood. These are securely fastened to plane with steel rods that have brass screw heads. Trimmings are nickel plated and japanned. Plane is finely finished

throughout.

The self-cutting feature lies in the construction of the plane iron. If taken out to be honed or sharpened, goes back in same position as before removal. The plane cannot chatter because the cutter iron is held rigid at the point by the cap; at the same time the cap screw used for tightening the cap is pressing against the binder plate on top of the cutter iron. This pressure against the binder plate holds the cutter firm its entire length.

SMOOTH



No. 803C CVE-8% in. long, 1% in. cutter, w't each 3 lbs.,



JACK



** *** = 14 in. long, 2 in. cutter, w't each 41 lbs......each \$7.10

FORE



\$9,10



.each \$10.40

SELF-SETTING WOOD PLANES

Wood planes are preferred by many because of being lighter in weight than the iron planes.

Wood Planes are made of specially selected beechwood, thoroughly seasoned and dried.

The iron frog with adjustable throat will lengthen greatly the life of these wood planes, as this frog and throat can

be moved up to permit the bottom of the plane to be trued up when worn.

The cutter iron can also be adjusted sidewise by loosening the small screw that holds the binder plate to cutter.

Keep cutter iron sharp and properly adjusted, and you will have a plane that is easy to push and will give the greatest satisfaction. In sharpening, care should be taken to keep the cutting edge straight and square with the edge of the cutter iron. Cutting iron can be adjusted sidewise by loosening the set screw that holds binder plate to top of

SMOOTH



No. 835 @ 10 in. long, 2 in. cutter, w't each 21 lbs.,



No. 822 @ 20-10 in. long, 12 in. cutter, w't each 23 lbs., each ..

JACK



No. 826 ** 14 in. long, 2 in. cutter, w't each 4 lbs. .

....each \$7.30

FORE



No. 828 64B-18 in. long, 21 in. cutter, w't each 51 lbs.

.....each \$8.30

JOINTER



No. 830 CVE 22 in long, 25 in. cutter, w't 61 lbs.

ALL ABOVE ARE ONE IN AN ATTRACTIVE BOX

PANEL SAWS



extra cast steel, patent ground skew back, and polished apple wood handle, 4 plated screws.

82 @## Inches 18	20	22	24
of screws 3	3	17	20
per doz., lbs	40		- AMENO
WITTEN DOUBLE THE A DO	10000		



black walnut carved handle, polished and etched,

PANEL, 9, 10 and 11 I	oints.	
o. 70 REVENOCInches		
of screws		3 4 4
per doz., lbs		LU LI MV
dozen	\$27	.80 28.80 31.80



H. S. B. & Co.'s "I WILL," cast steel grained blade, sched, skew back, polished beech handle, screws.

PANEL, 18 in., 8, 9, 10 and 11 points. 20, 22 and 24 in., 9, 10, 11 and 12 points.

o. 80—Inches	18	20	22	24
o. of screws		3	3	4
Tt per doz., lbs	13	40	18	and the
er dozen	\$16.80	18.70	21.10	22.60
	EN IN A BO			



*CRUSO", cast steel, beech handle, polished edge,

screws.						
PANEL, 8, 9, 10 and	11 points.		12.75			
50-Inches	14	16	18	20	22	
per doz., lbs		10	12	14	16	
er dozen	\$11.80	13.80	15.50	16.50	17.50	
	DOZEN IN				1 317	



FOR HOUSEHOLD USE

Me. 1921—DISSTON'S, "American Boy," 20 in., refined crucible steel, skew back, apple handle, carved and polsibled, 3 screws, 9 point. This saw is designed especially for household use, w't per doz. 15 lbs., per dozen \$39.60 ONE IN A BOX



DISSTON, straight back, refined crucible steel, highly polished blade apple handle, carved and polished, 4 brass screws 8, 9, 10 and 11 points.

No.	23-(D23)-Inches	20	22	24
W't	per doz., lbs	15	18	
Per	dozen THIRD DOZEN IN A BOX	08.84	52.30	56.30



DISSTON'S, cast steel, skew back, grained blade and etched, polished apple wood handle, 4 improved screws, warranted.



DISSTON'S, spring steel patent ground and tempered, skew back, polished apple wood handle, 4 improved screws, PANEL, 9, 10, 11 and 12 points.

the same transfer of the same			
No. 100D (D100) -Inches	20	22	24
W't per doz., lbs	16	19	21
Per dozen\$	48.80	52.30	56.30
No. 100DS (D100S) -22 in., ship, 10,	11 an	d 12	points,
w't per doz. 16 lbs	.per d	ozen	\$52.30
No. 100DS (D100S) -24 in., ship, 10,			
w't per doz. 19 lbs THIRD DOZEN IN A BOY	per d	ozen	\$56.30
THIRD DOZEN IN A BOX	X		



DISSTON'S, extra London spring steel blade, selected and highly polished apple handle, carved, 4 improved

PANEL, 20 and 22 in., 9, 10 and 11 points. 24 in., 8, 9, 10 and 11 points.

No. 12-Inc	hes	 	4		 4				 	20	22	24
W't per doz.	, lbs.									16	1	21
Per dozen		 					1			\$ 55.10	60.10	65.30



DISSTON'S, extra refined London spring steel, highly polished skew back blade, selected and polished apple handle, carved.

tar in																	
		LT-ES	-	4.70		-	_ 3	- 46	230	_			-				
	-	~~		342		- 617	mл		~	n		т	:35	12 -			
- 4	PAl	-	mag:	and it		-		- 0	-	2"	200		590	۶.			
20.	. 1		т.		-												
200		120			98			-		-		-		-	-		-

ROSE TOOLS, INC.

13	2—Inch	ės						*14							20	22	24
iei.	r doz.,	lbs.			55										16	19	21
-	zen		7			110								\$1	55.80	61.30	66.50
w	ecir		-	100	100	0.0	*	20	ye.	7.7	 17	*	*	100			

THIRD DOZEN IN A BOX

COMPASS SAWS



CRUSO, cast steel, polished, beech handle, brass screws.


Nos. 5110 5112 5114

wimilian manusanismini



DISSTON'S cast steel, polished, apple handle, brass screws.

Nos. 210 212 214 Inches 10 12 14 16 W't per doz., lbs. 5 54 52 6 Per dozen \$12.10 12.50 12.90 13.50






polished blade, cherry handle, two nickel plated screws.

Nos. 0 10 1312 1314



Interchangeable, carved apple handle, two nickel plated screws, crucible, steel polished blade.

Nos.—母學到 1412	1414
Inches 12	14
W't per doz., lbs 7	8
Per dozen\$12.00	12.40
QUARTER DOZEN IN A BOX	1100



With Lever Handle. DISSTON'S, interchangeable, cast steel blade, detachable beechwood handle.

Nos 412	414
W't per doz., lbs 6	14
Per dozen	12 40
QUARTER DOZEN IN A BO	X

EXTRA COMPASS BLADES For Nos. 2, 4, 13 and 14

Nos.			,												0412	0414
Inches						,								*	12	14
Per de	UZ	6	l N	E	Ď	ic	12	ċ	ů	1	ŕ	;	Å	*	\$7.20 BOX	7.60



isston's, adjustable, 14 in., cast steel bisde, applewood handle, Wit per due. To Dis., per dozen \$15.40 EALF DOZEN IN A BOX

BACK SAWS



JACKSON'S, cast steel, polished, blued back, beech handle, polished edge, 11 points to the inch, 3 brass

screws.	TOP IN	MA CHOO
Nos	110	112
Inches	10	12
Depth, in	21	28
W't per doz., lbs	10	13
Per dozen	.\$27.60	33.40
Nos	114	116
Inches	14	16
Depth, in	33	39
W't per doz., Ibs	17	24
Per dozen	\$39.20	44.20
THIRD DOZEN IN		- Charles



Crucible steel, polished edge, blued back, apple handle 11 points to the

back, apple nandle	. 11	points.	to the
inch, 3 brass screws	1.		to bile
Nos.—@证证	310	312	314
Inches	10	12	
Depth, in	23	9	01
W't per doz., lbs	101	15	09
D per doz., 103	TOB	19	18
Per dozen	\$39.20	44.20	50.20
Nos.—@谜面	. 316	320	324
Inches	. 16	20	
Depth, in	4	4	4
W't per doz., lbs	23%	213	269
Per dozen	\$55.50	65 00	75 40
Non torre	00.00	00.00	10.40
Nos.—@疑题		326	328
Inches		. 26	28
Depth, in		. 4	5
W't per doz., lbs		. 39	44
Per dozen	100	\$21 40	97 90
			31.00
THIRD DOZE	NIN	A BOX	



DISSTON'S, extra cast steel, polished, blued back, apple handled, poledge, 11 points to the inch, 3 brass

Nos	408	410	412
Inches	8	10	
Depth, in	2	23	3
W't per doz., lbs	9	10	15
Per dozen\$3	36.30	39.20	
Nos			
Inches	14	16	20
Depth, in	35	37	
W't per doz., 1bs	19	24	31
Per dozen\$8	50.20	55.50	65.00
Nos			428
Inches	24	26	28
Depth, in	4		
W't per doz., lbs	37	43	491
Per dozen\$7	5.40	81.40	97.80

The 20 to 28 in. saws are made especially for mitre boxes.

THIRD DOZEN IN A BOX

BACK SAWS



Crucible steel blade, applew

handle, nickel trimmings.

Blade is adjustable to any desir width from edge of back. One of blade is for cross cut and the other side for rip sawing.

DOVETAIL SAWS



Polished handle, steel back, bra plated, extra quality spring ste blade. 15 in. wide under back, 26 ga 17 points. No. 68—Inches

\$23.50 26. ONE SIXTH DOZEN IN A BOX



STAIR BUILDERS

No. 400-Disston's, 6 in. cast ste blade, polished beech handles, bras screws, w't per doz. 8 lbs.,

KEYHOLE SAWS



The handle is slotted clear through permitting the adjustment of blade for length of cutting edge required.

No. 95-Disston's, round hardwood handles, polished, nickel plated fer-rule, 10 in. ground thin-back blade w't per doz. 3 lbs., per dozen \$11.50 HALF DOZEN IN A BOX

KEYHOLE SAWS AND PADS



No. 5 — Disston's, japanned iron handle, 7 in. cast blade, w't per doz 2½ lbs. per dozen \$6.70 No. 15—Iron pad keyhole saw blades. w't per dozen. 1 lbs.,

KEYHOLE SAW BLADES

No. 16—Disston's, polished cast steel, ground, set and sharpened, as-sorted sizes, 8, 9, 10, 11 and 12 in.

NESTS OF SAWS



Beech handle, 2 nickel screws, 3 detachable steel seek, making 10 in. keyhole saw, compass saw and 18 in. prunsaw, w't per dez. 10 lbs.,

QUARTER DOZEN IN A BOX



3D Disston's, polished applemed handle, with 2 nickel plated screws, 3 detachable cast steel based blades, making 10 in. keysaw, 14 in. compass saw, and in pruning saw, w't per doz.per dozen \$33.70

La I—Keyhole saw blades for dozen \$6.80

2—Compass saw blades for per dozen \$7.60

3—Pruning saw blades for aboveper dozen \$14.60

The 15—Handles for above, \$4.70

IN A BOX



Polished beechwood handle,
polished iron saw screws,
ble blades, making 10 in.
saw, 14 in. compass saw,
pruning saw, w't per doz.
per dozen \$16.00

QUARTER DOZEN IN A BOX


PLUMBERS' NEST OF SAWS



Mo. 500—Disston's, consists of handle, tightener, and 3 blades, one 18 in. specially tempered, for wood and metal, one 14 in. compass blade and one 12 in. keyhole blade, w't per doz. 141 lbs. per dozen \$49.00

QUARTER DOZEN NESTS IN A BOX

COPING SAWS




These blades are evenly tempered and will cut light metals in addition to wood and can be filed.

No. 202 **D-Nickel plated steel frame, polished hardwood handle, adjustable to any position, 1/10×6½ in. cut tooth blade, w't per doz. 7 lbs., per dozen\$13.60

ONE IN A BOX, ONE EXTRA BLADE


ONE DOZEN IN A BUNDLE



These blades are so evenly tempered they will cut light metals as well as wood and can be filed.

No. 1250—Extra coping blades, with pin, for No. 125FPM, assorted, per gross\$8.00

FOUR SAWS IN A BOX, ONE EXTRA BLADE




No. 0100—1 in. nickel plated steel frame, 6 in. blade with turned ends, 2 slots, for sawing at right angles, 1 dozen extra blades with each saw, wit per dozen \$4.50

No. 101—Extra Coping Blades for No. 6100per gross \$2.50

SAWS, HALF DOZEN IN A BOX; BLADES, ONE DOZEN IN A BUNDLE


COPING SAWS



No. 1210—Extra Coping Blades for No. 210per gross \$8.00

HALF DOZEN IN A BOX

TURNING SAWS



ONE IN A BOX

BRACKET SAW BLADES

Length, 5 Inches.

Nos. 2/0 0 1 2 3 Per gross \$2.50 2.50 2.50 2.50 2.50 Nos. 4 5 6 8 10 Per gross \$2.50 2.50 2.50 2.90 3.20

GROSS IN A PACKAGE

BARNES' SCROLL SAW BLADES

7 In.—Widths 1/16, 3/16, 1, 1 in. and assortedper dozen \$2.10

TURNING AND FELLOE WEBS

HACK SAW FRAMES



Without Blade.

No. 34 CAD_Adjustable for blades 8 to 12 in., depth under back 23 in. heavy, tempered nickel plated steel frame with rounded edges, pistol grip, ebonized handle very rigid when set in position, blades can be faced four ways, cherry handle, w't oper doz. 18 lbs. ...per dozen \$22.80 ONE IN A BOX



Without Blade.

No. 25 REVENOC Adjustable for blades 8 to 12 in., depth under back 21 in. heavy steel nickel plated frame with rounded edges, back is very rigid when set in positon, blades tightened by handle adjustment and can be faced four ways, cherry handle, w't per doz. 14 lbs. . . per dozen \$16.00 TWO IN A BOX



Without Blade.

No. 10-Millers Falls, adjustable for blades 8 to 12 in., depth under back 23 in., nickel plated steel frame rounded edges, blades tightened by cocobola screw off handle, w't per doz. 15 lbs.per dozen \$37.20 ONE IN A BOX



Without Blade.

No. 55-Cruso, adjustable for blades 8 to 12 in., depth under back 2 in. nickel plated steel frame, rigid back when set in position, blades tightened by turning handle and can be faced four ways, stained hardwood handle, w't per doz. 12 lbs., per dozen

ONE IN A BOX



Without Blade.

No. 4-Star, solid 9 in., depth under back 2t in, japanned malleable iron frame, blade tightened by thumb not and can be faced four ways, resewood handle, w't per doz. 15 lbs., per dozen\$9.00 HALF DOZEN IN A BOX

HACK SAW FRAMES



Without Blade.

No. 12-Keystone, 12 in., depth under back 21 in., japanned, solid oval back, hardwood handle, depth from inside edge to tooth edge of frame 22 in., w't per doz. 19 lbs., per dozen\$11.00

ONE IN A BOX



Without Blade.

No. 121-Solid 8 in., japanned malleable iron frame, depth under back 23 in., blade tightened by thumb nut and can be faced four ways, enameled hardwood handle, w't per doz. 11 lbs.per dozen \$5.50

HALF DOZEN IN A BOX



No. 1027-Millers Falls, adjustable for blades 8 to 12 in., depth under back 34 in., nickel plated steel frame, back is rigid when set in position, blade tightened by thumb nut and can be faced four ways, black composition handle, w't per doz. 18 lbs. . . per dozen \$36.00



DISSTON'S

With Blade.

No. 364-Adjustable for blades 8 to 12 in., depth under back 31 in., heavy nickel plated frame riveted sockets, hardwood handle with polished edges, blade can be faced four ways, with 8 in. blade, w't per doz. 19 lbs. per dozen \$28 Rose TOOLS, INC.

HACK SAW FRAMES




Without Blade

No. 6-Millers Falls, adjustable blades 6 to 12 in., nickel pla frame, cocobola handle, steel ! is faxia in., making it very str and rigid. Blade can be faced ! ways, depth under back 23 in., per doz. 16 lbs., per dozen\$31

ONE IN A BOX

RAIL HACK SAW FRAMES



Without Blade

Forged steel frame, solid socket beechwood handle, for sawing beam rails, etc.

WITH ONE HANDLE

Nos	. 7	8
For blades, in	. 12	14
Depth under back, in	. 101	101
W't per doz., lbs	. 43	46
Per dozen		40 0

WITH TWO HANDLES

Nos	9	10
	16	18
Depth under back, in	101	101
W't per doz., lbs	57	60

Per dozen\$48.80 50.00 ONE IN A BOX

HACK SAW BLADES

HAND BLADES	100
Hack Saw Blades are built to stand the "gaff."	
be well a good hack saw should "stand up."	
They are less liable to break than the all hard blades.	200
	1
ALL HARD	H
The second of th	1
ALL HARD 14 POINTS, NATURAL FINISH	1
For Soft Steel, Cast Iron, Etc.	3
	1
	1
\$0.67 .75 .84 1.00	
For General All-Around Work.	F
For General All-Around Work.	100
8 9 10 12	
Worth, in	В
ALL HARD 24 POINTS, NATURAL FINISH	1
Fig Brass, Copper, Iron Pipe and Sheet Metal.	0.
248 249 2410 2412	100
8 9 10 12	
\$0.67 .75 .84 1.00	
10 101 110	F
FLEXIBLE BACK	18
	15
**************************************	15
For General All-Around Use,	1
188F 189F 1810F 1812F 1818F	1
8 9 10 12 18	10
\$1.67 75 PA 1.00 1.00	
FLEXIBLE BACK 24 POINTS	
For Bruss, Copper, Iron Pipe and Sheet Metal.	
248F 249F 2410F 2412F 2418F	1
8 9 10 12 18	
25 57 .75 .84 1.00 1.80	F
FLEXIBLE BACK 32 POINTS	1
For Tuber or Very Thin Sheet Metal.	
3208F 3209F 3210F 3212F	13
8 9 10 12 1 1 1	F
Per Essen	
COMP POWER BLADES	1
OIS HELD BEING BUILD BUILD	ľ
	1
ALL CARD	h
	12
MLL HARD 21 GAUGE 14 POINTS, NATURAL FINISH	ľ
For Soft Steel, Cast Iron, Ele.	L
Nos 1412P 1412}P 1414P	1
Martin, in	1
Per dotten	1
ALL HARD 18 GAUGE 10 POINTS, NATURAL FINISH	1
For Heavy Power Work of All Kinds.	1
Langth, in	1
Width, in	1
ALL OF ABOVE ONE DOZEN IN A PACKAGE.	1
HALF GROSS IN A BOX	1

HIBBARD HAND BLADES

A High Grade Crucible Steel Blade, Hardened and Tempered to Stand the Hardest Usage.

ALL HARD 14 POINTS, NATURAL FINISH For General All-Around Work.

Nos	 			148H	149H	1410H	1412H
Length, in				8	9	10	12
Width, in	 	cantan	· Carr	in the	man bear	a de la	and Arrest
Per dozen	 P			\$1.10	1.20	1.30	1.60

FLEXIBLE BACK and the second of the second o

FLEXIBLE BACK 18 POINTS For General All-Around Work,

FLEXIBLE BACK 24 POINTS

For Brass, Copper, Iron Pipe and Sheet Metal. ALL OF ABOVE ONE DOZEN IN A PACKAGE. HALF GROSS IN

STAR HAND BLADES

HARD NOT THE OWNER OF THE PARTY OF T

ALL HARD 14 POINTS, NATURAL FINISH

For Soft Steel, Cast Iron, Etc. 148S 149S 1410S 1412S Nos.

FLEXIBLE BACK, 18 POINTS

For Brass, Copper, Iron Pipe and Sheet Metal. Nos. 188SF 189SF 1810SF 1812SF 9 10 12 à .84 .75 1.00

MILLERS FALLS HAND BLADES

ALL HARD 14 POINTS, NATURAL FINISH For Soft Steel, Cast Iron, Etc.

FLEXIBLE BACK, 18 POINTS, NATURAL FINISH

| For General All Round Use. | 188MF 189MF 1810MF 1812MF | 189MF 1810MF 181

ONE DOZEN IN A PACKAGE;
ROSE TOOLS, INC.

PRUNING SAWS



No. 44 @W2 __ 18 in., double edge cast steel blade, beechwood handle with 3 brass screws, w't per doz. 81 lbs.



No. 40—Duplex, 18 in. cast steel blade, beech handle, polished edge, 3 screws, w't per doz. 11 lbs., per dozen dozen THIRD DOZEN IN A BOX



No. 5-Paragon, 18 in. cast steel blade, beech handle, polished edge, 3 screws, w't per doz. 11 lbs., per dozen THIRD DOZEN IN A BOX



Cast steel blade, apple handle, polished edge, 2 screws. 9 lbs.\$30.00

No. 3-20 in., Brown's, w't per doz. 9 lbs.\$23.70

No. 7-20 in., Disston's, w't per doz.



45 CVE California pattern, No. 14 in. cast steel blade, beech handle, polished edge, w't per doz. 61 lbs., doz. 8 lbs. per dozen \$17.20 HALF DOZEN IN A BOX



No. 50-Disston's, crescent California pattern, 12 in. blade, w't per doz. 8 lbs. per dozen \$17.20 HALF DOZEN IN A BOX



No. 38—Disston Tyler, folding handle, 10 in. Crucible Steel Blade.
Blade tightens securely in handle when opened and closed. The teeth are formed to draw the saw into the wood and cut on the pull. Beech-wood Handle with polished edges. W't per doz. 61 lbs., per donen -----\$19.90 HALF DOZEN IN A BOX


PRUNING SAWS



No. 19 CMD-18 in., crucible steel blued blade. Blade can be adjusted to any position, flat polished back and hardwood handle, w't per doz. 21 lbs.per dozen \$34.30

SIXTH DOZEN IN A BOX

No. 119-Extra Pruning Blades for No. 19 saws, w't per doz. 3 lbs., per dozen\$3,80



No. 20-Disston's, improved pole pruners, screw socket, japanned frame, 10 in. cast steel saw and 4 in. knife, w't per doz. 25 lbs., per dozen\$37.50 QUARTER DOZEN IN A BOX



No. 10-Disston's, tapered pole, polished steel frame, socket handle, 14 in. blade, without pole, w't per doz. 36 lbs. per dozen \$44.50 SIXTH DOZEN IN A BOX

No. 110-Extra Pruning Blades for No. 10 sawsper dozen \$3.30



No. 15-Pacific Coast, 14 in. crucible steel blade, blued steel back, hardwood handle, with thumb screw. w't per doz. 18 lbs., per dozen \$47.80 The blade can be adjusted to any

SIXTH DOZEN IN A BOX

No. 115-Extra Pruning Blades for No. 15 sawsper dozen \$4.00

DISSTON PRUNING AND HOUSE-HOLD SAWS



No. 47-Length 20 in., birch handle, varnished edges, brass screws, narrow crucible steel blued blade, 5 in., wide at butt, 1 in. at point, 7 points to in., w't per doz. 15 lbs., per dozen\$26.70 ONE THIRD DOZEN IN A BOX

KITCHEN SAWS



Extra quality steel finely polishe flat back and blade, beech hand 3 brass screws.

○ ● 312 Inch 12 W't per doz. lbs. 12 13 14 Per dozen \$12.60 13.30 14.00 15.1

HALF DOZEN IN A BOX



Polished steel, flat back and black Nos. 612 614 616 Inch 12 14 W't, doz., lbs. 91 11 Per dozen ..\$8.80 9.60 10.00 11.0

HALF DOZEN IN A BOX

SAW KNIVES



No. 13-11 in. cast steel blade, combining butcher knife and saw, 5 in. polished beechwood handle, w't per don 5 lbs.per dozen \$12.00

ONE BOZEN IN A BOX

DEHORNING SAWS



Japanned, maileable iron frame, 10 in. polished blade, beech handle.

No. 1-Disston's, w't per doz. 15 lbs. per dozen\$18.40

No. 2-Atkins,' w't per doz, 15 lba., per dozen\$18.40

HALF DOZEN IN A BOX

DEHORNING SAW BLADES

No. 11-10 in. Disston's, per dozen\$3.20

No. 12-10 in. Atkins', per dozen\$3.20

HALF GROSS IN A BOX ROSE TOOLS, INC.

BUTCHERS' SAWS

Size given on butchers' saws is north of blade,




Polished steel flat back, 1 in. clock

brued brade.		
los.—〇举型 3314	3316	3318
sches 14		
t, doz., lbs 25	27	29
er dozen\$33.30	0 34.00	34.70
os.—GVD	3320	3322
mes	20	22
per doz., lbs	30	31
er dozen	.\$36.50	37.60
os0VD	3324	3326
ches	24	26
Toper doz., lbs	33	35
er dozen	.\$40.00	42.00
THIRD DOZEN IN	A BOX	




CRUSO, polished, flat steel back,

No. 322	0-20 in	., w't	per o	doz. 20	lbs.,
No. 323	22—22 in	L, wt	per (loz. 28	8½ lbs.,
per o	lozen			****	\$26.80
	THIRD D	CZEN	IN A	BOX	



DISSTON'S, polished steel flat back, 1 in. polished blade.

District		
216	218	220
16	18	20
20	21	23
34.00	35.20	36.40
	. 222	224
	. 22	24
	. 24	25
	\$37.60	40.00
N IN A	BOX	
	216 16 20 34.00	216 218 16 18 20 21 34.00 35.20 222 22 24 37.60 N IN A BOX



DISSTON'S, polished flat steel

Nos.	718	729	722 22
Wt, doz., lbs Per dozen	. 25	33	35
Nos	. 24	33	36
Wt. doz., lbs Per dozen	. 38	41	45

THIRD DOZEN IN A BOX

BUTCHERS' SAW BLADES

CARD clock spring, blued, 1 in. wide.

Nos. 16 5616 5618 5620 Inches 16 18 20 Per dozen \$9.50 9.80 10.10 Nos. 22 24 26 Inches 22 24 26 Per dozen \$10.50 10.90 11.30 ONE DOZEN IN A BOX

CHARLES OF THE STREET, STREET,

DISSTON'S, polished cast steel, and 14 in. wide.

Nos. 5022 5024 5026 5028 Inches 22 24 26 28 Per dozen \$10.50 10.90 11.30 11.70 It is customary to send 14 inches

where width is not specified.
ONE DOZEN IN A BOX

DISSTON'S, clock spring, blued,

WW BUTCHER COILS



spring steel, tempered, set, sharpened and fully warranted, 11 teeth to the inch, w't per coil 11 lbs.

These saw blades are filed, set and refiled after setting. They are first quality in every respect, and can be resharpened if desired. Can be readily cut to any desired length and punched, thus making it unnecessary to carry several sizes in stock.

WOOD SAW BLADES

Plain, polished cast steel, set and sharpened, 30 in., w't per doz. 61 lbs.
No. 132 GVB-42 points,
per dozen\$11.30
No. 1321 GVB-51 points,

per dozen\$12.00

ONE DOZEN IN A BOX

WOOD SAW BLADES

多种种

Champion tooth, polished, cast steel, set and sharpened, 30 in., w't per doz. 6% lbs.

No. 134 GWB-44 points champion toothper dozen \$14.00

No. 1341 CVE 3 points, coarse champion tooth ..per dozen \$14.00
ONE DOZEN IN A PACKAGE


EDBROWN CONTRACTOR OF THE PROPERTY OF THE PROP

No. 4—Jackson's, plain, cast steel, set and sharpened, 4½ points, 30 in., per doz. 7 lbs. per dozen \$2.40 ONE DOZEN IN A PACKAGE

DISSTON'S, plain, cast steel, patent ground and tempered, set and sharpened, 30 in., w't per doz. 7 lbs.

No. 6-41 points ... per dozen \$18.00 ONE DOZEN IN A PACKAGE

WOOD SAWS



Black enameled long and short arms, blue center 30 in. extra quality plain steel blade, extra heavy tinned rod, with bronzed turnbuckles, w't per doz. 60 lbs.

41 POINTS TO THE INCH. No. E32 CMD-Full half dozen case, per dozen\$29.50 No. 32 GVB—Less than half dozen, per dozen\$2 3 POINTS TO THE INCH. No. E232 @ D-Full half dozen case, per dozen\$31.60 No. 232 @WD-Less than half dozen, per dozen\$31.60 HALF DOZEN IN A CASE




Black enameled long and short arms, blue centers 30 in. extra quality Champion tooth blade, extra heavy tinned rod with bronzed turnbuckles, w't per doz. 60 lbs.

41 POINTS TO THE INCH. No. E34 GPB—Full half dozen case, per dozen\$31.60 No. 34 GPB—Less than half dozen, per dozen\$3
3 POINTS TO THE INCH.

No. E234 @WB .- Full half dozen case, per dozen\$33.00

HALF DOZEN IN A BOX



Patent frame, painted red No. 78, 30 in. Champion tooth extra cast steel blade, 22 in. clipper rod, w't per doz. 58 lbs.

4) POINTS TO THE INCH. No. E178 Hibbard-Full half dozen caseper dozen \$25.20 No. 178 Hibbard-Less than half dozenper dozen \$25.20

HALF DOZEN IN A CASE

WOOD SAWS



41 POINTS TO THE INCH. Patent Frame, Painted Red.

30 in. thin back bow belly blade, clipper rod, w't per dozen 58 lbs.


No. E140 REVENCE—Full half dozen case, per dozen\$22.00

No. 140 RWWWC-Less than half dozen, per dozen\$22.00

30 in, thin back clock spring blade, clipper rod, w't per dozen 56 lbs.

No. E145 REVENUE-Full half dozen case, per dozen\$21.60


No. 145 RNOWN Less than half dozen, per dozen\$21.60



30 in., plain blade, clipper rod, 41 points to the inch. Hardwood natural finished straight braced w't per doz. 55 lbs.

No. E55 Cruso-Full half dozen case, per dozen\$20.50

No. 55 Cruso-Less than half dozen, per dozen\$20.50 HALF DOZEN IN A CASE



41 POINTS TO THE INCH.

Patent frame, stained and varnished, Disston's clock spring thin back blade, duplex rod, w't per dozen 56 lbs.

No. E45-Full half dozen case, per dozen\$33.00

No. 45- Less than half dozen, per dozen\$33.00 HALF DOZEN IN A CASE

WOOD SAWS



Wood Sawyer's Delight, pater frames, selected ash, oiled, Disston No. 11 extra thin back, London spring patent ground blade, extra heavy tinned rod, w't per dozen 56 lbs. No. E111-Full half dozen case,

per dozen\$39.0 No. 111-Less than half dozen, per dozen\$39.00

HALF DOZEN IN A CASE

WOOD SAW FRAMES

No. 144 Braced frame, painted red, for 22 in. saw rod, without saw rod, w't per dz. 24 lbs.,

per doz. \$10.00 No. 141-Short end pieces, w't per doz. 9 lbs. per dozen \$2.70 No. 142-Long end pieces, w't per doz. 101 lbs. per dozen \$3.80

No. 143—Center pieces, w't per doz. 41 lbs. per dozen \$3.80 HALF GROSS IN A BOX

SAW RODS



No. 5-22 in., Clipper, w't per doz.

No. 15-22 in., Duplex, w't per doz. 6 lbs. per dozen \$4.80



No. 25-22 in., Samson, extra heavy, tinned, japanned center, w't per doz. 81 lbs. per dozen \$4.00 ONE DOZEN IN A PACKAGE

SAW BUCKS



No. E1-Folding, w't per doz. 80 lbs. per dozen\$9.00

SAW CLAMPS



The saw is clamped the entire gth of the jaws by means of the ding handle, and can be jointed as a filed by inverting the vise.



The saw is held securely by lever on back jaw and is below the of the vise.

baked japan finish, nickel plated zimmings, 11% in. jaws, rubber cashion, w't per doz. 34 lbs.,

ONE IN A BOX



No. 3S.

No. 3S.

In particle of the particle



jaws, malleable screw clamp, wit per feet, 54 lbs. per domen \$22.80 in 5—Ball and socket, japanned, by in jaws, adjustable to any position, malleable screw clamp, wit per dome 18 lbs. per dozen \$28.00

LOOSE #


No. 1W—Wentworth's, japanned, 11 in. rubber cushioned jaws, w't per doz. 57 lbs. per dozen \$19.20

LOOSE



No. 3W—Wentworth's, adjustable, japanned, 11 in. rubber cushioned jaws, malleable screw clamp, w't per doz. 66 lbs. per dozen \$25.20

LOOSE




Instantly and securely fastened to a work bench without the aid of screws or nails or other means of fastening.

It self-adjusts the saw, saving time, and clamps or releases the same instantly. Will hold saw for jointing by passing blade through and resting the heel on the arch of the clamp.

No. 116—Perfection, malleable iron, japanned, with drive hooks to attach to bench or board, w't per doz. 31 lbs. per dozen \$16.50

QUARTER DOZEN IN A BOX




Can be fastened to a bench or board by either the clamp or screws, clamps fold out of way when not in use.

No. 200—Stearns', overhanging folding japanned, noiseless rubber cushioned jaw, w't per doz. 48 lbs., per dozen\$20.00



This is especially designed for those not skilled in saw filing, and is a help to an expert. It is adjustable to any and all positions, and when once set it is impossible to change the angle by mistake.

The clamp, guide, file and handle are included and not sold separately.



The guide has three rigid positions in which it holds the file, one position for filing the saw on first side, another for filing it on the opposite side and a third for use in filing rip saws only. By means of the ball and socket joint the guide may be set at either of these positions, when thus set the fil is rigidly held at the proper angle and incline for filing it is then impossible to file the teeth inaccurately.


ROSE

IBBARD, SPENCER, BARTLETT &



Owin, Special, nickel plated, adjustable for setting hand saws 4 to 16 points, rotary anvil with indicator for setting to corresponding number of teeth on saw, the gauge screw is provided with lock nut and the under lever prevents the set from wabbling when used, length 61 in., w't per doz. 10 lbs., per dozen \$25.20

HALF DOZEN IN A CARTON



REVONOC .- Gun-metal finish, heavy nickeled trimmings, for hand saws, adjustable anvil and sliding gauge on top, w't per doz. 91 lbs., per dozen\$19.60

HALF DOZEN IN A CARTON



Twenty adjustments are obtainable. The punch moves in nearly the same circle as the tooth which it sets, consequently the tooth is not distorted nor its point curled. Faces of anvil are numbered and will produce any setting required.

No. 7-Taintor Positive, entirely of steel, parts interchangeable, length 61 in., w't per doz. 61 lbs.,



No. 106-Morrill's Pattern, polished, for timber and board saws, from 6 to 14 gauge-circumference of saw makes no difference-length 15 in., w't per doz. 42 lbs.,

per dozen ... No. 203-Morrill's Pattern, polished, for single tooth cross-cut and small circular saws, length 10 in., w't per doz. 141 lbs. per dozen \$28.00 No. 204 Morrill's Pattern, polished,


for Champion or M tooth cross-cut

SAW SETS



No. 02-Morrill's Pattern, polished, for hand saws, length 7 in., w't per doz. 8 lbs. per dozen \$9.00

HALF DOZEN IN A BOX




No. 1-Morrill's, with sliding anvil for hand, band, jig, butcher and fret saws not over 16 gauge, polished, length 61 in., w't per doz. 8 lbs., per dozen\$30.00

HALF DOZEN IN A BOX




No. 95 - Morrill's, with indexed rotatable anvil, for hand saws not over 16 gauge, polished, 67 in., w't per dozen 7 lbs. . . per dozen \$28.80

HALF DOZEN IN A BOX



No. 50 - Morrill's Special, with fully indexed, rotatable anvil giving corect set by turning number on anvil corresponding to the number of saw teeth to the inch of the saw, to the point of the plunger for hand, band, jig, butcher and fret saws not over 16 gauge, polished, length 63 in., w't per dozen 8 lbs., per dozen\$28.80

HALF DOZEN IN A WOOD BOX



No. 3-Morrill's, with sliding a for cross-cut and circular single tooth 14 to 20 gauge, cast ished, length 92 in., w't per 16 lbs.per dozen \$43

No. 4 Morrill's, with sliding as for Champion "M" and other do toothed saws 14 to 20 gauge, of finished, length 9% in, w't per dozen \$42 16 lbs.per dozen \$43

HALF DOZEN IN A WOOD BOX



No. 5-Morrill's, with sliding and for timber and board saws 6 to gauge, cast finished, length 15 w't per doz. 40 lbs., per dozen \$72.

HALF DOZEN IN A WOOD BOX



No. 2-Disston's Monarch, Bar finish, for hand and back saws length 6 in., w't per doz. 63 lbs. per dozen\$18.1

No. 20-Disston's Monarch, Bart finish, for cross-cut saws, lengt 10 in., w't per doz. 24 lbs., per dozen\$40.0

NO. 2 ONE DOZEN, NO. 20 HALF DOZES



No. 28-Disston's Triumph, Barff finish, for hand saws, web and band saws, length 7½ in., w't per doz 9 lbs. per dozen \$23.80

No. 18-Triumph, polished, for circular and cross cut saws, 14 gauge and lighter, w't 15 lbs., per dozen\$31.50

ONE IN A BOX

SAW SETS



No. 42-For Back and Hand Saws.



No. 43-For Cross Cut Saws.

Stanley, pistol grip, fine black finish tool, steel plunger and anvil hardened and tempered, can be readily adjusted to give a greater or less set to the teeth of saw, anvil is graduated so that same adjustment can be easily obtained for duplicate work, the saw teeth are in plain view which enables the user to quickly adjust the tool to the tooth to be set.

42—For back and hand saws, per doz. 8 lbs., per dozen \$37.60 43—For cross cut saws, w't per 18 lbs. per dozen \$68.80 ONE IN A BOX



Whitings pattern, polished


THE DOLL IN A BOX



The single gauge is for requisiting the length of cleaner needs and with all set in cross-cut saws. The double gauge does the same for both hard and soft wood.

DNE IN A BOX

SAW PUNCHES



No. 1.


No. 1—Midget, length 63 in., japanned. wood handle, brass ferrule, steel punch, for punching holes in butcher and hack saw blades, w't per doz. 10 lbs..........per dozen \$30.00

10 lbs......per dozen \$30.00

No. 2—Midget, length 5½ in., japanned iron, for punching holes in butcher and hack saw blades, w't per doz. 6 lbs.....per dozen \$20.40

ONE IN A BOX

SAW TOOLS



Jointer.

No. 53—Atkins' Dexter, combining jointer, raker tooth, gauge, side file, w't per doz. sets 6 lbs., per dozen sets\$9.60 HALF DOZEN IN A BOX



Jointer.



Tooth Gauge.





Setting Block.

Set Gauge.


Combining jointer, tooth gauge setting block and set gauge, w't per den sets 18 lbs.

No. 054 Excelsior pattern, per dozen sets\$8.50 ONE SET IN A BOX



SAW TOOL SETS

Jointing, raker and cleaner tooth



Set and swaging hammer.



Set Gauge.

Setting Stake.

Simond's Crescent, including jointing, raker and cleaner tooth gauge, setting stake set gauge and set.

No. 8—With swaging hammer, w't per doz. sets 22 lbs., per dozen sets\$34.50

SIXTH DOZEN IN A BOX

SAW JOINTERS



in a moment to cut or finest hand-will joint or square any the edge. Flat, triangular or half-round file can be used, saves time, labor, wear and tear on the hands, and insures accuracy.

HALF DOZEN IN A BOX

BBARD, SPENCER,




Black enamel finish with nickel trimmings-fitted with special @ W.D.


back saw.

Notched segment and locking device is the most important improvement in Mitre Boxes as every angle is positive. Arrangement of work clamps make it possible to handle wider range of work. Device for controlling depth of saw cut and supporting saw above work is in one piece. Slight blow on top of saw will release it when held above work. Cast lugs on sides of saw guide posts hold saw guides in position so that saw

30×5 9 7 W't, lbs. 35 35 37 Each\$29.00 30.20 31.50 ONE IN A CASE




o. Tö01 Stanley's, single-piece frame, base and back accurately No. machined, all parts interchangeable, adjustable saw guides, either back or panel saws may be used, w't 21 lbs.each \$13.90 ONE IN A CASE



include saw. MILLER FALLS

No. 41—Steel, japanned finish, bright parts nickel plated; adapted for places where it is impracticable to use a large box, especially for mouldings, cornices, etc., at top of ladder; saw clamp attached to frame by hange permits, saw to be tilted for cutting wide range of bevels; bed plate has double shelf or rest, permiting cut to be made at either right or left angle; adapted for either a panel or back saw, w't each 2) lbs. each \$7.00

MITRE BOXES



STANLEY'S, single piece frame, malleable iron legs, steel saw guide, rods, complete with high grade 11 pt.


Saw is supported above work, swivel clamped automatically. Supplied with spring catch, allowing swivel to swing free. Second socket in swivel allows use of short saw, parts interchangeable.

Nos	T244	T246	
W't, lbs 27 Each\$29.00	20	90	7

...... T346 T358 T460 Saw, in.26×4 28×5 30×6 W't, 1bs. 35 40 53 Each\$33.00 34.80 41.70

Nos. 242, 244 and 246 have a right angle capacity of 8t in., 5t in. at 45 deg. and 31 in. at 30 deg. Nos. 346 and 358 have a right angle capacity of 9% in., 6% in. at 45 deg. and 4% in. at 30 deg.

ONE IN A CASE




GOODELLS Bessemer steel box, corrugated cold rolled steel back, with Disston's saw and attachments.

These bases have automatic stops to hold up the saw, allowing the operator to use both hands in placing the wood. The backs are corrugated to 1 in. in depth and 1 in. in width, allowing per-fect clearance for sawdust. These boxes give 101 in. at right angles and 71 in. at mitre.

Nos.7264 T285 T305 T306 Saw, in. ... 26×4 28×5 30×5 30×6 W't, Ibs. ... 30 35 35 37 Each\$33.00 36.00 37.50 40.50

ONE IN A CASE

No. 5-Perfection, bed and be made from selected wood with laid strips to prevent warping, be used with a back, hand or psaw, capacity 45, 36, 30, 221 9 degrees, w't 7 lbs. . . . each \$5 SIXTH DOZEN IN A BOX



LANGDON ACME, complete Disston's No. 6 saw.

Has notches for positive angles; l graduated arc in front showing varie degrees, metal index plate with degr ks attached to machine

marks attached to machine.	100
NOS T68 T69	72
Saw, in 22×4 24×4	20
W't, lbs 35 351	200
Each\$27.20 28.40	21 1
Nos	
Nos T74	Ti
Saw, in 28×5	30
	40

5 in., Nos. T73, T74 and T75 7

Capacity at right angles Nos. To Tes 71 in., Nos. Tr3, Tr4 and T 101 in. ONE IN A CASE




Has a rule and gauge, measure from either side of machine alike making it possible to cut sides an ends of frame exactly the same length

Clamps on either side hold work se-

No. T20—Marsh, mitre machine and picture frame vise, malleable iron japanned finish, saw is 26×4½ in midth will cut any moulding 41 in. in width or less, and will join any frame 71×71 in. or larger, w't 40 lbs.,

All Saws Furnished with Mitre Boxes Shown on this Page are Eleven Points to the Inch.

BENCH STOPS



Hotchkiss', 3½x1½ in., polmed face, reversible, w't per doz. per dozen \$14.00

ONE DOZEN IN A BOX



Morrill's pattern, 31x2 in., published face, w't per doz. 12 lbs., per dozen\$19.20

EALF DOZEN IN A BOX

PICTURE FRAME VISES



REV-O-NOC

We Stand Behind the Brand.




Diam, of screw 13

Wt per don, lbs. 102

BALANCE, ONE DOZEN IN A CASE

JORGENSEN'S HAND SCREWS



Selected straight grain hard maple jaws, cold drawn steel spindles, cold drawn steel nuts, accurately cut threads of special quick-acting type, scientifically designed and liberally proportioned to insure great strength.

Nos	000	0	1
Length jaw, in	6	8	10
Length, screw, in.	51'	7	83
Open, in	3	43	6
Size of jaw, in 1	1×11	1½×12	18×2
Diam. screw, in	1	1	8
W't per doz., lbs.	11	23	30
Per dozen\$2	2.40	24.70	29.20
		-	Hilland

NOS	23
Length jaw, in 12	14
Length screw, in 12	14
Open, in 8	
Size of jaw, in14×21	23×25
Diam. screw, in 7/16	7/10
W't per doz., Ibs 48	
Per dozen\$32.50	35.80

Nos	24	25
Length of jaw, in	16	18
Length screw, in		20
Open, in	12	14
Open, in		21×23
Size of jaw, in		
W't per doz., Ibs		
Per doven	\$42.60	49 30

LOOSE

CABINET MAKERS' CLAMPS



No. N258—Selected maple frame, hickory screw, length inside of jaws 4 ft., w't per doz. 80 lbs., per single dozen\$21.00

LOOSE

128

QUILT FRAME CLAMPS



No. 1—Cruso, malleable iron, japanned, wrought screw, opens 21 in., w't per doz. 3\(\frac{1}{2}\) lbs. per dozen \(\frac{1}{2}\)1.50

ONE DOZEN IN A BOX



Malleable iron, japanned, swivel head wrought steel screw.

No. 010—Cruso, opens 2 in., w't per doz. 3% lbs.per dozen \$2.70

No. 020—Cruso, opens 3 in., w't per doz. 51 lbs.per dozen \$3.00
ONE DOZEN IN A BOX

DRAUGHTSMAN'S CLAMPS



Intended for draughtsman's use or small work of any kind. Malleable iron, nicely finished in nickel plate with polished steel screw.

NOS	1 12	14
Opening, in	9 9	19
Depth, in	1 1%e	
W't per doz., lbs	1 13	
Per dozen\$2.	20 2 20	
		3.00
FOUR DOZEN IN A	BOX	

CARRIAGE MAKERS' CLAMPS



This is an exceedingly well made tool. Frame is of best grade malleable iron, heavily reinforced and so shaped as to give greatest strength for the metal used. Screw is steel.


Nos 2	3	4	5
Opening, in 21	3	4	5
W't, doz., lbs 14	16	20	27
Per dozen \$5.00	5.80	8.00	10.00

HALF DOZEN IN A BOX

Nos											6	7
Opening, in.		-		9			ŝ	8	6	9	6	7
W't, doz., lbs.						0	0	Ī	ē		30	36
Per dozen						2				ŝ	13.00	16.00
	d	L	0	0	S	E						
The second secon												

Nos													8	10
Oper	ning	, III.						į,	í	-			8	10
WIL	per	doz.	, ib	5.	*	*		-	-			*	42	60
Fer.	doz	en .				×	-		-		-	Ş	20.00	26.00
				-	~	~	20	-						

ECCENTRIC CLAMPS




STYLE B

1½×%6 in. steel bar, japanned iron finish.

The sliding jaw moves easily and by an automatic enclosed spiral spring is held firmly in place at any desired point on the bar.

Nos	N202	N250
Length, ft	2	21
W't per doz., lbs	60	70
Per dozen	\$42.30	48.00
Nos		
Length, ft	3	4
W't per doz., lbs	84	98
Per dozen	\$52.80	64.00
LOOSE		

UNIVERSAL CLAMPS




Malleable iron, steel screw with deep machine cut threads.

No. 32-For	lumb	er up	to	11 In.,
w't per do				
per dozen				\$48.00

No. 33—For lumber up to 2 in., w't per doz. 75 lbs., per dozen\$56.00

LOOSE

SHELDON'S CLAMPS



Malleable iron, \$x7 in. steel screws with square cut threads cut from cold rolled steel, face of jaws 13 in. square, mounted on maple bars, 14x21 in. wide.


Nos	N02	N03
Length, ft	2	3
W't per doz., lbs	65	72
Per dozen\$	31.00	31.00
Nos	N04	N05
Length, ft	4	5
W't per doz lbs	80	00

Per dozen\$34.00 35.40 HALF DOZEN IN A CRATE

METAL PARTS ONLY

No. 111—W't per doz. 40 lbs., per dozen\$21,00 E DOZEN IN A CRATE

STEEL BAR CLAMPS



Made from %ex18 in., temps spring steel bars, 8x7 in. screw from cold rolled steel, face of 11x2 in.


Saddle is held in bar notches by destructible spring bars. The deend malleable cranks are quick a permit the use of two hands for ersive pressure.

Nos	201 N30 N
Length, ft	3
W't, doz., Ibs '	75 90 I
Per dozen\$36	

Nos	N50	N60	1
Length, ft	. 5	6	
W't, doz., lbs	130	150	8
Per dozen\$	50.40	54.00	6

LOOSE

CARPENTERS' DOOR CLAMP



PERFECTION

This is a strong, durable, convening eneral purpose clamp. The bar \$\frac{1}{2}\$ in. high carbon, manganese strame, tip and slide best grade malable iron. Dog for slide, temperated. Steel screw \$\frac{1}{2}\$ in. diam., deep at "Acme" thread, long bearing insurationg life to clamp.

The bar is special quality rolled stated. The notches are cut on lower edge of the bar, afford greater holding power to a slid jaw than if cut on the upper adge.

Nos.	N103	N104	NI
Length between jaws, ft	3	4	5
lbs	98 51.60	110 57.60	12



UNHANDLED

Mos					Ş,						22R	24R
Length,	in.					 -		,			8	9
Cutter,	in.						Ŷ,				11	2
Wit, eac	h,	lbs.							1		21	24
Each			-							3	3.70	4.00

HANDLED

Nos	*			.,							35R	36R
Length, in.				41	Ì						9	10
Outter, in					4						The same of the sa	28
w t each, lb	ığ.	١,		-			-			-	1	31
-		6	4		4	8	6.1	i d	3	\$4	1.80	5.40

WOOD JACK, FORE AND



Nos.	26R 27IR
Length, in	15 15
Cetter, in	2 21
W't each, Ibs	31 41
Each	\$4.38 4.90

FORE

Nos.	28R
Length, in	18
Cutter, in	21
Wt each, Ibs	5
Each	

JOINTER

Nos				31R 32R
Length, in.	-			24 26
Cotton in.			*****	
W't each, E				
-		****		5.70 6.10



FLAT BOTTOM

Nos	2R	3R	4R	4IR
Length, in	7	8	9	10
Outter, in	19	19	2	28
w t each, Iba	24	3	33	5
Each\$4	1.30	4.60	5.00	5.80

CORRUGATED BOTTOM

Length, in 8 9 10	C
Cutter, in 1 2 28	
W't each, lbs 3 35 5	
ALL ABOVE ONE IN A BOY	9

IRON JACK, FORE AND JOINTER



FLAT BO		
Nos	5R 51	R 6R
Style	Jack Jack	ck Fore
Length, in	14 1	18
Cutter, in	. 2 2	28
W't each, lbs	. 44 6	7
Each	. \$5,80 6.	50 7.30
Nos		
Style		
Length, in		24
Cutter, in		25
W't each, lbs	8	99
Each	\$8.50	10.00



CORRUGATED BOTTOM

Nos	SRC SIE	C GRC
Style	.Jack Ja	ck Fore
Length, in	. 14 1	5 18
Cutter, in	. 2 2	21
W't each, lbs	. 41 6	7
Each	\$6.10 6.	85 7.70
Nos	7RC	8RC
Style	Jointer	Jointer
Length, in	. 22	24
Cutter, in	. 28	29
W't each, lbs	. 8	93
Each		10.50

IRON BLOCK



No. 101R MWW. 31 in. 1 in. cutter, w't 4 oz., each\$0.50 HALF DOZEN IN A BOX



No. 100R MARKE_31 in., handled, 1 in. cutter, w't 6 oz.each \$0.60



No. 103R MSSR-53 in., adjustable, 11 in. cutter, w't 1 lbs.,



No. 1300R RESERVE_S in., double-ender, 18 in. cutter, w't 11 lbs., ONE IN A BOX



Nos	***					10	.1	02R	110R
Length, In	223	2/2	4.	720		50		514	78
Cutter, in.	200		-					7.0	1-0
W t each, lbs.	53		23		99		500		11
Each			**		2	*	.\$	1.10	1.40



No. 2200R RIVEST 78 in., adjustable, 18 in. cutter, w't 11 lbs., each ONE IN A BOX



JAPANNED	CAP-	-Low	ANGLE
Nos		600	IR 6501R
Length, in		6	7
Cutter, in		15	15
W't each, lbs.		1	1
Each		* * * DZ . 5	0 3.10



Threat and lateral adjustment, japanned cap. Nos. 9 R 15R

Length, in. 6 7

Cutter, in. 15 18

W't each, lbs. 13 18


Each \$2.70 2.90



With throat and lateral adjustment, knuckle joint, nickel plated cap.

Nos	1800R	1900R
Length, in	6	7
Cutter, in	19	1#
W't each, lbs	11	15
Each	\$3.10	3.30


ALL ABOVE, ONE IN A BOX



"BAILEY" ADJUSTABLE IRON

The handle and knob are made of highly finished, thoroughly seasoned rosewood. The English steel cutter a tempered, ground and honed, ready for use, is adjustable both endwise and sidewise, and bedded to the heel of bevelopment of the frog. Bottoms, either flat or corrugated—see cut 7C—as desired.

Flat Corrugated							
Bottom Bottom	Type	Leng	th Cu	tter	T	7°t	Each
No. 1	Smooth	53 1	n 1	in			
No. 2	Smooth					lbs.	\$3.8
No. 3 No. 3 C	Smooth		n. 1	i.m.	24	lbs.	4.90
No 4 No 4 C			n. 15	in.	34	lbs.	5.4
No. 4 No. 4 C S	mooth		n. 2	in.	32	lbs.	5.90
No. 41 No. 41C S	smooth	10 i	n. 28	in.		lbs.	
No. 51 No. 51C J	r.Jack	111 in	n. 13	in		lbs.	0.70
NO. 5 NO. 5 C	Jack	14 ;	n 0		4.75	44	
No. 51 No. 51C	Inels	15 2	H. 01	111.	41	lbs.	6.7
No. 6 No 6 C	Dack	10 1	n. 21	in.	6.4	ibs.	7.60
No. 6 No. 6 C	rore	18 1	n. 28	in.	72	lbs.	8.70
140. 1 140. 1 6 7	olnter	22 1	n. 28	in.	81	lbs.	9.90
No. 8 No. 8 C J	omter	24 1	n. 29	in.	93	lhe	11.90
	ONE	IN A	BOX		40	rua.	11.3



"BAILEY" WOOD

These planes are made for those wanting a wood bottom plane of superior quality. Made of specially selected, well seasoned Beech. The cutters are the celebrated Bailey cutters and are adjustable both endwise and sidewise.


Ma	24	Туре	Leng	STATE OF THE PARTY	Cutt	er	W	t	Each
No.			Carrie	in.	2	in.	27	lbs.	\$4.60
No.			15	in.		in.	34	Ibs.	4.70
No.			15	in.		in.		Ibs.	5.50
No.		Jointer	24	in.		in.		lbs.	6.00
No.		Jointer	26	in.		in.		lbs.	6.50
No.	35	Handle Smooth	9	in.	2	in.		lbs.	6.90

ONE IN A BOX

STANLEY "BED ROCK"

For fine work on hard and knotty wood, this plane surpasses all others.

The cutter, frog and bottom are so machined and fitted that they are practically one solid piece of metal, thus preventing any chance of vibration.



The frog travels in a groove, ensuring it being square with the mouth of the plane, and preventing shifting or "wobbling."

The width of the mouth can be regulated by use of a screw driver as shown in the cut, without removing the cutter and lever.

The cutters are made of the best English steel and are adjustable both endwise and sidewise.

The shape of the sides, a distinctive feature, adds greatly to the strength of the plane.

The handles and knobs are of rosewood and finely fin-

Bottoms either flat or corrugated (see No. 606C) as desired.

Flat C	orrugated								
Bottom	Bottom	Type	L	engt	th C	ittei	. U	714	Each
No. 602	Temple Committee	Smooth	7	in.	19	in	91	lhe	\$5.40
No. 603	No. 603 C	Smooth	- 8	in.	14	in	21	lhe.	5.90
No. 604	NO. 504 C	Smooth	9	in.	2	in.	25	lbs.	6.50
No. 6041	No. 604 C	Smooth	10	in.	28	in.	40	lhe	7.45
No. 605	NO. 605 C	Jack	14	in	2	in.	45	lbs	7.40
No. 6051	NO. 605 C	Jack	15	in.	23	in	GI	lhe	8.40
No. 606	No. 606 C	Fore	18	in.	28	in.	75	1hm	9.50
No. 607	NO. 607 C	Jointer	22	im.	21	in.	0.0	lbs.	10.90
No. 608	No. 608 C	Jointer	24	in.	28	in.	92	lbs.	13.00
		ONE H		-	1000		1000	Unit Miles	

STANLEY PLANES


BEADING, CENTER, PLOW, DADO, RABBET, FILLISTER, MATCH, SASH, SLITTING AND MOULDING

THE MOST COMPLETE STANLEY SET

will accommodate cutters of almost any shape and size. All metal mickel plated, handle and fences of selected rosewood, all parts finished.

Length 10 in., w't 151 lbs., complete with 52 cutters,

ONE IN A BOX



BEADING, CENTER BEADING, PLOW, DADO, RABBET, FILLISTER, MATCH PLANE, SASH AND SLITTING

Seven beading tools, † in., ¾6 in., † in., ¾6 in., † in., ¾6 in., and the place and dado bits—† in., ¾6 in., ‡ in., ¾6 in., ½ in., ¾6 in., ½ in., ¾6 in., ½ in., ¾6 in., ½ in., ¼6 in., ½ in., ¼6 in., ½ in., ¼6 in., ½ in., ½6 in., ½

The place has an adjustable fence, a depth gauge, spurs for use

Extra Bottoms and Cutters.

Special bottoms for the sliding section, cutters as the used. Special bottom required for each cutter. Prices and records include two cutters and two bottoms, of nosing the used are bottom.

*** Tollow and round } in. cutters work ? in. circle, \$3.00

*** Tollow and round ? in. cutters work 1 in. circle, \$3.00

3.30 and round 1 in cutters work 12 in circle,

3.30

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40

2.40


2.40

2.40

2.40

2.40


DEED A BOX



PLIM BEADING AND MATCHING

the state of the s

The control of the late little 1, %, e, i, %, e, i, i and i inch, and a i inch



PLOW, DADO, FILLISTER AND MATCHING

Show earliers are the Sutare of this plane, main stock carries a mor, depth gauge, elitting eather, alleling section excrying a spur forming an entry sale for the plane. Benevand handle and knot.

Catters comprise 8 plow and dado bits—No. 5, No. 2, i. 1, 1, 15 in., the in fill ster catter, 1 in tonguing tool and sixting catter.

Nickel plated, length 101 in., 11 catters, wt 51 lbs.,

ONE IN A BOX



SIEGLEY AND STANLEY PLANES

SIEGLEY ADJUSTABLE IRON SMOOTH



Corrugated Bottom.

Nos45	
Length, in 9	415
Cutter, in	10
W't each, lbs	23
Each\$5,50	31
\$5,50	6.40

ONE IN A BOX

JACK



Corrugated Bottom.

Nos Length, in.							. ,				-								55	FIS	
																				15	
Cutter, in W't each, Ibs																				21	
Each				ŝ	8	8		*	*			*	*	•	*		*		35	41	
				n			•	*	*	33		1	9.		*	8		ÞΩ	.40	1.30	

ONE IN A BOX


FORE AND JOINTER



Corrugated Bottom.

Nos														4	65	75		88
Style Length, in	 														9.0	Jo 22	inte	24
W't each, lbs.			*	*	* *	*	•	*	• •						21	28	2	28
Each	 	*		*								3	8	* **	30 9	.50	11.	20
				-	min's													


ONE IN A BOX




Combination.

ONE IN A BOX

STANLEY CIRCULAR



ONE IN A BOX



VICTOR, 10 in. adjustable, 12 in. cutter, w't each 4 lbs No. 20—Japannedeach \$11

ONE IN A BOX

STANLEY IMPROVED SCRUB



This tool has a single iron with cutting edge round and is particularly adapted for roughing down work fore using jack or other planes.

 Nos.
 40

 Length, in
 9½

 Cutter, in.
 1½

 Each
 \$3.10

ONE IN A BOX

STANLEY LOW ANGLE BLOCK



The construction of this plane is such that it is especial adapted for use in cutting across the grain on heavy wor where more power is required than can be obtained by u of the ordinary block plane. The plane is fitted with adjustable throat, which enables the user to work equal well on hard or soft wood.

No. 62—14 in., 2 in. cutter, w't 4 lbs. each \$7.2

ROSE TOOLS, INC. A BOX

"BAILEY" BLOCK PLANES



With Throat and Lateral Adjustments.

JAPANNED CAP

									91	15
, in.	•			,					6	7
325.			9	,					19	18
cit, lb:	3,				٠				13	12
									\$ 2.90	3.10

NICKEL PLATED CAP

				,						16	17
. In		٠.								6	7
	-		ж.	•	•	•	•	•		18	19
city lbs.	ě,	24								11	19
									\$3	3.30	3.60



Knuckle joint with throat and lateral adjustment.

MICKEL PLATED CAP

to the cap makes to the cap in the cap in the cap in the cap in the cutter se-

	-	-	-	į,									18	19
100	m.		-	-	-	÷	+	-	*	-			6	7
	1												18	18
	,122												12	10
					÷			÷	÷		į,	\$3	.80	4.10



Low Angle,

MPENNED CAP

The state of the s

WICKEL PLATED CAP

ONE IN A BOX

	5
m 1	
	00

BAILEY BLOCK PLANES



This plane has two slots and a movable cutter seat. When it is desirable to use it as a bull nose plane, the adjustable cutter seat can be reversed as indicated in cut.

No. 131—Double end, 8 in., 18 in. cutter, w't 1½ lbs. each \$3.60 ONE IN A BOX

STANLEY BLOCK PLANES



No. 101—3½ in., 1 in. cutter, w't 4½ oz., each\$0.56

ONE IN A BOX



No. 103.



No. 110—7 in., 1% in. cutter, w't. 1% lbs.each \$1.50

ONE IN A BOX



No. 130—8 in., double-ender, 1% in. cutter, w't 1% lbs.each \$2.20 ONE IN A BOX



Ma. 223-7 in. adjustable, 15 in. cutter, wit 13 lbs. each \$2.20



No. 203 Serew adjustment, rosewood knob, length 55 in., 18 in. cutter, w't 8 lb. each \$1.90 ONE IN A BOX

CABINET MAKERS' EDGE PLANES



A useful tool for piano makers and all cabinet workers, for trimming inside work where space prevents use of any other plane.

BAILEY VENEER SCRAPERS



No. 12 takes the same cutter as No. 112 Scraper Planes. For many kinds of work, its peculiar form is of great advantage.

	Iron. Wd.Fce.
Nos	12 124
Length, in	61 61
Cutter, in	0 0
W't each The	01 01
W't each, lbs	**** 33 34
Each	\$6.20 8.40
Extra Cutters	each \$0.66
ONE THAD	A

STANLEY SCRAPER PLANES



No. 112—9 in. adjustable, 3 in. cutter, with 1 scraper blade, w't 4 lbs., each\$5.50

Extra Cutters, for scraping, each\$0.66

each \$0.66 Extra Cutters, for toothing, Nos. 22, 28, 32—22, 28 or 32 teeth each \$0.90

BULL NOSE RABBET PLANES



No. 75-4 in., iron stock, 1 in. cutter, w't 8 oz., each .\$0.95


STANLEY EDGE TRIMMING PLANES



No. 95-6 in. 7 in. cutter, japanned, w't each 11 lbs.each \$2.40 ONE IN A BOX

STANLEY ADJUSTABLE PLANES

TONGUING AND GROOVING



Nickel plated iron stock and face, including tonguing and grooving tools.

The fence is set in a center pivot and can be swung around and locked either way. Set one way it exposes two cutters for cutting the tongue and when reversed leaves only one exposed for making the groove.

No. 48—82 in., for 2 to 14 in. boards,

w't 3 lbs. each \$6.80

No. 49—8 in., for 1 to 1 in. boards,
w't 21 lbs. each \$6.80

ONE IN A BOX

DOUBLE END MATCH



Nickel Plated.


Provided with both tongue and groove irons. With one side a tongue can be cut, and by reversing ends, the plane will cut a groove to fit.

No. 146-Matches & in. boards, cuts groove & in., w't 14 lbs.,

No. 147—Matches a in. boards, cuts groove % in., w't 2 lbs.,

ONE IN A BOX

RABBET AND FILLISTER



The sides and bottom being square with each other, the planes will lie perfectly flat on either side. Adjustable fence slides under bottom to regulate width of cut. Has one spur on each side and adjustable depth gauge. Is suitable for either right or left hand work. The front part of plane can be easily detached thus providing a bull nose plane.

IMPROVED RABBET

Iron stock, length 8 in., with depth gauge.

WITH SPUR

This plane will lie perfectly flat on either side, and can be used with right or left hand equally well, while planing into corners or up against perpendicular surfaces.

DUPLEX RABBET AND FILLISTER



This plane has two seats for the cutter, one for regular work and the other where a bull nose is required. Has spur and removable depth gauge. Adjustable fence can be used on either side and slides under the bottom regulating width of cut. To use as rabbet plane, remove fence and arms. No. 78—8½ in. iron stock and fence, 1½ in. cutter, w't 3 lbs.,

each\$4.20

SKEW CUTTER, FILLISTER




The fence and depth gauge can be attached to either side so that the plane can be used equally well for right or left hand work. The adjustable fence slides under the bottom, regulating the width of the cut. By removing arms and fence a skew cutter rabbet plane is obtained.

No. 289—81 in., japanned, 17 in. cutter with fence and depth gauge and two adjustable spurs, one on each side, w't 4 lbs. each \$4.90

ONE IN A BOX


WOODWORKERS' ROUTER

For surfacing the bottom of ground depressions parallel with general surface of the work. open throat design gives more dom for chips and a better view the work and cutter. The latter an attachment for regulating thickness of the chip and a seattachment for closing the throat use on narrow surfaces.



Open Throat.

ONE IN A BOX



Closed Throat.



This new plane will make mortifor Butts, Face Plates, Strike Plat-Escutcheons, etc., without the use a butt gauge or chisel. Cutter can set to work from either end of plane or across it. Spring prevetaking a heavier chip than can easily carried.

No. 171—11 in., japanned, nickel placed trimmings, rosewood handle 3 forged steel cutters, w't 3 leach\$7.

STANLEY PLANES, BEADERS, ETC.

SARRIAGE MAKERS' RABBET PLANES



ampted for mining, wagon making and other heavy work.

		1	E	la	ų	ķ,	Π	В	q	t	tı	O.	m	L				
÷	-	•	-	-		-									×		101	10
ņ.	H	-															9	13
4	•	•	Ä	*	-	è	-	-							Ī		28	24
-	-	-	-	٠	ä	3		×		ż	7				ì	3	3	41
		7	ŀ	'n	ř	¥	9	-	÷	ž	٠					\$	6.80	8.20

ONE IN A BOX

semptio, 5

better, in **新工品的**

SIDE RABBET PLANES

Convergent tools for side-rabbeting and tramming dades, mouldings and and all sorts. A reversible nose which it will work close up into cor-



to the merical plated, right munit, wit a mr. each \$2.80

The Person was been been been in

Buch \$2,50



to-With III in, midd where stook, I stook eathers and I bient with I gauges for straight or

GRE IN A BOX

surveil work, w't II he.

8 Inch, Iron Stock, with Depth Gauge and Two Adjustable Spurs.

a wood plane will not. Has a skew mother and adjustable depth gauge and spurs on each side of plane, thus allewing wear to be taken up and depth

and and told minter.		
Nos 392	393	394
Carrier, in	1	i
Back	3.55	4.20
Nos	396	397
China la	1	ī
Zach	4.50	4.80

RABBET AND BLOCK PLANES



The detachable side will easily change this tool from block plane to a rabbet plane and vica versa. The cutter is adjustable end-wise and is set on askew.

No. 140-7 in., with detachable side, 19 in. cutter, w't 11 lbs., each\$3.80

ONE IN A BOX

IMPROVED DADO



Holds true in narrow widths where

COME IN A BOX

CABINET MAKERS' RABBET PLANES

For fine cabinet or other work where extreme accuracy is required. The sides and bottom, being square with each other, the plane will lie perfectly flat on either side and can be worked either right or left hand. They have adjustable throats; this means that the width of the throat opening, or mouth, can be widened or narrowed as coarse or fine work may require. They are also fitted with the side groove or "Handy" grip feature. The cutters are adjustable end-wise.



Nickel Plated, with Adjustable Throat.

No. 90-4 in., bull nose, adjustable, 1 in. cutter, w't 1 lb. ...each \$5.10




Nickel Plated, with Adjustable Throat.

Nos	92	93	94
Length, in	51	61	71
Cutter, in	4	1	11
W't, lbs	10	13	2
Each\$5	.10	6.10	7.10

ONE IN A BOX

CORNERING TOOLS



These tools are used by pattern makers and all wood workers for rounding sharp edges. They have a different size cutter at each end and their form is such that no depth gauge is required.

Nos							. 28	29
Size, in		 					59×9	59×4
Cutters, in	1					٠.	110 & B	1 & 1
W't, lbs		 ٠.		*	*		10	11
Per dozen							.55.90	6.20

CABINET SCRAPER BURNISHERS



This tool is used to put a smooth finishing edge to a cabinet scraper.

No. 01-Polished oval cast steel blade, wood handle with ferrule, entire length 81 in., w't per doz. 11 lbs., per dozen\$7.20

HALF DOZEN IN A BOX

CABINET SCRAPERS



Designed to do fine scraping such as veneering, cabinet work, etc. Has a rosewood face which reduces friction and prevents marring the surface worked upon. Handles are raised to protect user's hands and are pierced for easy hanging up when not in use.

No. 81-Stanley's, nickel plated, raised handles, length 10 in., 21 in. cutter, w't per doz. 30 lbs., per dozen\$36.00

ONE IN A BOX

No. 811-Extra cutters, per dozen\$4.60

ONE DOZEN IN A BOX



No. 80-Stanley's, japanned, raised handles, length 11 in., 27 in. cutter, w't per doz. 21 lbs., per dozen

ONE IN A BOX

No. 800-Extra cutters. per dozen\$4.60 ONE DOZEN IN A BOX



The adjustable handle allows the blade to be tilted to any angle desired. Special blades of different forms and widths can be securely held in any position required, thus permitting the tool to be worked in many places inaccessible to other scrapers.

No. 82-Stanley's, japanned with polished edges, maple handle and knob, length 141 in., 3 in. cutter, swinging adjustment, w't per doz. 21 lbs.per dozen \$28.80

ONE IN A BOX

No. 820-Extra cutters, per dozen\$4.60 ONE DOZEN IN A BOX



The handle is adjustable to any position up or down and sidewise. Blade can be instantly removed or adjusted by releasing the lever under hand rest.

The hand rest relieves strain on the wrist and prevents chattering. Will hold any blade up to 3 in. wide.
No. 114 CAB-Polished steel frame,

crucible steel blades, rubberoid handle, blades 3x5 in., 16 gauge, w't

per doz. 24 lbs. ... per dozen \$43.20 ONE IN A BOX No. 1140—Extra blades, doz. \$8.60 ONE DOZEN IN A BOX



Blade is adjustable and handle by an ingenious ball and socket arrangement, can be instantaneously set at a wide angle to the blade in any direc-

No. 116 RWWW. Japanned steel frame, 3x11 in. crucible steel blade, stained handle, adjustable to any position, w't per doz. 21 lbs. . .doz. \$24.00 ONE IN A BOX

No. 1160—Extra cutters . .doz. \$7.20 ONE DOZEN IN A BOX



150-Bennett, adjustable. nickel plated, blade, 3 in. wide, 5 in. long, 11 in. maple handle, w't per doz. 17 lbs., \$26.00

per dozen ONE IN A BOX



A labor saving and convenient tool, relieves fingers from painful stiffening effect produced by ordinary

scraper. Rapid work can be done with less than usual effort and correct scraping-angle is more easily preserved.

No. 10—Cruso, 3x3 in. cast steel polished blade, polished beechwood handle, japanned malleable iron clamp, w't doz. 10 lbs., dozen \$11.00
HALF DOZEN IN A BOX
No. 11—Extra blades for No. 10,

per dozen ONE DOZEN IN A BOX

CABINET SCRAPERS




Best Crucible Steel, Nicely Finished, Dressed on Edges.

Made of selected high grade English steel, great care being taken to give special temper for this kind of work Per dozen\$3.50 4.00 4.60 6.80

DISSTON'S, Cast Steel, Polished. Nos. 1 2 3 Inches 2½×5 4×6 3×6 W't per doz., lbs. 2 3 3 3 Per dozen\$2.00 3.50 2.70

ONE DOZEN IN A BOX




STANLEY

Extra heavy gauge, high grade English Steel. Edges are carefully tempered while center of blades are left a little flexible. Nicely finished and dressed on edges.

Nos. 32½ 34 Size in. ...2½×5 3×4 3×5 3×6 3½×6 W't doz. lbs. 2 2 2½ 3 4 Per dozen \$6.60 6.80 7.80 8.30 8.90 HALF DOZEN IN A BOX

STANLEY DOWEL AND ROD TURNING



No. 77-Frame 9 in. long, height 6 in. japanned, malleable frame, 61 in. steel gear wheel, adjustable handle, cuts dowels of varying sizes and lengths to perfect dimension and with it one can also form rods of practically any length. Operated by hand. Workman can cut his dowels when ready to use them. For use of cabinet and pattern makers and manual training schools. Complete with one § in. Cutter head, w't each 13 lbs.each \$15.30 ONE IN A BOX

Extra cutter heads for No. 77 Dowel ONE DOZEN IN A BOX



ANGLE DIVIDERS




With this tool any angle can be found and bisected. Fitting moulding or other woodwork to odd angles can be done with ease and certainty. It is also graduated for parts of circle commonly used. A handy tool for laying out work, can also be used as a try or T square.

No. 30—Stanley's, nickel plated, w't


No. 30—Stanley's, nickel plated, w't per doz. 8 lbs. per dozen \$35.20 ONE IN A BOX

ODD JOBS



No. 1—Stanley, 4 in. long, nickel plated, combines a level, plumb, try square, mitre square, bevel, scratch awl, depth gauge, marking gauge, mortise gauge, beam compass and a one-foot rule. A practical tool for a great many purposes, w't per doz. 8 lbs. per dozen \$21.20


BIT GAUGES STANLEY



This gauge being adjustable will fit any bit and will always remain secure and accurate. To operate, loosen the thumb screws, insert the shank of the bit, turn the twist of the bit in the gauge to the required depth and traiten the thumb screws, stops on either side prevent the worm being bent or broken. Will hold bits of any time up to 1 in in diameter.


ONE SET IN A BOX

CLAPBOARD MARKERS AND GAUGES



No. 88—Stanley's, clapboard markers, metal stock, wood handle, steel blade, adjustable, w't per doz. 12 lbs.per dozen \$15.30

ONE IN A BOX



QUARTER DOZEN IN A BOX

TRAMMEL POINTS



For Bar.

No. 2—Stanley's, cast brass, steel points, with pencil holder, w't per doz. prs. 32 lbs., per doz. prs.\$24.50

ONE PAIR IN A BOX

No. 4—Stanley's, iron, nickel plated, steel points, with pencil pocket, w't per doz. prs. 3% lbs. per doz. prs. \$18.00



ONE PAIR IN A BOX




For Rule.

No. 99—Stanley's, cast brass, steel points, with pencil socket, w't per doz. pairs 2 lbs., per dozen sets\$15.60

ONE IN A BOX

PLANE IRONS



Width, in	. 15	14	2
No. 60-Bailey,		and the same	
each	\$0.70	.80	.85
No. 60R RIVENOC, each	.70	.80	.85
Width, in 21			28
No. 60-Bailey,	- 17A		
each\$0.90	1.00	1.05	1.10
No. 60R REVENSE,			
each\$0.90	1.00	1.05	1.10
THE DOTEN			



Double, for Wood Bottom Planes.
Width, in 12 2 2
No. 65-Bailey.
each
No. 65R REVENEC, each. 1.25 1.45 1.50
Width, in 21 23 25
No. 65-Bailey.
each\$1.60 1.65 1.70
No. 65R REVENOC, each. 1.60 1.65 1.7
Double, for Iron Bottom Planes.
Width, in 1 2 2 2
No. 75—Bailey.
each\$1.25 1.45 1.60
No. 75R REVONOC, each. 1.25 1.45 1.00
Width in 23 23
No. 75-Bailey each \$1.55 1.7
No. 75R RWSKOC each 1.65 1.70
HALF DOZEN IN A BOX
Block.
Irons, for Baile



planes, Nos. 91, 91, 15, 15, 15, 16, 17, 18, 19 and 220, each\$0.55

frons, for REVONOC. planes, Nos. 9½R, 9½R, 15R, 15½R, 1600R, 1700R, 1800R, 1900R, 6500R, 2200R,

Extra Caps and Levers, for Bailey planes, Nos. 91, 91, 15, 151 and 103, each\$0.30

Extra Caps and Levers, for Bailey planes, Nos. 18 and 19...each \$0.60 HALF DOZEN IN A BOX

Block.



103Reach \$0.30 frons, for REVENCE planes, Nos. 110R and 1300Reach \$0.45

Extra Caps and Screws, for Bailey planes, Nos. 110, 220 and 130, each\$0.30

Extra Caps and Screws for REVENOC planes, Nos. 110R to 1300R, each\$0.30

No. 4-Extra Caps for Nos. 3, 4, 5, 51, 6 and 7 Balley and REVENOC Planes. ___each \$0.80 HALF DOZEN IN A BOX

SIEGLEY SINGLE PLANE IRONS

Width, in. 2 Each\$0.85 1.00 1.05 1.10 HALF DOZEN IN A BOX

PLANE PARTS





1B-Plane iron.

4В-Сар. No.

No. 5B-Cap screw.

No. 6B-Frog complete.

No. 7B-Adjusting lever.

No. 8B-Adjusting nut.

No. 9B-Lateral adjustment.

No. 12B-Knob.

No. 16B-Bottom-adjustable throat,


No. 18B-Detached side.

No. 21B-Eccentric plate.


No. 22B-Finger rest knob.



PLANE PARTS



Sectional View of Bailey Wood Plan



Sectional View of Bailey Iron Plane

No. 1-Plane iron.

No. 2-Plane iron cap.

No. 3-Plane iron screw.

No. 4-Lever cap.

No. 5-Cap screw.

No. 6-Frog.

No. 7-"Y" adjustment.

No. 8-Brass adjusting nut

No. 9-Lateral adjustment.

No. 10-Frog screw.

No. 11-Handle.

No. 12-Knob.

No. 13-Handle "bolt and nut."

No. 14-Knob "bolt and nut."

No. 15-Handle screw.

No. 16-Bottom.

No. 35-Top casting-wood plane.



BAILEY OLD STYLE

An improvement has been made in the "Bailey" Iron Plane which necessitated a change in the construction of the Bottom and Frog, thereby making it impossible to use the new style Frog in an old style Bottom, or the old style Frog in a new style Bottom.

For a time an intermediate style was made having same Frog and Bottom as the latest design, except that there was no Frog adjusting screw, consquently no clip on the Frog.

The latest design Frog or Bottom will be furnished for both the intermediate and new style Planes. If your Plane is of the intermediate pattern remove the steel clip from the Frog and the parts will fit.

In order that we may fill your order correctly, kindly advise us which style Plane you have.

The difference in construction of the Frogs and Bottoms is very clearly shown in the illustration above.

BARTLETT'S BENCH

All Bartlett planes are fitted with species irons, manufactured from the sast steel and fully warranted.



Smooth.

in., 2 to 21 in. double iron,

ONE IN A PACKAGE



Jack.

Pullshed Lignumvitae Start.

mm, while he can \$2.40

25 to 21 in., double

STREETS A PACKAGE



manufacture in the state of the

Double from Pulsebed Honey Start.

I in. Senceth, 2 to 21 in., while he, was line Jack, 2 to 21 in., while he, said

in. Fore, 21 to 21 in, wt 6 lbs.

In In Jointer, 23 to 28 in., w't 73 lbs., \$4.60

ONE IN A PACKAGE

WOOD PLANES

BARTLETT'S TOOTH



No. 36W-2½ in., cast steel iron, w't 1½ lbs.each \$2.70

ONE IN A PACKAGE

BARTLETT'S DADO



Specify size in ordering.

No. 62B—Screw top, sizes 1, 1 and 5 in., w't 1 lb. each \$4.00

ONE IN A PACKAGE

BARTLETT'S STEP NOSING




Specify size in ordering.

No. 1131-2 irons, sizes 12 and 11 in., 11 in., w't 11 lbs.each \$3.00

No. M31-2 irons, sizes 13 and 11 in., w't 11 lbs.each \$3.40

ONE IN A PACKAGE

BARTLETT'S BOARD MATCH



One Pair No. 99. Specify size in ordering.

No. 199-Sizes i, f, I, I and 1 in., wit 21 lbs.per pair \$4.20

ONE PAIR IN A PACKAGE

BARTLETT'S SKEW RABBET



Specify size in ordering.

No. 1481—W't 14 oz.—
Size in 1 5 3 7

Size, in. 1 8 3 1 1 Each\$1.60 1.65 1.70 1.75 1.80 No. 1461—11 in. w't 12 lbs.,


each\$1.85

No. 1461—13 in., w't 13 lbs., each\$1.90

No. 146½—1¾ in., w't 1¾ lbs., each\$2.10

ONE PAIR IN A PACKAGE

BARTLETT'S JACK RABBET



No. 149. Side Handle. With 2 Cutters, Sizes 11, 11 and 2 in.

With 2 Cutters, Sizes 17, 17 and 2 in.
W't 27 Lbs.
Specify size in ordering.
No. 149 Center handle each \$4.70

No. 149—Center handle, each \$4.70
No. 149—Side handle...each 5.20
ONE PAIR IN A PACKAGE

HORN SCRUB

This plane is imported from Germany where it is extensively used. It has a round nose iron and is especially useful for rough planing.



No. 500-9 in., It in. single iron, with horn, white hardwood nicely finished, w't 11 lbs.,

ONE IN A PACKAGE


Extra iron for No. 500,

HORN SMOOTH



No. 400-81 in., 2 in. double iron, with horn, white hardwood nicely finished, w't 21 lbs.each \$4.50

BARTLETT'S BEAD PLANES



Side, single boxed, w't each 12 oz. ONE IN A PACKAGE



Center, double boxed, w't each 12 oz. Nos. 512 513 514 Size, in. 1 Each\$1.70 1.70 1.70 ONE IN A PACKAGE

BARTLETT'S SASH PLANES



No. 169-Ogee, boxed, dovetailed, screw arms, self regulating, w't 2 lbs.each \$6.00

ONE IN A PACKAGE

BARTLETT'S MOULDING PLANES



Scotia or Quarter Round. Specify size in ordering. Nas. 545 546 547 ONE IN A PACKAGE

PLANE IRONS



BARTLETT'S, single, for wood bench planes. Nos. 816 817 818 820 Width, in. 2 2½ 2½ 2½ 2½ W't, doz., lbs. . . . 6½ 6½ 7½ 8½ Each \$0.90 .95 1.00 1.05 ONE DOZEN IN A BOX

FLOOR SCRAPERS



The Little Giant floor scraper is a device used for scraping any kind of a The blade is mounted on a frame at an angle of 60 degrees, and the frame is mounted on four rollers. The large roller is a weight of 65 lbs., and is used to give the pressure upon the blade when the scraper is in opera-

It has a capacity of from five to seven squares (100 square feet in a square) per day. The handle can be shortened, when necessary, for small rooms. Every inch of the floor can be scraped, as the blade extends to the full width of the frame and allows it to go along the base-board and quarter-round strip. Six blades are in-cluded with each machine, which will scrape 15,000 square feet of floor.

No. T90—"Little Giant," complete with 6 blades, 7% in. long, 2½ in. wide, w't crated 105 lbs.each \$56.00 ONE IN A BOX

EXTRA BLADES

No. 900-For T90 floor scrapers, w't per doz. 21 lbs. . . per dozen \$12.00 ONE DOZEN IN A BOX



The handle can be moved to either side, thus permitting close work in corners.

No. T100-Stearn's, 2-6 in. blades 21 in. wide, adjustable cross handle, length of handle and braces 38% in., 5 in. wheels with rubber tires, heavy iron frame, aluminum finished, shipping w't each 135 lbs.,


EXTRA BLADES No. 1000 - For No. T100 floor scrapers, w't per doz. 2 lbs., per dozen\$12.00

ONE DOZEN IN A BOX


MORTISE GAUGES



No. 68—Stanley's, 81 in. beechwood bar marked in 16ths, fixed marking point, plated beechwood head, brass thumb screw, wood slide, w't per doz. 17 lbs.per dozen \$10.60 HALF DOZEN IN A BOX



No. 13-Stanley's, 6h in., boxwood bar marked in 16ths, fixed marking point, plated boxwood head, brass thumb screw, brass slide, w't per doz. 2 lbs.per dozen \$16.00 HALF DOZEN IN A BOX



No. 72-Stanley's, 81 in., beechwood bar marked in 16ths, fixed marking point, boxwood head, boxwood thumb screw, double bar, w't per doz. 17 lbs. per dozen\$8.00

HALF DOZEN IN A BOX



Mo. 77-Stanley's, 6% in., rosewood bar marked in 16ths, fixed marking point, plated rosewood head, brass thumb screw, screw slide, w't per doz. 21 lbs.per dozen \$22.80 HALF DOZEN IN A BOX

PANEL GAUGES



No. 85—Stanley's, 17½ in., beech-wood bar marked in 8ths, adjust-able marking point, plated beech-wood head, boxwood thumb screw, w't per doz. 52 lbs., per dozen\$6.40

No. 851-Stanley's, 201 in., rose-wood bar marked in 8ths, adjustable marking point, plated rosewood head, brass thumb screw, w't per doz. 53 lbs. per dozen \$46.70


NO. 85, ONE DOZEN; NO. 85%, HALF ROSE TOOLS, INC. DOZEN IN A BOX

MARKING



61—Stanley's, 8½ in., beechwood bar marked in 16ths, fixed marking point, beechwood head, boxwood bamb screw, w't per doz. 2½ lbs., 22.40

ONE DOZEN IN A BOX






Stanley's, 8½ in., beechwood marked in 16ths, adjustable steel marking point, oval plated beechwood head, brass thumb screw, w't doz. 1½ lbs. per dozen \$8.50 HALF DOZEN IN A BOX



marked in 16ths, adjustable, and marking point, plated beechded head, boxwood thumb screw, per doz. 1½ lbs., per dozen \$8.00 ONE DOZEN IN A BOX



metal plate with two convex
ttached to one side of head, pera gauge line being run with
steadiness and accuracy
curves of any degree, either
cr convex. Head is reversible
side used for ordinary work.

beechwood bar marked in adjustable steel point, beechad, boxwood thumb screw, doz. 31 lbs., per dozen \$5.30

DOZEN; NO. 165, HALF


GAUGES

MARKING



HALF DOZEN IN A BOX

BUTT AND RABBET



For hanging doors, mortising, marking, etc.

No. 92—Stanley's, 8 in., polished brass bar marked in 16ths, steel plate and markers, rosewood head, w't per doz. 9 lbs., per dozen \$38.40


ONE IN A BOX

MARKING AND MORTISE



No. 19 5 5 6 in., hexagon steel bars, long bar 8 in., short bar 4 in., finely nickel plated, long bar marked in 32nds, beveled steel rollers, for marking, two set screws, w't per doz. 10½ lbs. . . per dozen \$30.00

ONE IN A BOX



No. 91—Stanley's, 6½ in. nickel plated steel bar marked in 16ths, adjustable marking point, iron head, w't per doz. 6 lbs...per dozen \$19.20

ONE IN A BOX




No. 98—Stanley, 6½ in. nickel plated, double steel bar graduated in 16ths, metal head, pin point and roller cutter, which can be used close into rabbets or corners. Recommended for working across the grain over knots, etc, w't per doz. 8 lbs., per dozen\$25.50

ONE IN A BOX

MARKING



No. 90—Stanley's, 8 in., nickel plated steel bar marked in 16ths, adjustable marking point, iron head, w't per doz. 3 lbs., per dozen \$10.40 ONE IN A BOX




This gauge has both rollers and steel points, the rollers being preferable for running over knots and across the grain,

No. 97—Stanley's, 8 in., nickel plated steel bar marked in 16ths, adjustable marking point, iron head, w't per doz. 6 lbs., per dozen \$16.80

ONE IN A BOX

STANLEY BUTT GAUGES



This gauge has two cutters on the same end of a sliding bar designed so that at one setting cutter will mark the location of butt on the door and the other the location of butt on the casing, allowing necessary clearance. A gauge at the opposite end of the tool can be set for the thickness of buts both on casing and door.

No. 93—Steel head, brass slide, nickel plated, w't per doz. 4½ lbs., per dozen\$23.50

ONE IN A BOX



Has two bars, one bar has two steel cutters fixed upon it. When cutter at outer end of this bar is set for gauging one the end of the door, cutter at inner end is set for gauging from the back of jamb. The other bar has a steel cutter to accurately gauge the thickness of the butt.

No. 95—Improved, metallic, nickel plated, w't per doz. 8 lbs., per dozen\$24.50

ONE IN A BOX

OWN LEVELS



No. 102 CAR Hardwood, brass top plate, two side views, polished, assorted, 10, 12, 14 and 16 in., w't per doz. 15 lbs. per dozen \$10.50

ONE DOZEN IN A BOX

企业的 PLUMBS AND LEVELS



No. 104 GWB—Hardwood, brass top plate, two side views polished, assorted, 12, 14, 16 and 18 in., w't per doz. 20 lbs. per dozen \$15.50

ONE DOZEN IN A BOX



No. 00 even—Hardwood, brass top plates, two side views, polished, assorted, 18, 20 and 22 in., w't per doz. 34 lbs. per dozen \$20.60

HALF DOZEN IN A BOX



No. 0 OFE—Hardwood, brass top plates, two side views, polished, assorted 24, 26, 28, 30 in., w't per doz. 44 lbs. per dozen \$23.00

HALF DOZEN IN A BOX



No. 2 GMB—Adjustable glass, hardwood, brass top plates, two side views, polished, assorted, 26, 28, 30 in., w't per doz. 50 lbs., per dozen\$31.60

HALF DOZEN IN A BOX



No. 3 GV 2—Adjustable glass, hardwood, brass top plates and brass tips, two side views, polished, assorted 25, 28, 30 in, w't per doz.

HALF DOZEN IN A BOX

OWD PLUMBS AND LEVELS



No. 5 MB—Adjustable glass, hardwood, three piece brass top plates, brass tips and two brass lipped side views, polished, assorted 26, 28, 30 in., w't per doz. 50 lbs., per dozen\$50.60

HALF DOZEN IN A BOX



No. 300.



No. 500.

Duplex Adjustable Glass.

These levels have three glasses, a level glass set in the top in the usual way, a second glass set in the side and a plumb glass. The plumb glass is set close to one side of the stock, a great advantage in over-head work. The second level glass can be reversed to form a second plumb if required.

No. 300 CFE—Hardwood, brass top plates, two circular brass side plates, brass tips, two side views, polished, assorted, 26, 28, 30 in., w't per doz. 48 lbs., per doz. \$51.60

HALF DOZEN IN A BOX



ONE IN A BOX



No. 130 *** Adjustable glass hardwood heavy brass top plates and corner tips two plumb glasses, special set, special finish, assorted 26, 28, 30 in., w't per doz. 42 lbs., per dozen\$48.00

ONE IN A BOX

PLUMBS AND LEVEL



Adjustable glass, mahogany, bratop plates, two side views, full bratond, two plumbs, special finish 2 in. wide, 1 in. thick.

These brass bound adjustable plumbs and levels have the four edge protected by one piece of brass special form dove tailed the entire length into the wood and through the solid tips.

No. 193 @ 100 12

W't, doz., lbs. 13½ 33 42 Per dozen \$56.40 64.80 74.4

ONE IN A BOX

LEVELS



No. 115—Nickel plated top plate, side views, cherry stained, length 12 in., w't per doz. 6½ lbs., per dozen\$3.60

ONE DOZEN IN A BOX



DISSTON'S, brass arch top plate, two side views, polished.

No. 103D—Assorted 18, 20, 22 and 24 in., w't per doz. 32 lbs., per dozen\$13.50

HALF DOZEN IN A CASE

PLUMBS AND LEVELS



No. 155—Nickel plated top plate, cherry, length 12 in., w't per doz. 6 lbs. per dozen \$3.80

ONE DOZEN IN A BOX



DISSTON'S, brass arch top plate, polished, two side views.

ROSE TOOLS, INC. HALF DOZEN IN A BOX.

PLUMBS AND LEVELS



DISSTON'S, adjustable glass, brass arch top plate, two side views, pol-

No. 2D-Assorted 26, 28 and 30 in., w't per doz. 50 lbs., per dozen \$30.40 No. 3D-Brass tipped assorted 26, 28 and 30 in., w't per doz. 50 lbs., per dozen\$36.70 HALF DOZEN IN A BOX



STANLEY'S, square top plate, two side views, polished side groove; proved glasses.

No. 005-Assorted, 18, 20 and 22 in., w't doz. 33 lbs., per doz. \$20.60 No. 05—Assorted, 24, 26, 28 and 30 in., w't doz. 40 lbs., per doz. \$23.00 HALF DOZEN IN A BOX



STANLEY'S, adjustable glasses, brass top plate, two brass lipped side views, polished, side groove, proved level glasses, w't per doz. 44 lbs. Assorted 26, 28 and 30 in.

No. 25-Square top plate, per dozen\$31.60

No. 3S-Brass tipped, arch top plateper dozen \$38.60

HALF DOZEN IN A BOX



No. 13-Stanley's, 26, 28 or 30 in., adjustable, heavy brass top plate and corner tips, two plumb glasses, selected hardwood, side groove, w't per doz. 44 lbs. ..per dozen \$48.00 ONE IN A BOX



STANLEY'S, adjustable, square top plate, 2 brass lipped side sys, rosewood, brass bound, ground masses, grooved side, w't per doz. 64 lbs.

Mos. 9626 9628 es 26 28 30 Fer dozen\$134.40 139.20 147.60



STANLEY'S, adjustable, square top plate, 2 side views, mahogmy, full brass bound, proved glasses, moved side, w't per doz. 40 lbs.

9330 26 cozen\$66.00 69,60 72.00

PLUMBS AND LEVELS



STANLEYS, carpenter's duplex, adjustable square top plate, two brass circular side plates, brass tips, polished, w't per doz. 48 lbs.

Assorted 26, 28, 30 Inch. Per Dozen No. 30-Hardwood\$55.20 No. 50-Triple Hardwood .. 62.00



No. 118-Sands, black walnut, 21 in. wide, 15 in. thick, nicely finished, two plumb and two level glasses, glasses are securely set in level and covered by plate glass which protects them from dust, dirt and water, assorted, 26, 28, 30 in., w't per doz. 24 lbs. ..per dozen \$38,40 ONE IN A BOX



No. 678-Sands, selected white pine, air dried, light and durable, one plumb and one level glass, level has two side and one top view. Protected glasses, w't per doz. 18 lbs., per dozen\$15.60

ONE DOZEN IN A BOX

ALUMINUM PLUMBS AND LEVELS



Nos. 28 and 301

SAND'S, cast aluminum, machined and nicely finished, glasses securely set in frame and covered by plate glass, which protects them from dust, dirt and water, frames are strong, durable and light in weight.

No. 12V-Length 12 in., grooved bottom, has two plumb and two level glasses; w't per doz. 16 lbs., per dozen\$60.00

No. 18-Length 18 in., has two plumb and two level glasses; w't per doz. 21 lbs. per dozen \$72.00


No. 24-Length 24 in., has two plumb and two level glasses, w't per dez. 32 lbs.per dozen \$96.00

No. 28-Length 28 in., has four plumb and two level glasses, w't per doz.
40 lbs.per dozen \$108.00

No. 301-Length 30 in., has four plumb and two level glasses, w't per doz. 41 lbs.per dozen \$120.00

CARPENTERS' AND MACHINISTS' LEVELS

Nos. 36, 37 37G and 237 have tops and bottoms milled and wet ground to insure two perfectly parallel surfaces. Glasses are accurately placed and are so set that either surface may be used to level or plumb. Glass cases have screw adjustments in eccentric cone centers.



STANLEY'S, adjustable, japanned iron, ground edges, nickel plated trimmings, two plumbs, proved glasses.

Nos. 366 3612 Inches 6 12 W't, doz., lbs. 101 15 Per dozen\$28.80 34.80 42.00

Nos. 3618 3624 Inches 18 W't per doz., lbs. 36 51 Per dozen\$50.40 56.40

STANLEY'S, adjustable, nickel plated iron, polished edges, nickel plated trimmings, 2 plumbs, ground glasses, revolving glass protectors.

PLAIN BOTTOM

Nos. 3712 3718 Inches 12 18 24 W't, doz., lbs. 25 38 Per dozen\$56.40 75.20 78.00

GROOVED BOTTOM

Nos.3712G 3718G 3724G Inches 12 W't doz., lbs. . . 24 374 50 Per dozen\$56.40 67.20 78.00



STANLEY'S, aluminum, adjustable, nickel-plated level cases, revolving glass protectors, and black finish light in weight, will not rust or warp.

Inches 12 W't, doz., 7bs. 12 15

Per dozen\$58.80 73.20 85.20 ONE IN A BOX

HIBBARD, SPENCER, BARTLETT & CO.

STANLEY MACHINISTS' LEVELS



Nickel plated proved level glass, 2 side views, square ends.

Nos 3	81 39	11
Length, in		3
W't, doz., lbs		7
Per dozen\$11		

HALF DOZEN IN A BOX

STANLEY MACHINISTS' LEVELS



Adjustable, nickel plated, iron base, polished edges, V bottom, revolving glass protector, ground glass.

Nos 344	346	348	3410
Inches 4	6	8	10
W't, dz., lbs. 6	9	12	
Per dozen\$24.90	31.20	42.00	46.20

HALF DOZEN IN A BOX

LINE LEVELS



STEVENS

No. 11—Length 3 in., aluminum, nimely finished, used in connection with a line to which level is hung for laying foundations, ditching, seweing, brick and cement walts, capenter work and many other purposes, with per doz. 1 lb., per dozen\$8.6

ONE IN A BOX

MASON'S LEVELS

SAND'S PLUMBS AND LEVELS

Wood, selected air-dried white pine, well seamed, light and durable. Quick acting glasses, accurately set in level. Glasses are covered by heavy plate glass for protection.



ONE DOZEN IN A CASE

ONE DOZEN IN A CASE



HALF DOZEN IN A CASE



CAST ALUMINUM, machined and nicely finished. Glasses are securely set in frame and covered by plate glass which protects them from dust, dirt and water. Frames are strong, durable and light in weight.

No. 42—Length 42 in., 23 in. wide, 13 in. thick, four plumb and two level glasses, w't per doz. 51 lbs., per dozen\$168.00

ONE IN A BOX.

STANLEY



STANLEY'S, square top plate, 2 plumbs, 2 side views proved glasses, polished hardwood, grooved side.

No. 71-36 in., w't per doz. 52 lbs. per dozen \$43.2

No. 8S-42 in., w't per doz. 58 lbs. per dozen 50.4

HALF DOZEN IN A CASE



No. 35—Stanley's, adjustable, square top plate, 2 side views, proved glasses, adapted for plumb bob and line polished, 42 in., w't per doz. 65 lbs., per dozen \$44.40

HALF DOZEN IN A CASE



STANLEY'S' adjustable, square top plate, 2 brass lipped side views, 2 plumbs, proved glasses, with plumb rule, adapted for plumb bob and line.

Plumb glasses are set in separate holes, each on the right hand side. Enabling workman to plumb below or above where he stands.

ROSE TOOLS, INC. ZEN IN A BOX

POCKET LEVELS



STANLEY'S, japanned iron, rounder ends, proved glass, length 31 in., per doz. 18 lbs.

Japanned top plate, per dozen\$3.10

per dozen\$3.30

ONE DOZEN IN A BOX



HALF DOZEN-IN A BOX



Resewood, brass top plate, side views, 6x1x2 in., w't per dozen \$5.00

ONE DOZEN IN A BOX

STRAIGHT EDGE LEVELS



door jambs, window frames, walls, leveling joists, wall

the be attached to any piece of

Leonhart's, diam. 3 in.


per doten\$8.00

LEVEL SIGHTS



Can be attached to any iron level and they afford a convenient and accurate means for leveling at a long distance No. 2—Stanley's, improved, length ½ in., width ½ in., gun finish iron for iron levels, w't ½ lb., per pair\$1.60

ONE PAIR IN A BOX



Can be attached to any wood level and afford a convenient and accurate means for leveling at a distance.

No. 1—Stanley's, improved, length 1½ in., width 2 in., gun finish iron, for wood levels, w't ½ lb., per pair\$1.60

ONE PAIR IN A BOX

LEVEL GLASSES



STANLEY'S, Proved.

Nos	1	11	11	12
Length, in	1	11	13	17
W't, gro., 1bs.				3
Per dozen \$	1.45	1.50	1.50	1.55
Nos		. 2	21	3
Length, in		2	21	3
W't, gro., lbs.			45	6
Per dozen			1.90	
Nos		. 31	4	5
Length, in		. 3±	4	13,3,3
W't, gro., lbs.			71	6

Per dozen\$2.20 2.70 2.00

ONE DOZEN IN A BOX

STANLEY LEVEL STANDS



A practical device for holding level with sights attached. It enables the user to run grades for ditches, drains, etc., and to set profiles for foundation work, It consists of a base and rotating level carrier. The base can be attached by set screws to one stake or to three stakes forming a tripod.

No. 38-4½ in. long, 5½ in. wide, for metal levels, w't each 1½ lbs., each\$3.70

No. 48—4½ in. long, 5½ in. wide, for wood level, w't each 2 lbs., each\$3.70

ONE IN A BOX

JOINTER GAUGES



No. 88—Perfection, cast iron, japanned, polished surface, all parts nickel plated, adjustable, for squaring to any bevel, can be attached to either wood or iron plane, w't per doz. 23 lbs. per dozen \$32.00

ONE IN A BOX



Also used to square up edge of boards. Can be used on either side of plane for right or left hand work.

No. 386—Stanley, all metal, nickeled finish, for use on all sizes iron jack or jointer planes to plane bevels of any angle between 30 and 90 degrees, w't per doz. 24 lbs., per dozen \$36.00

ONE IN A BOX


TRY AND MITRE SQUARES



No. 15—Stanley's, 7½x1½ in. nickel plated steel blade marked in 8ths, 5½ in., nickel plated iron handle, w't per doz. 8½ lbs., per dozen \$18.60

HALF DOZEN IN A BOX





Adjustable, nickel plated blade and handle, reversible blade, marked in eigths, sixteenths and thirty-seconds of inches.

Provides any size try on mitre square within the capacity of the tool. A locking device holds the blades firmly in position. It makes an excellent depth and marking gauge.

Mo. 21—Size, in. . . 6 9 12 W't doz., Ibs. 5½ 7½ 10½ Per dozen \$15.30 18.50 21.40 ONE IN A BOX



No. 65L—Inches 9 12 W't dox, lbs. 10 14 Per dozen \$21.60 24.00 ONE ONLY IN A DISPLAY BOX

TRY SQUARES



marked in 8ths, polished rosewood handle, brass face plate.

No. 20 0 1 In.	41	6	71
Width blade, in	15	19	19
Length handle, in.	31	41	58
W't per doz., lbs	31	4	6
Per dozen	8.20	10.90	11.80
No. 20 @WIn.	comercio	9	12
Width blade, in		2	21
Length blade, In		6	7
W't per doz., Ibs		71	93
Per dozen		15.20	20 20
No. 6-H. S. R. &			

ished steel blade, marked in 8ths, 3½ in. polished steel handle, w't per doz. 2½ lbs. per dozen \$2.50 HALF DOZEN IN A BOX



STALLEY'S nickel plated steel blade, marked in 8ths, nickel plated iron handle

No. 12—In 4 6	8
Width blade, in. 11 11	11
Length handle, in. 21 43	51
W't per doz., lbs 3 41	91
Per dozen\$8.80 11.40	12.80
No. 12—In 10	12
Width blade, in. 13	17
Length handle, in 68	8
w t per doz., lbs	16
Per dozen\$16.60	19 80
HALF DOZEN IN A BOX	10.00



STANLEY'S, adjustable, nickel plated steel blade, marked in 8ths, nickel plated iron handle, with set screw.

No. 14—6 in., width of blade, 1½ in., length of handle, 3½ in., w't per doz., 4½ lbs.per dozen \$11.30 HALF DOZEN IN A BOX


SLIDING T BEVELS



Blue steel blade, polished rosewood handle, brass tipped, brass screw.

NO. 25 6 4 50			
Inches 6 Width blade,	8	10	12
in 1 Length handle,	1	1	1
in 43 W't doz., lbs. 21 Per dozen\$9.30	5% 31 10.40	78 4½ 10.80	8½ 5 12.10

HALF DOZEN IN A BOX




STANLEY'S, Eureka, nickel plated steel blade, nickel plated iron handle, end screw.

No. 18-In	6	8	10
Width blade, in	7 4	7	1
Length handle, in.	41	51	61
W't per doz., lbs	49	5	7
Per dozen\$1	3.80	17.60	19.20

HALF DOZEN IN A BOX

COMBINED BEVELS AND SQUARES





TRY SQUARES

No. 8—Fox's, 10x1 in., nickel plated steel blade, marked in 8th, 5½ in. nickel plated bent steel handle, w't per doz. 5½ lbs. per dozen \$4.00

ALL OF ABOVE SOUARES HALF DOZEN IN A BOX

SQUARES

All our steel squares have hardened corners which keeps the corners from becoming blunt or worn. sources have a special high polished finish.



There is one inch graduated into one medred parts, sub-divided into twenty parts, that will be found convenient when using the brace and rafter measures, where decimal fraction occur. This is located in the corner near the brace measure.

POLISHED STEEL

- No. 10 @WD-Extra, body 1 ft. x 13 in., tongue 8x1 in., face marked in 4ths and 8ths, back in 4ths and 12ths, w't per doz. 11 lbs.per dozen \$20.70
- No. 14 CWD_Body 2 ft. x 2 in., tongue 16x13 in., face marked in 4ths and 8ths, back in 4ths with board measure, w't per doz. 28 lbs. per dozen \$27.00
- No. 3 CMB_Super, super extra, body 2 ft. x2 in., tongue 16x12 in., face marked in 4ths, 8ths and 16ths., back in 4ths and 12ths with board and brace measure, w't per doz. 28 lbs.per dozen \$30.40
- No. 100 @ Improved, body 2 ft. x 2 in., tongue 16x11 in., face marked in 4ths, 8ths and 16ths with octagon eight-square scale, back in 4ths, 8ths, 10ths, 12ths and 32nds, with brace and loard measure and hundredth scale, w't per doz. 28 lbs.per dozen \$33.30
- No. 18 CVD-Body 18x13 in., tongue 12x1 in., face marked in 4ths and 16ths, back in 4ths and 12ths, w't per doz. 12 lbs.per dozen \$27.00 QUARTER DOZEN IN A BOX

GALVANIZED STEEL

- No. 3G Swa-Super, super extra, body 2 ft. x 2 in., tongue 16x13 in., face marked in 4ths, 8ths and 16ths, back in 4ths and 12ths with board and brace measure, w't per doz. 26 lbs.per dozen \$40.20
- Mo. 100G CWB-Body 2 ft. x 2 in., tongue 16x11 in., face marked in 4ths, 8ths and 16ths with octagon eight-square scale, back in 4ths, 8ths, 10ths, 12ths and 32nds, with board and brace measure and hundredth scale, w't per

NICKEL PLATED STEEL

No. 100NP @ Improved, body 2 ft. x 2 in., tongue 16x11 in., face marked in 4ths, 8ths and 16ths with octagon eight-square scale, back in 4ths, 8ths, 10ths, 12ths and 32nds with board and brace measure and hundredth scale, w't per doz. 28 lbs., per dozen

QUARTER DOZEN IN A BOX



Brace Measure.

On back of tongue is the brace measure. 39-39-55.16 means that with a run of 39 in. each way the length of brace is 55.16 in. 18-24-30 is 18 in. run one way and 24 in. the other way, length of brace 30 in.

Board Measure. This is on the back of the body when you look at the square with the tongue in your left hand. If you have 14 ft. boards, look at 12 in. on the square. The lengths are the figures under it along the mark.

Find 14. Find next the figure that is the same as the width. If it is 6 in., there are 7 ft. in the board. If a board is 10 ft. long and 15 in. wide, proceed same as before, and find 12 ft. 6 in. If the board is 16 ft. long, double the 8 ft. reading.

ROYAL COPPER FINISHED

Royal copper finish consists of a double coating of copper electro-plated on, making a very heavy coating of copper which prevents moisture from attacking the steel.

No. 3RC OND-Super, super extra, body 2 ft. x 2 in., tongue 16x11 in., face marked in 4ths, 8ths and 16ths, back in 4ths and 12ths, with board and brace measure, w't

No. 100RC CWE—Body 2 ft. x 2 in., tongue 16x1½ in., face marked in 4ths, 8ths and 16ths, with octagon eight square scale, back in 4ths, 8ths, 10ths, 12ths and 32nds, with board and brace measure and hundredth scale, w't

QUARTER DOZEN IN A BOX

EAGLE POLISHED STEEL

- No. 10-Body 1 ft. x 11 in., tongue 8x1 in., face marked in 4ths and 8ths, back in 4ths and 12ths, w't per doz. 11 lbs., per dozen\$20.70
- No. 14-Body 2 ft. x 2 in., tongue 16x11 in., face marked in 4ths and 8ths, back in 4ths, with board measure, w't per doz. 28 lbs.per dozen \$27.00
- No. 3-Super, super extra, body 2 ft. x 2 in., tongue 16 in., fact marked in 4ths, 8ths and 16ths, back in 4ths, and 12ths with board and brace measure, w't per doz.
- No. 100-Improved, body 2 ft. x 2 in., tongue 16 in., face marked in 4ths, 8ths and 16ths with octagon eight-square scale, back in 4ths, 8ths, 10ths, 12ths and 32nds with board and brace measure and hundredth scale, w't per doz. 28 lbs.per dozen \$33.30

QUARTE IN A BOX ROSE TOOLS, INC.

SQUARES

BLUED STEEL



No. 3B STB-Super extra, body 2 ft. x 2 in., tongue 16 or 18×13 in., face marked in 4ths and 16ths, back in 4ths, 8ths and 12ths, with board and brace measure, w't per doz. 28 lbs.per dozen \$40.20

No. 14B @ Body 2 ft. x 2 in., tongue 16x11 in., face marked in 4ths and 8ths, back in 4ths with board measure, w't per doz. 28 lbs.per dozen \$36.80

No. 1008 CMB_Improved, body 2 ft. x 2 in., tongue 16 in., face marked in 4ths, 8ths and 16ths, with octagon eightsquare scale, back in 4ths, 8ths, 10ths, 12ths and 32nds, with board and brace measure and hundredth scale, w't per doz. 28 lbs. QUARTER DOZEN IN A BOX


FLAT STEEL


No. 22-Body 2 ft. x 1h in., tongue 12x1 in., face marked in 4ths and 8ths, back in 4ths, w't per doz. 14 lbs.,

No. 24—Body 2 ft. x 2 in., tongue 12x11 in., face marked in 4ths and 8ths, back in 4ths, w't per doz. 21 lbs., per dozen ...

HALF DOZEN IN A BOX

RAFTER AND FRAMING





proximates to the exact angles impossible, the "Chief" has a 1/16 in. line of graduation on the body and a constant or turning point on the tongue, the 12 inch mark. It will readily be seen that the distance between the 1/16 in. lines is so small that when the exact angle falls between these marks the distance to the nearest one can not exceed 1/22 of an inch, which is less than the size of a pencil mark in an angular opening of 12 inches. It also has a single set of reference numbers, making it impossible to transpose or get the angle wrong by laying the square on

the timber with the body and tongue on the wrong numbers. Another feature to be found on the "@ http" square, are the special marks on each and every graduation mark referred to in the tables. There is still another safe guard against mistakes by having different special marks for jack rafters and hip or valley rafters. These marks are also shown in the lettering at the end of the square connected with the directions.

It is necessary to remember but one number while marking framing on a lot of timber; with others there are two. This square has six rows of figures with large and distimes fractions, feet and inch marks. All cuts on the vari-ous marked of a roof are marked by the figures in the fifth and such rose in the tables. The inch lines do not room across the space occupied by tables the decimal point

is in its proper place. Has Essex's board measure on it while other squares have not. Hundredth scale is one inch graduated into one hundred parts, sub-divided into twenty parts, convenient when using brace and rafter measures, where decimal fraction occur, located in corner near brace

Framing, body 24x2 in., tongue 16x1% or 11 in., face marked in 4ths, 8ths and 16ths, with eight-square scale and rafter measure, back in 10ths, 12ths and 32nds, with board and brace measure and hundredth scale, w't per

No. 100F OWD-Nickel plated copper, per dozen\$56.00

No. 100RF GAD Royal copper finish,


No. 3F CVD_Framing, polished steel, body 24x2 in., tongue 16×11 in., face marked in 4ths, 8ths and 16ths, with rafter measure, back in 4ths and 12ths with board and brace measure, w't per doz. 29 lbs., per dozen\$36.90

No. 100BF GVB-Blued framing, body 24x2 in., tongue 16x11 in., face marked in 4ths, 8ths and 16ths with eightsquare scale and rafter measure, back in 4ths, 8ths, 10ths, 12ths and 32nds with board and brace measure and hundredths scale, w't per doz. 29 lbs., per dozen\$56.00

No. 3BF CWE-Blued framing, body 24x2 in., tongue 16×13 in., face marked in 4ths, 8ths and 16ths with rafter measure, back in 4ths and 12ths with board and brace measure, w't per doz. 29 lbs.per dozen \$45.30 QUARTER DOZEN IN A BOX

No. 100AF-Nickel plated framing, body 24x2 in., tongue 16×13 in., face marked in 8ths and 16ths, back in 10ths, 12ths and 32nds, with rafter, octagon framing, 100th scale eight-square and brace measure, w't per doz. 29 lbs., per dozen\$56.00

SQUARES



EAGLE TAKE-DOWN

The latest improved in Take-down square. The strongest construction, the tongue is made of one solid piece, the body also milled from the solid. The proportions of the two parts are such as to give the strongest possible joint. The cam is only one ever offered that will firmly hold the tongue into the body. Being eccentric, it draws the two parts together. It is the only square hole locking device ever offered. The convenience and durability of this square hole, into which if the should be lost any square tool or file shank will successfully operate, needs only to be seen to be appreciated.

- Mo. 1001—Framing, steel, oxidized copper finish, yellow figures and markings, body 2 ft. x 2 in., tongue 16x1½ in., face marked in 4ths, 8ths and 16ths, with octagon eight square scale and rafter measure, back in 10ths, 12ths and 32nds, with board and brace measure and hundredth scale, w't per doz. 30 lbs.per dozen \$88.60

Only framing square made containing the board measure in addition to complete framing tables.

The two parts of the square and the key to operate the locking cam, are enclosed in a rust-proof enamel leather case.

ONE IN A CANVAS CASE

MAIL ORDER DEPARTMENT

Our constant attention in sixty-seven years of business has been given to the perfection of the system of handling mail orders. Our object has always been to handle them with the greatest possible speed, with the result that we are enabled, in most cases, to ship mail orders the same day they are received.

BOXWOOD RULES




No. 69—1 ft., round joint, middle plates, marked in 8ths and 16ths in., in. wide, w't per dozen ib., per dozen\$3.10

ONE DOZEN IN A BOX



Mo. 65—1 ft., square joint, middle plates, marked in 8ths and 16ths in., # in. wide, w't per dozen # lb., per dozen\$3.50

HALF DOZEN IN A BOX



1 Inch Wide.

No. 68-Marked in 8ths and 16ths in., w't per doz. 14 lbs., per dozen \$3.80

No. 68C—Marked with centimeters on outside, 8ths and 16ths in. on inside, per dozen\$4.20

No. 68L—Marked in 8th and 16th in. w't per doz. 11 lbs., per dozen \$3.50

ONE DOZEN IN A BOX




No. 621—2 ft., square joint, full bound, marked in 8ths, 10ths, 12ths and 16ths in., 2 in. wide, w't per doz. 2 lbs.per dozen \$13.90

HALF DOZEN IN A BOX



No. 61—2 ft., square joint, middle plates, marked in 8ths and 16ths in., 1 in wide, w't per dozen 11 lbs., per dozen 12 lbs.,

HALF DOTEN IN A BOX



No. 63—2 ft., square joint, edge plates, marked in 8ths, 10ths, 12ths and 16ths in., drafting scales, 1 in. wide, w't per doz. 1½ lbs., per dozen \$6.90

HALF DOZEN IN A BOX




No. 84—2 ft., square joint, half bound, marked in 8ths, 10ths, 12ths and 16ths in., drafting scales, 1 in. wide, w't per doz. 2 lbs., per dozen \$11.30

HALF DOZEN IN A BOX



HALF DOZEN IN A BOX




No. 62—2 ft., square joint, full bound, marked in 8ths, 10ths, 12ths and 16ths in., drafting scales, 1 in. wide, w't per doz. 2½ lbs., per dozen \$13.90

HALF DOZEN IN A BOX




No. 72—2 ft., square joint, edge plates, marked in 8ths, 10ths and 16ths in., drafting scales, 1s in. wide, w't per doz. 2 lbs. per dozen \$8.70

HALF DOZEN IN A BOX




No. 721-2 ft., square joint, bound, marked in 8ths, 10ths and 16ths in., drafting scales, 18 in. wide, w't per doz. 3 lbs. per dozen \$15.70

HALF DOZEN IN A BOX



HALF DOZEN IN A BOX



No. 51—2 ft., arch joint, middle plates, marked in 8ths, 10ths, 12ths and 16ths in., drafting scales, 1 in. wide, w't per doz. 1½ lbs., per dozen \$6.10

HALF DOZEN IN A BOX




No. 53—2 ft., arch joint, edge plates, marked in 8ths, 10ths, 12ths and 16ths in., drafting scales, 1 in. wide, w't per doz. 11 lbs., per dozen \$7.90

HALF DOZEN IN A BOX




No. 54—2 ft., arch joint, bound, marked in 8ths, 10ths, 12ths and 16ths in., drafting scales, 1 in. wide, w't per doz. 2½ lbs. per dozen \$15.20

HALF DOZEN IN A BOX



HALF DOZEN IN A BOX

RULES BOXWOOD




aft, 4 fold, 1 in. wide, arch joint, marked in 8ths and

Brass middle plate, w't per dozen 2 lbs.,

Full brass bound, w't per dozen 31 lbs.,

per dozen\$26.20



No. 18-2 ft., 2 fold, square joint, marked in 8ths and 16ths in., 11 in. wide, w't per doz. 2 lbs. per dozen \$6.70

HALF DOZEN IN A BOX

BOXWOOD



15-2 ft., arch joint, bound, marked in 8ths, 10ths and 16ths in., draftmg scales, 1% in. wide, w't per dozen HALF DOZEN IN A BOX



531-2 ft., arch joint, edge plates, marked in 8ths, 10ths, 12ths and 16ths in., with inside beveled edges and architect's drafting scales, 1 in. wide, w't per doz. 11 lb.,

HALF DOZEN IN A BOX

BOXWOOD CALIPER



No. 361-1 ft., square joint, two fold, marked in 8ths, 10ths, 12ths and 16ths in., 13 in. wide, w't per dozen 19 lbs. per dozen \$12.70 HALF DOZEN IN A BOX


IVORY CALIPER



No. 38-6 in., square joint, German silver bound, two fold, marked in 8ths, 10ths, 12ths and 16ths in., I in. wide, w't per doz. 2 lbs., doz. \$28.20 HALF DOZEN IN A BOX




No. 40-1 ft., square joint, German silver bound, four fold, marked in 8ths and 16ths in., § in. wide, w't per doz. s. per dozen \$82.70 HALF DOZEN IN A BOX



No. 87-2 ft., arch joint, German silver bound, marked in 8ths, 10ths, 12ths and 16ths in., drafting scales, 1 in. wide, w't per doz. 3 lbs., doz. \$150.60 HALF DOZEN IN A BOX

BLACKSMITHS' BRASS



No. 17-Stanley's, 2 ft., polished spring brass, two fold, marked in 8ths and 16ths in., § in. wide, w't per doz. 2½ lbs. per dozen \$12.20 HALF DOZEN IN A BOX

per doz. 11 lbs. ...per dozen \$9.00 ONE DOZEN IN A BOX

No. 42-1 ft., boxwood, 2 brass

tongues, brass tipped, marked in

8ths and 16ths in., 9 in. wide, w't

SHIP CARPENTERS' BEVELS



No. 041-Dandy, length 1 ft., 3 in. wide, three fold nickel plated steel, rivet joints, marked on one side only in 8ths and 16ths, w't per dozen 6 oz., per dozen\$3.00 ONE DOZEN IN A DISPLAY BOX

RUSTLESS CALIPER RULES



This is a very serviceable pocket caliper rule at a low price.

No. 66-6 in. made from a special alloy of aluminum. Has a bright surface and will not rust. Brass caliper head and slide 1 inch high. Rule has brass tip. The end and caliper head are both graduated in 16ths. Body is graduated in 8ths, 16th and 32nds. W't per dozen ½ lb., per dozen\$8.00

ONE DOZEN IN A BOX

per dozen

Brass edge plate at joint, w't per dozen 2 lbs., per dozen\$12.10

HALF DOZEN IN A BOX

BOXWOOD CALIPER



10. 39-6 in., square joint, two fold, marked in 8ths, 10ths, 12ths and 16ths in., 3 in. wide, w't per dozen HALF DOZEN IN A BOX



32-1 ft., arch joint, edge plates, four fold, marked in 8ths, 10ths, Eths and 16ths in., 1 in. wide, w't HALF DOZEN IN A BOX



321-1 ft., arch joint, full bound, fold, marked in 8ths, 10ths, and 16ths in., 1 in. wide, w't HALF DOZEN IN A BOX

REVONOC FOLD-FLEX



Flexible, hardwood, rivet joints, brass plated, stiff springs, 6 in. fold, width & in., graduated in inches and sixteenths.

A strong well made rule at a moderate price.

Yellow Enameled.

Nos	814	815
Length, ft 3	4	5
W't, doz., lbs 1 3	2	23
Per dozen\$4.00	5.35	6.70
N		

Nos	810
Per dozen\$8.00 1	0.70

White Enameled.

Nos 823	824	825
Length, ft 3	4	5
W't, doz., Ibs 19	2	21
Per dozen\$4.40	5.80	7.30
Nos	826	828

1 er dozen\$4.40 5.80	7.30
Nos 826	828
Length, ft 6	8
W't per doz., lbs 3	4
Per dozen\$8.80	11.70
NOS, 813 AND 823 ONE DOZEN, OT	CHERS

HALF DOZEN IN A BOX

STANLEY VICTOR ZIGZAG



6 in. fold, rivet joints, brass plated. Yellow Enameled.

Nos 803 Length, ft 3	804	805	806
W't, doz., lbs 1 } Per dozen \$4.00	19	23	27

W	hite	E	na	me	led.

Nos 853	854	855
Length, ft 3	4	5
Wt per doz., lbs 18	19	21
Per dozen\$4.40	5.80	7.30

Nos 856 Length, ft 6	858
W't per dor, Ba 21	31
Per denen	

RULES

STANLEY VICTOR ZIGZAG



Rivet joints and tips, width § in., graduated in sixteenths, 6 in. fold.


Boxwood, Stained.803F 804F 805F 806F Mos. Length, ft. . 3 4 5 W't doz., lbs. 11 2 21 6 3 Per dozen ..\$4.00 5.35 6.70 8.00

White Enameled. 5 21 Per dozen\$4.40 5.80 7.30 Nos.856F 858F Length, ft. 6 8 W't per doz., lbs..... 31 Per dozen\$8.80 11.70 HALF DOZEN IN A BOX



Concealed joints, brass plated trimmings, with 7/6 in., graduated in sixteenths, 4 in. fold.

Yellow Enameled. 342 343 344 EALF DOZEN IN A BOX



Concealed joints with stiff spring, 6 in. fold, § in. wide. Patent metal strike plates which prevent wearing.

Boxwood, Stained. Nos. 03 04 Length, ft. 3 4 W't per doz., lbs.. 11 2 5 21 Per dozen\$5.30 7.00 8.70 Nos. 06 80 Length, ft. 8

White Enameled. Nos. 103 104 Length, ft. 3 4 W't per doz., lbs. 15 2 105 5 W't per doz., lbs... Per dozen\$5.70 7.60 9.50 Nos. 106 108 Length, ft. 6 W't per doz., Ibs.

41

Per dozen\$11.40 15.30 HALF DOZEN IN A BOX

LUFKIN FOLDING RULES

Flexible, hardwood, rivet stiff spring, 6 in. fold, width 8 in.









Graduated in inches and sixteent patent hook fitted to first end of ea rule which folds flush with rule wh not in use, serves handy purpose taking measurements out of an reach.

Nos.8524H 8525H 8526H 8526 Length, ft. . 4 5 6 8 W't, doz., lbs. 2 21 3 4 Per dozen. \$6.00 7.20 8.60 11. HALF DOZEN IN A BOX



Concealed joints, marked feet and inches on one side, 10ths and 100ths on the other side, 6 in. fold.

Yellow Enameled. 9514D 9515D 9516D Length, ft. ... 4 5 6 W't per doz., lbs. 2 21 3 Per dozen \$5.60 6.90 8.20 HALF DOZEN IN A BOX



Rivet joint, brass plated, 6 in. fold, in. wide, marked consecutive in inches and sixteenths, nicely finished

White Enameled. 8624 8625 W't, doz., lbs. ... 2 24 3 Length, ft. ... 4 5 6 Per dozen\$5.80 7.20 8.70

LUFKIN FOLDING



consecutively in inches, graduinches and sixteenths. Nicely

YELLOW ENAMELED

Mength, We doz

					8514	8515	8516
ft					4	5	6
lbs.				è	. 2	21	3
en .						5 6.70	8.00

WHITE ENAMELED

		. 8614	8615	8616
n ft		. 4	5	6
er, lbs.			24	8
open	****	.\$5.80	7.20	8.70
HALF	DOZE	NINA	BOX	

RUSTLESS FOLDING



bright surface and will not rust exposed to moisture. Brass joints. Marked in large, clear in inches and sixteenths.

				4	5	6
th, ft				4	5	6
er d	oz.	lbs.		45	51	6
					28.00	
E21	ALF	DO	ZEN	TN A	ROX	

STANLEY ALUMINUM ZIGZAG



Bret joint, six inch folds, } in.

black finish, raised white figures
granduations, Graduated in
and sixteenths on both sides.

rules possess great strength

05				424	425	426
BETO .	ft	 ļ		4	5	6
	doz.,	 -			4	5
ME GILL		 4	\$2	1.40	26.80	32.00

HALF DOZEN IN A BOX

RULES

STANLEY'S ZIGZAG EXTENSION



Boxwood stained, brass joints, slides and tips, marked in 8ths and 16ths in., § in. wide.

These rules have all the advantages of the regular Zigzag rules, and in addition have at one end an extension slide, by the use of which exact inside measurements may be readily obtained.

Nos 204	206
Length, ft 4	6
W't per doz., lbs 23	35
Per dozen\$10.90	14.40

HALF DOZEN IN A BOX

STANLEY'S EXTENSION



Hickory, brass extension slides and tips, brass set screw, 1 in. wide.

Nos		510
Extension, ft2		
W't per doz., Ibs	9	15
Per dozen\$2		

LOOSE

INTERLOX MASTER SLIDE



Select boxwood, trimmed with solid spring brass.

The principal merit of this rule is for taking inside measurements by extending to the desired width which can be instantly read. The reverse side is marked same as a regular rule.


Nos 23	24
Length, ft 3	4
W't per doz., lbs 1	11
Per dozen\$10.80	1 14,40

Nos	Mind of the	25 26
Length, ft		5 6
	lbs	2 21

HALF DOZEN IN A BOX

LUFKIN EXTENSION SPRING JOINT





Boxwood, extra heavy, brass plated spring joints. Graduated both sides in inches, eighths and sixteenths when extension slide is used gives measuring capacity 6 in. additional length.

Rule is more rigid when extended than the ordinary folding rule, thus making it better adapted for upright measurements.

Particularly designed for taking inside measurements of openings such as door and window frames, for boilers, etc.

The first section is fitted with a graduated brass slide which cannot come loose or fall out as it is securely locked at both ends. To obtain inside measurements, open rule to within six inches or less of distance between points to be measured. Extend brass slide by push button to point of measurement. Add measurement on brass slide to that shown at extreme end of rule, which will give you exact distance between points measured. Extension slide admirably adapted to measuring depth of mortises and other holes.

A rule that will especially appeal to carpenters, architects, inspectors, contractors, automobile workers and others.

No. 8536X-6 ft., w't per doz. 4½ lbs., per dozen\$18.00

LUFKIN STEEL RULES

1 keer 2 *** 3 9

No. 60-12 in., 3 in. wide, 21 gauge, polished steel, marked in 8ths on one side, 16ths on other. Marked on lower edge only. This rule is especially desirable for schools and manual training work, w't per doz.

1 lb.per dozen \$9.80

HALF DOZEN IN A BOX

STANLEY SCHOOL RULES

No. 341-1 ft. long, 11 in. wide. Made from selected maple with brass tips on ends. Graduated in 8ths and 16ths, w't per doz. 11 lbs.,


The state of the s

per dozen\$5.00 ONE DOZEN IN A BOX

No. 341-1 ft. long, 11 in. wide. Boxwood, nicely finished with brass tips on ends. Graduated in 8ths and 16ths, w't per doz. 11 lbs., per dozen\$5.59

ONE DOZEN IN A BOX

STANLEY BENCH RULE




No. 34-2 ft, long, 11 in. wide.

Made from selected maple with
brass tips on ends. Graduated in 8ths and 16ths, w't per doz. 24 lbs., per dozen\$6.80

ONE DOZEN IN A BOX

LUFKINS COMBINATION RULE, LEVEL AND PROTRACTOR



No. 863L-2 ft., 4 fold boxwood, 11 in. wide, arch joint edge plates, with drafting scales, level and protractor, with protractor it is very simple to obtain any degree or angle required. Graduated one side, inches and 8ths, other side inches and 16ths, with architect's scales, w't per doz. 75 lbs., per deten\$32.00

ONE IN A BOX

YARD STICKS

DESCRIPTION OF STREET

Polished, brass tipped, marked in 8ths in.

No. 41-Maple, 1 in. w't per doz. 3½ lbs.per dozen \$6.70
No. 50—Hickory, ¾ in. wide, w't per doz. 2 lbs.per dozen \$9.60


ONE DOZEN IN A PACKAGE

Maple, marked in 8ths, and inches on one side and 8ths of yard on opposite side, 1½ in. wide. No. 16—W't per dozen 3½ lbs.,

per dozen\$4.00 No. 16B—Brass tipped and brass eyelet on end, w't per doz. 4 lbs., per dozen\$5.50

LOOSE

STANLEY'S PATTERN MAKERS' SHRINKAGE RULES




Boxwood, Brass Tips, 24×14 Inches. Nos. 301C 301E 301F 301G Shrinkage

per ft., in. 1/10 # W't, doz., lbs. 24 24 Per dozen..\$26.30 26.30 26.30 26.30


HALF DOZEN IN A BOX

BOARD RULES



No. 3-11 in. wide, diamond head, hickory, white shellacked, burnt figures, polished steel head, 3 tiers wide—12, 14, 16 and 8, 10 and 18 ft.—length 3 ft., w't per doz. 61 lbs., per dozen\$44.80

HALF DOZEN IN A PACKAGE



3 tier, 1 in. wide, oval head, hickory white shellacked, burnt figures, ex-tra heavy braced head, steel caps and 2 in, brass shoulders,


One side for 8, 10 and 18 ft., opposite side for 12, 14 and 15 ft.
Length 3 feet.

Figures 30 in. high with 6 in.

In addition to regular markings, has dashes to indicate the half foot.

No. 02N-3 in. wide, w't per doz. 54 lbs. per dozen \$50.60

LUFKIN FOLDING LOG RULES




Hardwood, years joints, 6 in. fold with metal and heak on first joint marked one side for 12, 14 and 16 ft logs, diameter up to 48 in., other side for 10 and 18 ft. logs and with row of inches to sixteenths at lower edge Convenient to carry and particularly adapted to loggers doing a limited amount of scaling.

No. 524-Doyle, 4 ft., w't per doz 2 lbs.per dozen \$8.40

HALF DOZEN IN A BOX

LOG RULES



Hickory, solid hook, figured 48 inch scale, for 12 to 24 foot logs, 8 in. handle.

No. 11-Scribner's, w't per dozen 11 lbs.per dozen \$52.60 No. 12-Doyle's, w't per doz. 113 lbs., per dozen\$52.60

HALF DOZEN IN A PACKAGE

KALE TOTER ON A DOX LUFKIN'S



Hickory, square steel head, burnt figures.

No. 15-Doyle's scale, figured 36 in., for 8 to 20 ft. logs, length 42 in., w't per doz. 8½ lbs. ...per dozen \$43.20

No. 151-Doyle-Scribner scale, figured 36 in., for 8 to 20 ft. logs, length 42 in., w't per doz. 81 lbs., per dozen\$43.20

No. 14-Doyle scale, figured 48 in., for 8 to 20 ft. logs, length 56 in., w't per doz. 93 lbs. . . per dozen \$52.60

HALF DOZEN IN A PACKAGE

MEASURING TAPES

REVONOC




waterproof coated, asses skin, bound, red enameled case, fold-

		30	33
gth, ft		25	50
per doz., lbs		2	31
dozen		\$7.80	10.40
	34	35	37
	34 66		37 100
	1		And the second

LUFKIN UNIVERSAL

HALF DOZEN IN A BOX



INEN TAPE—i in. wide, corded pure unbleached linen, water-coated, case brass bound and handsomely enameled in maroon, folding handle, brass ring and mings, strong and durable.

Marked Feet, Inches and Half Inches, One Side Only.

	590,80801/714		
S	730	733	734
ngth, ft	25	50	66
per doz., lbs	3	41	53
dozen\$	10.00	16.00	18.00
		735	736
arth, ft		75	100
per doz., lbs		6	73
c dozen	\$	20.00	25.00

LINEN TAPE—Oak tanned bend leather case, § in. heavy linen corded, waterproof coated tape.

No. 943—Length 50 ft., w't per doz. 5 lbs.per dozen \$40.00

HALF DOZEN IN A BOX

LUFKIN METALLIC



METALLIC WARP LINEN TAPE
—§ in. wide, waterproof coated hard
leather case, folding handle, nickel
plated trimmings, instantaneous reading.

Marked Feet, Inches and Half Inches, One Side Only.

	William III	
Nos	. 500	503
Length, ft	25	50
W't per doz., lbs	6	91
Per dozen	.\$46.50	67.50
Nos	. 505	506
Length, ft	75	100
W't per dozen, lbs	13	16
Per dozen	\$84.00	105.00
ONE IN A BO	X	

Marked Feet, Inches and 10ths, One Side, Links on Back.

No503	DL
Length, ft 5	0
W't per doz., lbs 9	à .
Per dozen\$70	.50

ONE IN A BOX

LUFKIN BANNER



STEEL TAPE—§ in. nubian finish, black "auto leather" case, nickel plated trimmings, folding flush handle, opened by pressing button on opposite side, instantaneous reading. A serviceable tape at a moderate price.

Marked Feet, Inches and 8ths, One Side Only.

Nos. 550 Length, ft. 25 W't per doz., lbs. 5 Per dozen \$60.00	553 50 9 0 75.60
Nos	556 100 15 126.00

ONE IN A BOX

LUFKIN RIVAL



STEEL TAPE—§ in. wide, nubian finish, nickel plated steel case, folding flush handles, opened by pressing pin on opposite side, case has knurled edges affording a firm hold when winding in tape.

Marked Feet, Inches and 8ths, One Side Only.

		-	***	*	300	 w.	•		
Nos.								240	243
Length	. ft.							25	50
W't per	doz	., 11	S.				+	3	9
Per do	zen .							\$ 72.00	87.40

 Nos.
 245
 246

 Length, ft.
 75
 100

 W't per doz., lbs.
 12
 15

 Per dozen
 \$116.40
 150.00

ONE IN A BOX

MEASURING TAPES

LUFKIN



STEEL TAPE-Metal lined hard leather case, double folding flush handle, opened by pressing pin on oppo-site side, nickel plated trimmings, handle has extension finger hold which affords a firm grip when winding in tape.

RELIABLE, JR.

Inch Tape, Marked Feet, Inches and 16th, One Side Only.

Nos	100	103
Length, ft	25	50
W't per doz., lbs	3	5
Per dozen	82.50	124.80

RELIABLE

Inch Tape, Marked Feet, Inches and 8ths, Links on Back.

Nos	203	205	206
Length, ft	50	75	100
W't, doz., lbs	8	113	145
Per dozen\$	150.00	214.80	259.20
ONE	IN A B	OX	

LUFKIN CHALLENGE



STEEL TAPE- in. wide, metal lined hard leather case, nickel plated trimmings, foldinig flush handle, opened by pressing pin on opposite side.

Marked Feet, Inches and 8ths, One Side Only.

Nos	263	265	266
Length, ft		75	100
W't, doz., lbs	81	13	16
Per dozen			
HALF DOZ	EN IN	A BOX	



Lufkin steel and metallic tapes have estantaneous reading as shown on above cut.

LUFKIN CHALLENGE JR.




STEEL TAPE-1 in. wide, metal lined hard leather case, nickel plated trimmings, folding flush handles, opened by pressing pin on opposite

Marked in Feet, Inches and 16ths, One Side Only.

Nos 1260	1263
Length, ft 25	50
W't per doz., lbs 3	- 5
Per dozen\$76.20	92.40
ONE DOZEN IN A BOX	

LUFKIN POCKET



STEEL TAPE-1 in. wide, nickel plated case, spring wind, center stop. Marked in Inches and 16ths.

No. 3145-60 in., w't per dozen 1 lb., per dozen\$11.80

No. 3146—72 in., w't per dozen 1 lb., per dozen\$13.80 HALF DOZEN IN A BOX



LINEN TAPE-1 in. wide, nickel plated case, patent spring with stop. No. 175-5 ft., w't per doz. 1 lb., per dozen\$11.00 No. 176-6 ft., w't per doz. 1 lb.,



No. 143-3 ft., steel tape, 1 in. wide nickel plated brass case, marked in 16ths, spring wind with center stop, w't per doz. 1 lb., per dozen \$12.60 HALF DOZEN IN A BOX

LUFKIN POCKET



No. 145EM - 5 ft., steel tape, 1 in wide, nickel plated steel case pater spring with stop, with centimeter and inches, w't per doz. 11 lbs. per dozen\$17.60

HALF DOZEN IN A BOX

MARVEL



STEEL TAPE—1 in. wide, nickel plated case, spring wind, center stop Marked in inches and 16ths, put up in an attractive leatherette display box.

No. 3143-36 in., w't per doz. 14 oz., per dozen\$8.00

ONE DOZEN IN A BOX

UNIVERSAL



PAINTED TAPE—Nickel plated case, spring wind, center stop, marked in inches and 8ths, put up in a strong attractive display box.

No. 165-60 in., w't per doz. 1 lb., per dozen\$2.70

PLUMB BOBS.



Turned from solid steel bars on any adjusted automatic screw mames, making them perfectly accumated and true in every respect. Hard-points, finely nickel plated over a set of electroplated copper.

los.	enion.	*****	6	8 0	10
langth,	in.	Tog	2%	31	4
F1, 05			5	10	18
Per do	ten .	\$	12.80	15.80	19.50

COSE IN A SCREW TOP WOOD BOX



hexagon tool steel brass

	26	28	22
£			
	6	8	12
Bom\$1	2.00	12.00	18.00

PLUMB BOBS.



CRUSO, japanned iron,

Nos	1	11	5
Length, in	21	41	5
W't, lbs	à	13	21
Per dozen\$	1.50	3.20	4.80

NO. 1, ONE DOZEN, OTHER HALF DOZEN IN A BOX



CRUSO, soft gray iron, nickel plated, highly finished.

No. 11—Cruso, length 3 in., w't 43 oz., per dozen\$2.00

ONE DOZEN IN A BOX



CRUSO, soft gray iron, nickel plated highly finished.

No. 12—Cruso, length 3½ in., w't 13½ oz., per dozen.....\$3.00

ONE DOZEN IN A BOX

CHALK LINE REELS.



Beechwood.

Nos 12	199
Length, in 3	31
Diam., in 2	21
W't, doz., lbs 1	21
Per dozen\$1.40	1.60
Tel dozen illitititititititi	

THREE DOZEN IN A BOX



No. 14—Beechwood, length 3 in., diam.
2 in., with steel scratch awl, w't per
doz. 1% lbs.per dozen \$3.00

ONE DOZEN IN A BOX

CARPENTERS' CHALK.



No. 77—Package contains 3 cakes of blue and 1 cake of white to retail at 10 cents per package, w't per case 45 lbs.,

per gross packages\$16.00

ONE GROSS PACKAGES IN A CASE



No. 5 CYE-White, hemispherical, per gross\$3.10

No. 3 CVD—Red, hemispherical,

No. 4 @ Blue, hemispherical.

ROSE TOOLS, INC.

per gross\$3.70

ONE IN A BOX ONE DOZEN

HANDLED BRAD AWLS



Blades are securely fastened in handle.

ONE DOZEN IN A BOX

SCRATCH AWLS



No. 2—Beech handles, brass ferrule, polished steel point, length 6½ in., w't per doz. 1½ lbs., per dozen\$1.30

ONE DOZEN IN A BOX



Enameled handle, brass ferrule, steel wire point.

Nos 1	00 200
Point, Ga. No	
Length, in	52 6h
W't, doz. lbs	11 19
Per dozen\$3	.40 3.40

ONE DOZEN IN A BOX



No. 1 RWWW. Beech handle, socket forged steel point, 5 in., w't per doz. 2 lbs. per dozen \$5.40


ONE DOZEN IN A BOX



No. 5—Hurwood, ebonized handle, polished steel ferrule, cast steel tempered point running through handle and headed, length 5½ in., wit per don 1½ lbs.


ONE DOZEN IN A BOX

TOOL HANDLES WITH TOOLS




No. 11 CVD—Cocobola handle, length 6 in., nickel plated chuck, holds square, flat or triangular shanks, 10 cast steel tools contained in handle 2 chisels, 2 screw drivers, 1 reamer, 1 gouge, 1 gimlet bit, 3 awls, w't per doz. 8 lbs. per dozen \$30.00

ONE IN A BOX



No. 2 Cocobola handle, length 7 in., nickel plated chuck, holds square, flat or triangular shanks, 10 cast steel tools contained in handle—1 saw, 1 gouge, 1 three-cornered file, 2 screw drivers, 2 awls, 1 gimlet bit, 1 reamer, 1 chisel—w't per doz. 12 lbs. ...per dozen \$36.00

ONE IN A BOX



Nickel plated knurled steel handle, case hardened four jaw chuck for either round or square shank drills.

No. 10 CVB—Length 6 in., for tools % to % in., in diameter—10 tools contained in handle—2 chisels, 2 screw drivers, 1 reamer, 1 gouge, 1 gimlet bit and 3 awls—w't per doz. 8 lbs., per dozen \$40.00

 TOOL HANDLES WITH TOOLS



HALF DOZEN IN A BOX



Length 6 in., nickel plated thumb nut, 10 cast steel tools, contained in handle—1 gouge, 1 chisel, 1 tack puller, 1 screw driver, 5 awls, 1 gimlet.

No. 40 RIVENEC Maple handle, w't per doz. 4 lbs. per dozen \$13.50

HALF DOZEN IN A BOX

PEG AWLS



No. 16—Patent, extra cast steel, assortedper gross \$3.80

ONE GROSS IN A BOX

HARNESS AWLS

No. 12—Patent, extra cast steel, assortedper gross \$7.20
ONE GROSS IN A BOX

SEWING AWLS

No. 4—Patent, extra cast steel, assortedper gross \$7.20

ONE GROSS IN A BOX

PEG AWL HAFTS



with screw, nut and wrench, w't per doz. 21 lbs. ... per dozen \$3.30 ONE DOZEN IN A BOX



STANLEY'S.

62. 6X—Selected hickory, specially finished, leather top, fitted with a 4 jaw chuck and knurled locking nut, w't per doz. 23 lbs., per dozen \$4.80

ONE DOZEN IN A BOX

SEWING AWL HAFTS



Screw, nut and wrench, w't doz., li lbs.per dozen \$3.30

SOCKET FIRMER CHISEL HANDLES



REVOKOC Hickory, Iron Ring. 35 36 37 38 For chisels,

mches \$to\$ \$to\$ 1to1\$ 1\$to2 For dozen ..\$2.00 2.00 2.00 2.00 ONE DOZEN IN A BOX



hickory, leather head, pol-

** dozen ... \$103 \$102 11013 12102 ** dozen ..\$2.20 2.20 2.20 2.20 ONE DOZEN IN A BOX

FILE HANDLES



Malleable iron, japanned,
Ministable clamp, securely holds
Ministable iron, japanned,
Ministable iron, japanned,
Ministable iron, japanned,
Ministable iron, japanned,
Ministable clamp, securely holds
Ministable clamp, securely hold

FILE HANDLES



Soft Wood, Brass Ferrule.



DOCTOR

"Non-Splitable" and will outwear many of the short ferruled handles.

The ferrule is made of heavy pressed steel, enlarged at the head, and having an inwardly returned, curved, sharp-edged lip, which firmly locks the wooden portion within the enlarged end of the ferrule, when driven into place.

The wooden section is shaped correctly to fit the hand and has a taperbored hole allowing file to be held firmly in place.

NICKOLSON'S, selected birchwood, carefully smoothed and shellacked, heavy brass ferrule, swaged and spun on handle.

ŧ
0
ŝ
ã
0

ONE DOZEN IN A BOX



Soft Basswood Kiln dried sanded smooth, long ferrule fitted tight. Will not split from use, wears longer and holds tighter to the tang.

SH	ORT	FERR	ULE	
Nos. 81	82	83	84	85
Length, in35	TA	48	49	Cion I
For size of	10	Sheen	Series .	
files 4&6 W't, gro.,	6&8	8&10	12&14	16&18
Ibs. 81	10	131	161	201
Doz. \$0.30	.30	.40	.45	.50

LOOSE

CHISEL HANDLES





Socket Framing. Hickory, iron ring, w't per doz.



TANGED CHISEL HANDLES



REVONOC. hickory, polished leather head, heavy brass ferrule, w't per doz. about 2 lbs.

Nos. 15 16 17 18
For chisels, in. \$to\$ \$to\$ 1to1\$ 1\$to2
Per dozen\$3.00 3.00 3.00 3.00







No. 145—Applewood, for No. 130

CVE chisels, w't per doz. 21 lbs.,
per dozen\$6.00

ALL ABOVE, ONE DOZEN IN A BOX

BRICK TROWEL HANDLES



Adapted to trowels with drive tang, w't per doz. 2 lbs.

No. 72-Rose's, hard wood, steel ferrule per dozen \$4.50

ONE DOZEN IN A BOX

AUGER HANDLES



No. 20—Peck's, adjustable hardwood, polished, length 18 in., w't per per doz. 12 lbs. . . . per dozen \$12.00

HALF DOZEN IN A PACKAGE



QUARTER DOZEN IN A BOX



Ratchet.

No. 4—Pratt's, white hickory handles, nickel plated nut, chuck and ratchet, japanned head, length 16 in., w't per doz. 36 lbs., per dozen\$72.00

ONE IN A BOX



Common Hickory.

Mo. 1—Asserted sizes, length 18 to 151 in, wit per dor. 61 lbs., 182.00

LOOSE

PLANE HANDLES



No. 48—Beech, plain, for jack planes, w't per doz. 3 lbs., per dozen ...\$3.00

ONE DOZEN IN A PACKAGE

No. 49—Beech, plain, for fore or jointer planes, w't per doz. 4 lbs., per dozen . \$4.00



ONE DOZEN IN A PACKAGE



No. 51—Beech, varnished, for Nos. 26, 27, 28, 29, 30, 31, 32, 33 and 34 Bailey's wood planes, w't per doz. 1½ lbs., per dozen ..\$4.20

ONE DOZEN IN A PACKAGE

99.13

No. 52—Rosewood, varnished, for Nos. 4½, 5, 5½, 6, 7 and 8 Bailey's flat and corrugated ir on planes, w't per doz. 1½ lbs., per dozen ..\$8.00



ONE DOZEN IN A PACKAGE

Carry a line of goods upon which you can rely.

The dealer who carries H. S. B. & Co. Brands marks his store as a place where the better goods are sold.

A house with over sixty-seven years' experience stands back of our brands.

SAW HANDLES



NOT BORED

No. 04 Panel, beech, varnished edges, w't per doz. 4 lbs., per dozen\$4.40

No. 066—Hand, beech, plain edges, w't per doz. 6 lbs., per dozen \$4.60

No. 66—Hand, beech, varnished edges, w't per doz. 6 lbs., per dozen \$5.00
No. 05½—Hand, apple wood, for D8-26 in. sawsper dozen \$13.20
No. 06½—Rip, apple wood, for D8-28 in. sawsper dozen \$13.80

ONE DOZEN IN A BOX



Applewood, Plain, Bored.

Applewood, Varnished Edges, Bored.

per dozen

No. 41—Panel, for No. D8, 18 and 20 in. saws per dozen \$ 2.00 No. 43—Panel, for No. D8, 22 in. saws per dozen \$12.70 No. 05—Hand, for No. D8, 26 in. saws,

per dozen \$13.20

No. 06—Rip, for No. D8, 28 in. saws, per dozen \$7.80

No. 07—Hand, for No. 75 REVENCE

and No. 7 Disston's saws, beechwood, carved and nicely varnished, w't per doz. 53 lbs.,

Applewood, Carved, Varnished and Highly Polished, Bored.

No. 9—Panel, for Nos. 12 and 112, 18 and 20 in. saws. per doz. \$16.70 No. 7—Hand, for Nos. 12 and 112, 26 in. saws.....per dozen \$19.40 No. 08—Rip, for Nos. 12 and 112,

28 in. sawsper dozen \$20.00 Beech, Polished, Bored.


No. 044—Pruning, for No. 44 saws, per dozen\$5.50

WEIGHT PER DOZEN ABOUT 5 POUNDS

MALLETS

growth hickory, selected stock, ac finish, hardwood handle sely fitted extending through head. 60 61 bry, standard stock. Parafine oil sh, securely fitted with hardwood

ele extending through head. 70



20-Cruso, hardwood, 5x2 to in., w't per doz. 10 lbs , doz. \$2.70 LOOSE

TINNERS' FIBRE

best fibre, wound in suclayers with film of waterproof between. Handle polished hickory and mallets have coat shellac.

CARPENTERS'

seasoned second growth hickory selected stock, are fitted, extending through head.

seasoned second growth
standard stock. Parafine oil
securely fitted with hardwood
extending through head.

72 73

6×2½ 6×3

17 24

\$7.80 8.50

CARPENTERS' ROUND



Hardwood.

No. 25-Cruso, 6x21 to 21 in., w't per doz. 14 lbs. per dozen \$3.60
No. 251-6x3 in., w't per doz. 15 lbs.,
per dozen\$4.40



Hardwood.

No. 30-6x31 in., w't per doz. 18 lbs., per dozen\$10.00

Lignumvitae.

Nos 35	36
Size, in	6×3½
W't. doz., lbs 28	44
Per dozen\$19.80	24.00
LOOSE	

CARPENTERS' SQUARE



No. 40-Hickory, 61x21x31 in., w't per doz. 21 lbs. ... per dozen \$13.50

Lignumvitae.

Nos	45	46
Size, in	6×21×31	61×31×31
W't, doz., lbs		40
Per dozen	\$22.80	28.90
LOO	SE	

1 14 1 100.5 HARD RUBBER



Hard Rubber Head, Hickory Handle.

RAWHIDE



Rawhide head, nicely varnished hickory handle. 3 4 Nos. . . . 2 3 4 5 Size, in. . . . 3×1½ 34×1¾ 34×2 44×2¾ W't, doz., lbs. 4 5½ 7½ 16 Per dozen. \$18.00 20.80 26.40 58.40

LOOSE FIBRE HEAD



Beech, fibre head, polished steel ferrules screw handle.

Nos. 12 12½
Size, in. 43×2 54×2½
W't, doz., lbs. 15 21
Per dozen \$30.00 33.80

IRON RING



No. 50-Wood faced, mortised, 43x2 in. w't per doz. 31 lbs., per dozen\$24.40

IRON SOCKET



No. 51-Heavy malleable iron socket, hickory ends, 5%×2% in., w't per doz. 44 lbs. per dozen \$41.00 LOOSE

IRON BOUND



Hickory. No. 52-Size 51x8 in., w't per doz. 23 lbs.per dozen \$33.00

PRICE LIST OF FILES AND RASPS

LIST OF NOV. 1, 1899

As Adopted by the File Manufacturers Association of the United States, Nov. 1, 1899.

PRICE PER DOZE

(REVISED AND REPRINTED AUGUST 1, 1918.)																			
-		IILL	1	MILI	I R. E.	1 MII	LL 2 R. E	Liver	. MI	LL BLU	UNT	MILL BLT. I R.E.		MILL BL	T. 2 R.E.	THE RESIDENCE OF THE PARTY OF T		The state of the s	
INCH		d CUT S	HTOOMS	BAST.		-		INCH-E	BAS	1. 2	d CUT	BAST.	2d CUT	BAST.	26 CUT	2 Sq. E.	1 R. E	2 R. E.	
4	3.00		*****					4											
5 6	3.20 .	4.00	4.50	3.90	4.50	4-4	0 - 5.00	5		0	4.60	4.40	5.20	4.90	5.80				
7	3.90	4.60	4.90	4.40	5.20	4-9	5.80	0 7	4-3	30	4.90	4.80	5.50	6.10	7.30	5.80	6.50	7-30	
8 9	4.30	5.80	6.30	4.80			7.30	0 9	5.6	50	6.40	6.30	- 7.20	7.00	8.00	6.40	7.20	9.80	
10	5,60	6.40	7.00	6.30	7.20	7.0	8.00	0. 10			7.80	7.50	8.80	11.80	9.80	7.80	0.00	9.00	
12	7.50	8 60	9.40	8.40		Service Co. Co.	The second of	0 14	6										
16	14.70		17.90	** ***		M 10.		18		man h					*/*****			*****	
18	20.20 L	RS I	Handsaw	SLIN	EXTR	A TAP	ER B	ANDSAW	/ 1		ANDSAW	BANDSAN	HANDSAY	nongre	PIT	CANT	CROSS		
INCH	Sgl. Cut 1	Management and the	Blunt	TAPE		LLIC A		ER BLU	INT		SLIM	HEAVY	BLUNT	ENDER	SAW	SAW	CUT	TOOTH	
3	2.10	2.50		2.10	The state of the s	100				31/4					*****			*****	
31/2	2.10	2.50	2.60	2.10	THE R. LEWIS CO., LANSING, LAN	2.1	20 2.9	The second second	90	4			2,60		4.80	20016			
41/2	2.40	3.10	3.00	2.30		2.0			50	5		3.50	3.40		5.40	PARTY			20
5 51/2	3.00	3.50	3.40	2.90		34	00	******		51/2	3.99	4.00			6.10	5.40			6
6 7	3.40	4.70	5.40	3.10			30 5.6	5.6	60	7		5.60		3.50	Parente .	6.40	7.50	8.30	
8	5.40	6.70	6.60	4-50	The second second		40 6.7	0 6.7		8	5.30	6.70		3.90	7.50				
10	8.10			6.40		8.	10		1	0	****	9.70		4.90		8.70	9.10	10.10	12
12	12.50			9.50		WAND.			1	-	LAR	1		SQUARE		THR	EE SQUA	RE	
INCH	Sipotes	FLA	A	- ANTH	BAST.	HAND 2d CUT	SMOOTH	INCH	BAST.	-	-	SMOOTH	BAST.	2d CUT	SMOOTH	BAST.	2d CUT	SMOOTH	INZ
100	BAST.	2d CU	7 1 1 7 1	HOOTH	3.70	4.30	4.80	4	7.50	- A	oli.		3.80	4.60	4.90	4.80	5.60	6.10	4
5	3.70	4.60	5 4	1.70	3.90	4-70	5.30	5	4.70			5,60	4.10	5.10	5.30	5.40	6.10	7.10	6
6	4.30	4.80	5	.30	4.30	5.10	5.60 6.30	7	4.30			with.	5.10	5.80	6.30	7.00	7.70 8.30	8.20	2
7 8	5.30	6.10	0 6	5.60	5.40	6.30	6.70	8	5.40	6.	30	6.70	5.50	6.30	7.00	7.50			9
10	7.00	7.20 8.10		3.70	7.50	7.80	9.40	10	7.50	8	.70	9.40	7.40	8.50	9.10	9.10	10.10	10.70	10
11	8.60				10.70	12.30	13.50	11 12	10.70	12	.30	13.50	10.20	11.50	12.80	11.80	13.00	13.90	12
12	9.70	11.00		.10				13	15.00	17		18,20	13.90	16.10	17.50	15.50	17.00	18.30	14
14	13.30	15.30	31 1000	1.30	15.00	17.00	18.20	16	20.10	NOTIFIED THE VALUE		24.20	18.70	21.20	23.30	20.60	22.50	32.00	16
16	17.80	26.80	0 29	2.20	26.80	29.90	31.50	18	138"	1 33	-	00.30	32.80	36.70	39.30	36.20	39.40	42.30	20
20	31.50	ALF R	THE OWNER WHEN	-	35.10	ROUND	and in column 2 is not a local	CROSS	SING	HOU	1	WAR	DING	1300	KNI	CONTRACTOR OF THE PARTY OF THE	- 1 To 1 T	ANER	INCH
INCH	BAST.	ALF R	1101120	HTOOM	BAST.	2d CUT	SHOOTE	Bas		INCH	BAS	-	CUT SMO	According to the last of the l	management of the	Action of the last	910	NIFE	4
014	4.80	5.6	0	6.10	3.00	3.50	3.90			4 5	4.0	160110 100000	30 5.1		0 6.7	7.1	0	MARKALL .	5
5	5.40	6.1	5250	7.10	3.20	3.80	4.10			6	4.9		90 6			50 7.9	0		6 7
6 7	7.00	7-7	0	8.20	3.90	4.60	4.90			7 8	6.4	0 7.	50 8.	20 8.	50 9.1	10 9.	0	6.40	8
8 9	7.50	8.3	0	8.90	4.30	5,80	6.30			10	8.7			00 10.	10 11.	50 12.3	10	8.60	10
10	9.10	10.1	WIND - LAC	0.70	7.50	8.60	9.40	15.	50	12				13.	DATE OF THE PARTY	20 .16.1	0		12
12	11.80	13.0	STATE OF THE PARTY OF	3.90	10.70	12.20	13.10	20.		14		*** ***							16
16 18	20.60	22.5	1000	4.20	14.70	16.80	17.90			18	1.44								18 20
20	36.20	39-4	10 4	2.30	27.40	30.70	32.90	OD RAS	pe	1	1	CABINE	T RASP	s 10	ABINET	l s	HOE RAS	SPS	INCH
INCH	FLA	T WOO	DD RA		and the second name of	Contract of the	2d CUT	-	HTOOI	INC	u I	d CUT	SMO	1	FILES	FLA	T	HF. RD.	Inc
1500	BAS	ST.	2d	CUT	BAS	10	9.30	-	10.10	6		10.10	11.		8.10	10.	10	10.10	0 8
8	9	40	1	1.40		.10	12.20	1	13.70	8		12.80	15.			12.	20	12.20	18
10		.so		5.50	13	.70	16.80		18.70	10		17.50	20.	.80	13.70	_13.	70	13.70	. 12
12	17	.50	21	0.90		.70	22.40		24.80	14	4	29.60	33	A SECOND STATE OF THE PERSON NAMED IN COLUMN STATE OF THE PERSON N	24.80			*******	14
14 16	23	.20		7.80 6.20		.90	38.90		43.60	10	MACHINETINA				HORSE F	RASPS		********	
	HORSE RASPS PLAIN			HORSE					CH T	TANGED TANGED SLIM			THE RESERVE OF THE PARTY OF THE			INCH			
INCH	1/2 F			FILE	REVE	RSE		3/2 1	File	1/4 File		2 1/	16.80			1.53	1 × .270	16.00	12
12		.80	1	4-40							1	3	19.60	14º From	12" 21.9	1.59	4" x .275	18.20	13
13 14	17	.80		0.10		.80						5	23.10	*******					15
15 16	20	.90		7.50			16" from I	The state of the s	.50	24.60	00.	8	32.20	15" from	14" 29.7	1.87	5" x .290	29.70	18
18		.90		6.20			18" from 1	15" 1 25	.90			AND RESIDENCE OF THE PERSON NAMED IN	necul an	LY CARRI	ED IN ST	OCK. AN	YTHING I	DIFFERING	FROM
			-X411A				O DITES	AND CU	TS OF I	FILES 7	THAT V	WILL BE	MEGAPHA	Et OHIO			M. A.M. 360	LUCK MAN	He

SECTIONS OF THE FILES IN GENERAL USE

	Same as Flat Second C	from near center to point.	exempled bas day	Single cut. P
Cuts rep	present practically the full s Flat Bastards.	ize of the various shapes an Half Round.	d length.	Square.
AIM TAGAS	OO CO OF SAIN.	49	0	m Tanod.
SIK DER SAN	SINC Default	an	SA T ON	6IN 3 2 S
614	5 IN DO	05. 2 61N E 05. 2 00. 2	SIN SIN	SIN
BIN. DEALS	BIN	8 IN 81 At 21 01	(10 IN)	IOIN 1003
IOIN.	MIGHT TO THE TOTAL THE TOT	00 S 00, 2, 50, 10, 70, 14, 70	IZ IN	12 IN
12 IN	IZ,IN	12 IN	14IN	Moeraid Assis
L'4 IN.	IAIN	14 IN	ALCOHO ALT	141N
16 IN	16 IN THE TAX OF W	16 IN	161N	161N
Regular Taper.	Great American.	Cant Saw or Lightning.	TTOTOG TAGE	sps. of taliants
A SIN	SIN	SI OI STATE	12 IN	arian.o nabban angula ini
Ask to acoust upone out	Pit Saw.	8 IN SALE OF S	14 IN	A Charles and the charles and the charles are
TO IN	Marine Ma	IOIN ME	1618	

HIBBARD, SPENCER, BARTLETT & CO.

MILL BASTARD FILES



Taper in width and thickness from near center to point. Single cut. Principally used for sharpening mill saws, machine knives, etc., also in machine shops for lathe work, draw-filing, etc.

Length, in 3	4	5	6	7	8
W't per doz., lbs h	1	2	19	21	8
(per dozen \$3.0	0 3.0	0 3.2	0 3.5	0 3.90	4.30
Hibbard, per dozen	. 3.0	0 3.2	0 3.5	0 3.90	4.30
Nicholson's, per dozen 3.0	0 3.0	0 3.2	0 3.5	0 3.90	4.30
American, per dozen	. 3.0	0 3.2	0 3.5	0 3.90	4.30
Black Diamond, per dozen .			. 3.5	<u>io</u>	4.30
-					4 7
Length, in	9	10	12	14	16
W't per doz., lbs	31	6	10	14	21
own, per dozen\$	4.90	5.60	7.50	10.70	14.70
Hibbard, per dozen		5.60	7.50	10.70	14.70
Nicholson's, per dozen	4.90	5.60	7.50	10.70	14.70
American van dense	4.90	5.60	7.50	10.70	14.70
American, per dozen	X 8 47 CF	distribution .	-	-	-

IN., ONE DOZEN IN A BOX-OTHERS HALF DOZEN IN A BOX

MILL BASTARD FILES, WITH ONE ROUND EDGE



Similar to MILL FILE but with one edge made round. Single cut. The round edge prevents the filing of sharp corners in gullets of teeth lessening the liability of saws cracking.

Length, in	8	10	12
W't per doz., lbs	3	6	10
() per dozen	\$4.80	6.30	8,40
Hibbard, per dozen	. 4.80	6.30	8.40
Nicholson's, per dozen	4.80	6.30	8.40

HALF DOZEN, NICHOLSON'S 8 TO 10 IN., ONE DOZEN-

FLAT BASTARD FILES



Same as Flat Second Cut below except coarser teeth.

Length, in. 4 5 6 8 10 12 14 15

W't doz., lbs. 8 11 12 4 61 13 20 28

per doz. ..\$3.70 3.90 4.30 5.30 7.00 9.70 13.30 17.

Nicholson, per doz. ..\$3.70 3.90 4.30 5.30 7.00 9.70 13.30 17.5 American.

per doz. . .\$3.70 3.90 4.30 5.30 7.00 9.70 13.30 17.5

4 TO 8 IN. ONE DOZEN, OTHERS HALF DOZEN IN A BOX

HAND BASTARD FILES



Made tapering in thickness and parallel in width Double cut, with one edge safe (no teeth). Used by machinists and engineers for finishing flat surfaces, etc.

 Length, in.
 8
 10
 12
 14

 W't per doz., lbs.
 5½
 10
 17
 24

 CFP, per dozen
 \$5.40
 7.50
 10.70
 15.00

8 IN. ONE DOZEN, OTHERS HALF DOZEN IN A BOX

FLAT SECOND CUT FILES



Taper in width and thickness. Double cut. Largely used by machinists and other mechanics for general work

Length, in. 6 8 10 12 14 16 W't doz., lbs. 31 4 8 12 20 29 公证的, per dozen. \$4.80 6.10 8.10 11.00 15.30 20.10 Nicholson's,

per dozen 6.10 8.10 11.00 15.30 ...

6 TO 10 IN, ONE DOZEN, OTHERS HALF DOZEN IN A BOX

HAND SMOOTH FILES



8 IN. ONE DOZEN, OTHERS HALF DOZEN IN A BOX

Weights on files are for Will, Weights on other files are approximately the same.

FLAT SMOOTH FILES



HALF ROUND BASTARD FILES



to the point from about two-thirds of its length.

in. 4 5 6 8 10 12 14 16 lbs. 2 14 12 33 64 11 19 27

\$4.80 5.40 6.10 7.50 9.10 11.80 15.50 20.60

doz. 6,10 7.50 9.10 11.80 15.50

\$4.80 5.40 6.10 7.50 9.10 11.80 15.50 20.60

\$4.80 <u>5.40 6.10 7.50 9.10 11.80 15.50 20.60</u>
IN ONE DOZEN, OTHERS HALF DOZEN IN A BOX

WARDING BASTARD FILES



thin file tapering toward and on the point.

Used for slotting work by jewelers, maand by locksmiths for filing slots or ward notches

in	4	5	6
per dozen\$4.00	4.00	4.50	4.90
son's, per dozen		4.50	Married Workships
ONE DOZEN IN A BOX	4.00	4.50	

KNIFE BASTARD FILES



V style similar to knife blade. Double cut. special forms for which its shape is particularly die work, etc., having acute angles.

in	4	5	6	
ez., lbs.—@\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	-	1	19	
er dozen\$5		6.10	6.90	
per dozen				
n's, per dozen				
Der dozen	.40	6.10	6 90	

ONE DOZEN IN A BOX

ROUND BASTARD FILES

Taper short distance toward and on the point. Double cut. Sometimes called Rat Tail Files. Used in general for gulleting, enlarging holes, etc.

Length, in. 4 5 6 8 10 12 14 16

Dia., widest
part \$\frac{1}{3}\$ \$\frac{1}{16}\$ \$\frac{1}{12}\$ \$\frac{1}{3}\$ \$\frac{1}{3}\$

per doz...\$3.00 3.20 3.50 4.30 5.60 7.50 10.70 14.70 American,

per doz...\$3.00 3.20 3.50 4.30 5.60 7.50 10.70 14.70 4 TO 10 IN. ONE DOZEN, OTHERS HALF DOZEN IN A BOX

SQUARE BASTARD FILES

Taper short distance toward and on the point. Double cut. Used by most all classes of mechanics for filing apertures dressing out square corners etc.

Length, in	5	6	8 2
(新聞), per dozen	4.10	4.60	5.50 5.50
American, per dozen 3.80 Length, in. 10 W't doz., lbs.— 4	12	14	5.50 16
Nicholson's, doz	10.20	16 13.90	28 18.70
American, per dozen 7.40	10.20	13.90	18.70

4 TO 10 IN. ONE DOZEN, OTHERS HALF DOZEN IN A BOX

HALF ROUND SECOND GUT FILES

Same as Half Round Bastard except teeth are finer.

6 TO 10 IN. ONE DOZEN, OTHERS HALF DOZEN IN A BOX

HALF ROUND SMOOTH FILES

Same as Half Round Pasterd areas to all

4 TO 8 IN. ONE DOZEN, OTHERS HALF DOZEN IN A BOX

HALF ROUND CABINET FILES



These are Half Round in shape, but slightly wider and thinner and have finer teeth than Half Round Wood Files. Double cut. Used for finer work in Cabinet making and Woodworking.

Length, in 8	10	12	14
W't per doz., lbs.— 3	6	9	15
23.55 per dozen\$10.10	13.70	18.70	24.80
Michalcan's nor dozen	13.70	10.10	See 3 a Little
American, per dozen 10.10	13.70	18.70	24.80

8 IN., ONE DOZEN, OTHERS HALF DOZEN IN A BOX

HALF ROUND SHEAR TOOTH OR BABBIT FILES



Similar in shape to the regular Half Round Files, with teeth special. Single cut, being much coarser and deeper than ordinary. Adapted for quick cutting on soft steel, iron, brass castings, wood, marble, and especially for machinists. Makes a "shear cut", rapid, clean and smooth.

Length, in.		2		ě						٠			12	16
W't nor doz	lhs	N	100								 		**	4600000
Per dozen			*									-47	11.80	15.50

HALF DOZEN IN A BOX

HALF ROUND CABINET RASPS



Half Round in form, slightly wider and thinner and given finer teeth than Half Round Wood Rasps. Used by Cabinet Makers and Woodworkers.

Length, in. 8 10 12 14 W't per doz., lbs.—6 11 16

8 IN., ONE DOZEN, OTHERS HALF DOZEN IN A BOX

HALF ROUND WOOD RASPS



The form of this Rasp, half round one side, flat on the other, permits its use on a great variety of work. Employed by Wheelwrights, Carriage Builders, Plumbers, Cabinet, Saddle-Tree, Patterns, Last Makers, Gunstock | Simple | Per dozen | Simple | Simple

HALF DOZEN IN A BOX

FLAT WOOD RASPS



Flat on both sides. Used by the same classes of traas Half Round.

Length, in. W't per doz., lbs.—◎♥️⑩ 8

HALF ROUND SHOE RASPS



Made with punched teeth on half of one side. Doub cut teeth on other half. Cut on ends. Used by Shoemaker for filing the soles and heels of shoes.

 Length, in.
 6
 8
 11


 W't per doz., lbs.—6349
 2
 4
 8

 3449
 8
 10.10
 13
 10.10
 13

 American, per dozen
 8.10
 10.10
 13
 10.10
 13

6 IN. AND 8 IN., ONE DOZEN; 10 IN., HALF DOZEN IN A 10

TANGED HORSE RASPS



Tanged for use with handle. Used by Horse-shoen Farriers, Blacksmiths, etc.

PLAIN HORSE RASPS



Used by Horse-shoers etc.

per dozen



Used by Horse-shoers etc.

Heller Bros., plain, per dozen\$12.80 17.80 24.4

Heller Bros., tanged, per dozen 23.10 32.2

Heller Bros., slim or narrow, length 18 in., w't per doz

30 lbs. per dozen \$25.9

ALL HORSE RASPS HALF DOZEN IN A BOX

SLIM TAPER SAW FILES

Tar to Regular Taper Saw Files but of a thickness the Regular and Extra Slim Tapers. Used for Hand Saws and other small saws.


3	31	4	41	5
1	8	1	4	7
2.10	2.10	2,20	2.30	2.50
2.10	2.10	2.20	2.30	2.50
2.10	2.10	2,20	2.30	2,50
	721237		_	
2,90	3.10	3.80	4.50	6.40
The second second	_	Carpeter Committee		-
	2,10 2,10 2,10 2,10 5\frac{1}{2} 1 2,90 2,90 2,90 2,90 2,90 2,90	2.10 2.10 2.10 2.10 2.10 2.10 2.10 2.10 5\frac{1}{1} \frac{1}{1} 2.90 3.10 2.90 3.10 2.90 3.10 2.90 3.10	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3 3 4 4 4 4 4 4 2 2 10 2 10 2 2 2 2 2 3 0 2 10 2 2 10 2 2 2 2 2 3 0 2 2 10 2 2 10 2 2 2 2 2 3 0 2 2 10 2 2 10 2 2 2 2 2 3 0 2 2 3 0 2 2 10 2 2 10 2 2 2 2 3 0 2 2 3 0 2 2 2 3 0 2 2 2 3 0 2 2 3 0 2 2 2 3 0 2 2 2 3 0 2 2 2 3 0 2 2 2 3 0 2 2 2 3 0 2 2 2 3 0 2 2 2 3 0 2 2 2 3 0 2 2 2 3 0 2 2 2 3 0 2 2 2 3 0 2 2 2 3 0 2 2 3 0 2 2 2 2

EXTRA SLIM TAPER SAW FILES

Tapers but of narrower stock. Adapted very fine tooth saws.

in		. 4	41	8
_ lbs				1
per dozen				
d. per dozen	di alle	2.20	2.30	2.50
on's, per dozen				
TAR A REPORTED				
in	. 01	0		0
doz., Ibs		4	1	11
per dozen	.\$2.90	3.10	3.80	4.50
d, per dozen	.\$2.90	3.10	3.80	4.50
on's, per dozen				
ONE DOZEN IN A		2000	4.34	6,10-3

COMMON TAPER SAW FILES



h	4	41	5	51
doz., lbs.—@ 1 2	3	11	11	2
per dozen			2.60	3.00
on's, per dozen	2.20	2.40	2.60	3.00
per dozen	2.20	2.40	2.60	3.00
= 6	7	8	10	12
doz., lbs.—@7450 21	3	41	8	14
per dozen\$3.40				12.50
on's, per dozen 3.40	4.30	5.40	8.10	12.50
per dozen 3.40	4.30	5.40	8.10	
ONE DOZEN IN	A BOX	and the same		

PIT SAW FILES

high back, half-round shaped file. Single cut. filing the round gullets and teeth in Pit and

æ	SIVE	or si	milar	wor	k,	964	Out	197	3	100		A MAN
8	in.		The March State San		W. / C. **	-71-71	-			 12121		8
		lbs.—										4
90-	gez									 .50	5.10	7.50
		0	NE DO	ZEN	IN	A	B9	$_{\rm OX}$				

DOUBLE ENDER SAW FILES



These are also termed Reversible Tapers, being practi-cally two files in one. Single cut. Used for the same purpose as Taper Saw Files, filing Hand Saws and smaller

Length, in 7	8	9	10
W't per doz., lbs.—@with 11	2	21	35
() per dozen\$3.50	3.90	4.40	4.90
Nicholson's, per dozen 3.50	3.90	4.40	4.90
American, per dozen 3.50	3.90	4.40	4.90
NEW AMERICAN, ONE DOZEN: OTHERS, IN A BOX	HALF	DOZI	TOOT

SLIM BLUNT FILES



A narrow, triangular shaped file, parallel in width, allows greater sweep or stroke. Single cut. Used for filing the firmer or smaller toothed saws.

One Handle Supplied with Every Three Files. Length, in. 4½ 5 5½ W't per doz., lbs. 1 1 19 11 Weed's Special, per dozen \$2.30 2.50 2.90 3.10 3.80 ONE DOZEN (WITH FOUR HANDLES) IN A BOX


GREAT AMERICAN SAW FILES



This is a particular form of file made expressly for filing the special shaped teeth and gullets in the Great American Cross-Cut Saw. It is single cut.

For Disston's Great American Cross-Cut Saws. Length, in. W't per doz., lbs.—②验验 10 6 (per dozen\$7.50 9.10 American, per dozen Z.50 9.10
ONE DOZEN IN A BOX

NICHOLSON'S BANDSAW BLUNT SLIM FILES



CANT OR LIGHTNING FILES



A three-sided file, slightly flattened in form, single cut on each side. Specially used for filing the teeth in Wood or Buck Saws and other saws having M shaped teeth. 5 Hibbard, per dozen 5.40 6.40 8.70 Nicholson's, per dozen 5.40 6.40 8.70

CORRUGATING FILES



DISSTON, 8 in. crucible steel, fine cut, carefully tempered. This file is made especially for barber's use.

No. 8-W't per doz. 41 lbs.per dozen \$5.20

ONE DOZEN IN A BOX

NEEDLE FILES THE TOTAL

Small, slender, extremely fine cut files, made in different forms. Used by Jewelers, Watchmakers, Die Sinkers, Tool Makers and for general superfine work.

Flat.

Three-Square.

Round.

Half-Round.


Knife.

Oval.

Disston's, assorted, 2 each, flat, square, round, half-round and oval, 1 each three-square and knife, length 5% in... per dozen\$4.70

ONE DOZEN IN A' BOX

ASSORTED DIE SINKERS' FILES



No. 5-Three Square. No. 9-Square. No. 10-Crochet. No. 2-Pippin. No. 6-Oval. No. 11-Knife. No. 8-Lozenge. No. 7-Warding.

No. 4-Auriform. No. 8-Half Round. No. 12-Round.

No. 15-31 in., one dozen assorted shapes, flat safe edge, pippin, lozenge, auriform, three square, oval, warding, half round, square, crochet, knife and round—sold in sets Diyper set \$6.30

AUGER BIT FILES

Prices on Application

For Auger Bits of All Sizes.

This file is made especially for the purpose, and will quick and fine work without the danger of ruining the No. 1-7 in., double ender, one end having flat file

smooth edges, the other end being smooth with file e ONE DOZEN ON AN EASEL BACK CARD
WEIGHT 1/2 LB. PER DOZEN

FILE CLEANERS



No. 9-Nicholson's, wood back and frame, hardened tempered steel wire teeth, with scorer, length 10 in, per doz. 31 lbs. per dozen \$13.

HALF DOZEN IN A BOX




No. 1—Hargrave's, wood back and frame, temper steel wire teeth, insuring long service, length 81 w't per doz. 21 lbs.per dozen \$9.

ONE DOZEN IN A BOX



No. 10 BEVAND_Colton's patent file cleaners, steel back frame and face, hardened and tempered, steel wire tee with soft steel pick for removing substances deeply

ONE DOZEN IN A BOX



This brush is made of round tempered steel wire, ir handle and ferrule, and is non-breakable. This is a hand little brush for the tool kit.

Mo. 766-Length 5 in., 11 in. bristles, w't per doz. 2 lb per dozen ONE DOZEN IN A BOX



Useful in engine room, factory farm and household May be used for removing rust if used with a little acid for cleaning brass, iron that needs painting, pots and par-Indispensable in cleaning harvesting machinery, etc., as reaches every nook and corner.

No. 05-Pilley Quick, wire handle, 5 in. long steel bristle 11 in., width 21 in., length 71 in. over all, w't per doz

ONE DOZEN IN A BOX

IBBARD, SPENCER, BARTLETT & CO.

AUGER BITS

etin Haliq



MENNINGS pattern, extra cast steel, extension lips. Inches3-16 4-16 5-16 6-16 7-16 8-16 See don, lbs. 1 12 15 12 2 23 The lasting qualities of these bilavers unequaled Inches 9-16 10-16 11-16 12-16 13-16 Dr per doz., lbs...... 22 3 31 4 41\$8.40 8.40 9.80 9.80 11.50 Inches14-16 15-16 16-16 18-16 20-16 per doz., lbs. 5 5h 6 6h 7h \$11.50 13.30 13.30 16.80 19.60 THE PARTY WELL STORY THE

SETS IN BOXES

HALF DOZEN IN A WOOD BOX

Mo. 72-Sels of Sel Sets of 323 quarters, one each 4-16, 5-16 T-16, 8-16, 9-16, 10-16, 11-16, 12-16, 13-16, 14-16, 16-16 in., w't 3½ lbs.per set \$10.50

pattern, solid centers, extra high grade crucible estension lip, double cutter, patent squared shanks. Inches3-16 4-16 5-16 6-16 7-16 8-16 e doz., lbs. 1 11 11 12 2 21\$6.40 5.70 5.70 5.70 6.40 7.00

Inches ... 9-16 10-16 11-16 12-16 13-16 1 per doz., lbs. 29 3 31 4 4 4 TELES, ILAIS SALES

....14-16 15-16 16-16 18-16 20-16 22-16 24-16 E 5 51 6 61 71 9 10 ..\$11.40 12.80 12.80 15.00 17.00 19.20 22.30

HALF DOZEN IN A BOX

M 전부분.

IRWIN



Extra cast steel, solid center stem, double cutter, extension lips patent squared shanks.

No. 62T-In. .3-16 4-16 5-16 6-16 7-16 8-16 9-16 W't doz., lbs. 1 1 11 11 2 2 23 Per dozen ..\$6.40 5.70 5.70 5.70 6.40 7.10 7.80 No. 62T-In. 10-16 11-16 12-16 13-16 14-16 15-16 16-16 W't doz., lbs. . 22 3 31 31 31 Per dozen ..\$8.50 10.00 10.00 11.40 11.40 12.80 12.80

HALF DOZEN IN A BOX 10, 11, 12, 18, 14, 15 and 16-16, No. 28 bits, w't per set

SETS IN BOXES OR ROLLS

No. 35-12x4\(\frac{3}{4}\)x3\(\frac{1}{4}\) in. varnished hardwood box, containing one set 201 quarters, one each 4-16, 5-16, 6-16, 7-16, 8-16, 10-16, 12-16, 14-16 and 16-16ths Irwin auger bits, w't 4½ lbsper set \$7.30

No. 32-112x62x3 in., handsome hardwood box, containing one set 321 quarters, 4-16, 5-16, 6-16, 7-16, 8-16, 9-16, 10-16, 11-16, 12-16, 13-16, 14-16, 15-16 and 16-16ths, Irwin auger bits, w't 5a lbs.per set \$10.60



IRWIN pattern solid center, extension lip, single cutter, polished coarse screw for fast boring.

A high grade bit, specially designed for Electricians, Plumbers, boring in hard wood and rough work. No. 31 @WB....

Inches3-16 4-16 5-16 6-16 7-16 8-16 9-16 W't, doz., lbs. 1 12 12 12 2 22 22 Per dozen\$6.40 5.70 5.70 5.70 6.40 7.10 7.80

No. 31 646 John Statement Line 1849 18

08.8 08.8

Inches 10-16 11-16 12-16 13-16 14-16 15-16 16-16 W't, doz. lbs. 3 33 4 43 5 Per dozen ...\$8.50 10.00 10.00 11.40 11.40 12.80 12.80 BI-81 01-81 01-1 BALF DOZEN IN A BOX

SETS IN BOXES

No. 332 6 YB Sets of 321 quarters, one each %s, %s, %s, 7/18, 9/18, 19/18, 11/16, 19/16, 19/16, 19/18, 19/18 and 19/16, w't per set 51 lbs. ROSE TOOLS, INC. \$10.60

AUGER BITS

REVONOC



IRWIN pattern, extra cast steel, extension lip, double cutter, black japanned finish, polished edges on twist.

No. 26 REVENDE_

Inches ... 3-16 4-16 5-16 6-16 7-16 8-16 9-16 W't doz. lbs, 1 11 12 12 21 3 Per dozen ..\$5.50 4.90 4.90 4.90 5.50 6.10 6.60

Toches10-16 11-16 12-16 13-16 14-16 15-16 16-16 W't doz., lbs.. 31 31 4 41 5 52 51 Per dozn ...\$7.30 8.50 8.50 9.70 9.70 10.90 10.90 HALF DOZEN IN A BOX

SETS IN BOXES

Oiled hardwood boxes 11x51x21 in.

No. 262—One set of 32½ quarters, one each 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 and 16-16, No. 26 bits, w't per set 2½ lbsper set \$9.50

one set 201 quarters; copped 4-16, 6-16, 6-16, 1-16, 6-16



Extra cast steel, single concaved twist, extension lip.

No. 29—Inches ... 3-16 4-16 5-16 6-16 7-16 8-16
W't per doz., lbs... ½ 1½ 1½ 2 2½ 2½
Per dozen ... \$10.80 9.00 9.00 9.00 9.00 9.00

No. 29—Inches ... 9-16 10-16 11-16 12-16 13-16 14-16
W't per doz., lbs... 3 3½ 4 4½ 5 5½
Per. dozen ... \$10.80 10.80 12.60 12.60 14.90 14.90

No. 29—Inches ... 15-16 16-16 18-16 20-16 24-16
W't per doz. lbs... 6½ 6½ 8 8½ 11½
Per dozen ... \$17.10 17.10 11.60 25.20 32.40

SETS IN BOXES

No. 29—Sets of 32½ quarters, one each 4-16, 5-16, 6-16, 7-16, 8-16, 9-16, 10-16, 11-16, 12-16, 13-16, 14-16, 15-16 and 16-16ths in., in hardwood box per set \$13.50 3-16 TO 20-16THS, HALF DOZEN: 24-16THS, THIRD DOZEN IN A BOX

CRUSO JAPANNED AUGER BITS



Cast Steel, Solid Center, Extension Lip, Double Cutter. No. 062—Cruso,
Inches ... 3-16 4-16 5-16 6-16 7-16 8-16 9-16

W't, doz., lbs. 1 1½ 1½ 1½ 2 2½ 2½ Per dozen ..\$4.50 4.00 4.00 4.00 4.50 4.50 5.00

Inches ...10-16 11-16 12-16 13-16 14-16 15-16 16-16 W't, doz., lbs. 21 3 31 4 41 42 51 Per dozen ..\$5.60 6.50 6.50 7.80 7.80 8.50 8.50 HALF DOZEN IN A BOX

IN SETS

No. 062—Cruso, sets of 32½ quarters, one each 4-16, 5-16, 6-16, 7-16, 8-16, 9-16, 10-16, 11-16, 12-16, 13-16, 14-16, 15-16 and 16-16 in., wt 5 lbs. per set \$6.50

PUGH AUGER BITS



Hand made from highest grade crucible steel. Bores exact size, double spur, natural finish twist. Used especially in car and railroad shops, and by high class mechanics, but are well adapted for all general purposes. The lasting qualities of these bits are unequaled by any on the market.

No. 72-

 Inches
 ...
 4-16
 5-16
 6-16
 7-16
 8-16
 9-16
 10-16

 W't, doz., lbs.
 1
 1½
 1½
 1½
 2
 2½
 2½

 Per dozen
 ...
 \$17.60
 17.60
 17.60
 17.60
 17.60
 19.60
 21.90

No. 72-

W't, doz., lbs. 31 31 32 4 41 42

Per dozen\$24.00 26.30 28.50 30.60 32.80 35.00

HALF DOZEN IN A BOX.

SETS IN BOXES

ONE SET IN A BOX

RUSSELL JENNINGS AUGER BITS



Extra Cast Steel, Extenson Lips.

No. 24-

Inches ... 3-16 4-16 5-16 6-16 7-16 8-16 9-18 W't, doz., lbs. 2 11 12 12 2 21 22 Per dozen ..\$11.40 9.50 9.50 9.50 9.50 9.50 11.40

No. 24-

Inches ...10-16 11-16 12-16 13-16 14-16 15-16 16-18 W't, doz., lbs. 3 3½ 3½ 3½ 4½ 5 5½
Per dozen ...\$11.40 13.30 13.30 15.70 15.70 18.00 18.00
3 TO 12-16THS, ONE DOZEN; 13 TO 16-16THS, HALF DOZEN IN A BOX


IN SETS

Mo. 200 Inches

W't mer don, this

andonl

AUGER BIT SETS



Surfeesh.

Eartlett cherry finished wood boxes with compartfor each size bit.

No. 15 CVB-Extra Cast Steel.

213-11x6x2 in., one set of 321 quarters, one each 4, 5, 5 7, 8, 9, 10, 11, 12, 13, 14, 15 and 16-16 in., w't per set,

5-11-51-11 in., one each 4, 6, 8, 10, 12 and 16-16 in., per set 3 lbs.per set \$5.80

1-11×7×14 in., one each 4, 5, 6, 8, 10, 12, 14 and 16-16

AUGER BIT SETS

\$26.00 28.00 28 00 28 00 32.50 35.00 NOU A MU AUXILLE DOZING LIMI



auger bits are made from extra quality tool they are carefully forged so that the steel may be miform density and every precaution is taken to sestrength at the points of strain. The tempering is by the most accurate, modern method. The lips, their cutting edges and give the greatest amount partice, patent square shanks that center accurately center of bit, or-or


No. 20 Irwin Pattern.

Sets or 201 quarters, one each 4-16, 5-16, 35-16, 7-16, 8-16, 10-16, 12-16, 14-16 and 16-16 in., and screw driver bit, w't per set 41 lbs. ...per set \$7.30

Sets of 321 quarters, one each 4-16, 5-16, 5-16, 7-16, 8-16, 9-16, 10-16, 11-16, 12-16, 13-16, 14-16, 13-16, 14-16, 13-16, 14-16, 13-16, 14-16, 14-16, 15-16, 14-16, 15-16

LOOSE

AUGER BIT SETS



Consists of No. 20 CM Bits.

No. 500 @ Size 10 x42 x12 in., one each 4, 5, 6, 8, 10 and 1% in., w't 1½ lbs.per set \$4.40

CRUSO AUGER BIT SETS




Consists of six japanned solid center bits.

REWIN PATTERN SHIP AUGER-CAR BITS

No. 600—Cruso, 10½×4½×1½ in., one each 4, 5, 6, 8, 10 and 1%; in. in slide cover box, w't 1½ lbs. per set \$3.00

AUGER BIT ROLLS



Canvas case only, leather bound, leather strap and buckle.

Nos. Chile Continuent Continuent	3 2
Size, in	×11 12×10
To hold bits	13 6
W't doz. lbs	31 21
Per dozen\$15	.40 10.80

BARTLETT AUGER BIT BOXES

Nos	1 90.7	4.5				5										16	18	013
Bits			 		. 5	2										6	8	13
Por	each, l	bs.	**	*			12			,,	,	*		 *	*	 1 50	15 60	10 90

LOOSE

IRWIN PATTERN CAR BITS

The property of the second

Extra Cast Steel, Solid Center Stem, Double Cutter, Extension Lip, 12 Inch Twist, No. 40 CWD-Inches 4-16 5-16 6-16 7-16 8-16 No. 40 @WD_Inches 9-16 10-16 11-16 12-16 No. 40 @VD-Inches17-16 18-16 20-16 HALF DOZEN IN A BOX

IRWIN PATTERN SHIP AUGER CAR BITS



Extra Cast Steel, Solid Center, Full Polished. 8 in. Twist, 12 in. Over all.

No. 53—Inches6-16 7-16 8-16 9-16 10-16 11-16 W't, doz., lbs. 2 2½ 3 4 4½ 5 Per dozen\$8.25 8.25 8.25 10.00 10.00 11.50 No. 53-Inches..........12-16 13-16 14-16 15-16 16-16

12 in. Twist, 18 in. Over all

No. 55—In. . . 6-16 7-16 8-16 9-16 10-16 11-16 12-16 W't doz., lbs. 4 4½ 5½ 6 7 7½ 8 Per dozen .. \$9.00 10.00 11.25 12.50 13.75 15.00 16.75 No. 55-Inches 13-16 14-16 15-16 16-16 17-16 18-16 W't, doz., lbs. ... 9 10 10½ 11 12 13 Per dozen\$17.50 19.00 20.50 22.00 24.00 26.00 HALF DOZEN IN A BOX

SNELL'S SHIP AUGER PATTERN CAR BITS

- TELEVISION OF THE

Superior Cast Steel, with Screw, Black Twist, Polished Edges and Shank, 8 in. Twist.

No. 507—Inchees .. 6-16 7-16 8-16 9-16 10-16 11-16 W't doz., lbs. 2½ 3½ 4 5 5½ 6½

Per dozen\$10.00 10.00 10.00 10.00 10.00 11.00 No. 507-Inches ..12-16 13-16 14-16 15-16 16-16 17-16

W't doz., lbs. 7 8 9 10 12 Per dozen\$11.00 12.00 12.00 13.00 13.50 15.00

12 In. Twist. No. 509-Inches 6-16 7-16 8-16 9-16 10-16

HALF DOZEN IN A BOX

SNELL'S CAR BITS

104444444444

Superior cast steel, extension lip, 12. in. polished twist. HALF DOZEN IN A BOX

PUGH CAR BITS

1866666666666666

Hand made to exact size from highest grade crucible steel. Double spur natural finish twist. Because of their great lasting qualities they are preferred by many for use in car and railroad shops and by high grade mechanics. Especially adapted for boring hard wood.

6 IN. TWIST

Inches ... 6-16 7-16 8-16 9-16 10-16 11-16 12-16 W't, doz. lbs. 21 3 31 31 4 41 5 Per dozen ..\$22.00 22.00 22.00 25.00 28.00 30.50 33.00

9 IN. TWIST

No. 178-W't, doz., lbs. 3 3½ 4 4½ 5 5½ 6½ Per dozen ..\$26.00 26.00 26.00 29.00 32.50 35.00 39.50

SNELL'S SHIP AUGERS





Superior Cast Steel, Japanned Inside, Polished Edges and Shank,

Inches 6-16 7-16 8-16 9-16 10-16 Twist, in. 8½ 9 9½ 10½ 11½ W't per doz., lbs. 2½ 3 4 6 7½

No. 541—With screws, dozen\$11.00 11.00 11.00 11.00

No. 542—Without screw, dozen\$13.20 13.20 13.20 13.20 13.20 13.20 Inches11-16 12-16 13-16 14-16 15-16

No. 541-With screw,

dozen\$12.00 12.00 13.00 13.00 14.50

No. 542—Without screw, dozen\$14.40 14.40 15.60 15.60 17.40 Inches16-16 17-16 18-16 19-18

No. 541-With screws, dozen ..\$14.50 16.00 16.00 18.00 No. 542-Without screws, doz. \$17.40 19.20 19.20 21.60

Inches20-16 24-16 28-16 32-16

No. 541-With screws, dozen ..\$18.00 23.00 32.00 45.00

No. 542—Without screws, dozen \$21.00 4-16 TO 16-16TH HALF DOZEN; OTHERS QUARTER DOZEN IN A BOX

SNELL'S SHIP AUGER BITS



Cast Steel, with Screw, 5 Inch Polished Twist. 503—Inches 4-16 5-16 6-16 7-16 8-16 503—Inches 9-16 10-16 11-16 12-16 HALF DOZEN IN A BOX

SHIP AUGERS



Cast Steel, Solid Center, Full Polished, With Screw Ter disen\$15.00 15.00 15.00 18.00 18.00 21.00 II—Inches12-16 13-16 14-16 15-16 16-16 The discer\$30.00 30.00 33.00 33.00 42.00

HALF DOZEN IN A BOX

BIT EXTENSIONS

5-Inches 12 a per doz., lbs. 6 81 11 The financia\$32.00 32.80 33.60 34.60 35.60 I mesions will follow i in, bit and longer.

ONE IN A BOX

STEER'S EXPANSIVE AUGER BITS



Polished, Two Cutters, Micrometer Screw Adjust-Cutters are Toothed and Will Not Slip or Creep.

le to 2 in. cut, w't per doz. 41 lbs., THE BOXES\$48.60 I to 3 in. cut, w't per doz. 81 lbs.,

COVE IN A BOX; HALF DOZEN IN A CARTON

Extra Cutters.

1 2 3 \$1 and 2 are adapted to small, Nos 3 and 4 are lighted to large bits.

ONE DOZEN IN A BOX

EXPANSIVE AUGER BITS



Extra Fine Tool Steel, Gun Metal Finish, Polished Cutters, Carefully Tempered, with Two Cutters.

The bits are made of an extra fine tool steel, carefully tempered cutters are accurately fitted to bits and are as high grade as can be made.

No. 100 @WE _Small, & to 11 in. cut, w't per doz. 3 lbs., ONE IN A BOX; HALF DOZEN IN A CARTON

Extra Cutters.

Nos. 11 12 13

SPECIAL EXPANSIVE BITS



Extra Fine, Tool Steel, Full Polished, Carefully Tempered, with Two Cutters.

The cutter intermeshes with a cross feed screw, which is firmly held and is forced into a dovetail and directly against the stem of bit.

It is impossible for the cutter to move while the bit is in operation. The cutter itself is of special construction, having a uniform bevel or cutting edge its entire length.

These bits are patented and have the latest and most

improved features, as high grade a bit as can be made. No. 150 W Small, 8 to 12 in. cut, w't per doz. 41 lbs., per dozen,\$58.50

Extra Cutters. Nos. 21 22 23 24 25 Nos. 21 and 22 are adapted to small, balance to large bits. ONE DOZEN IN A BOX

CLARK EXPANSIVE AUGER BITS



Highly Polished, Two Cutters. Small, 1 to 11 in. cut, w't per doz. 6 lbs., per dozen\$28.80 Large, % to 3 in. cut, w't per doz. 8 lbs., per dozen\$41.60

ONE IN A BOX; HALF DOZEN IN A CARTON

Extra Cutters.

adapted to large bits.
ONE DOZEN IN A BOX

CARPENTERS' NUT AUGERS



Solid Center, Superior Cast Steel, Full Polished, Double Center 10 in. Twist, 18 in. Over All. No. 74 @WD_

Inches 1 1½ 1½ 1¾ 2 2½ 2½ W't, doz., lbs. 10 14 18 22 26 30 33 Per dozen ..\$23.90 30.60 39.60 46.80 54.00 61.20 68.40 QUARTER DOZEN IN A BOX



REVENOC Solid Cast Steel, Brass Nut, Full Polished Shank. HALF DOZEN IN A BOX

BORING MACHINE AUGERS



1 In. Shank, 81 In. Twist, Will Fit Any Make of Machine. Per dozen\$22,50 28.50 36.00 48.00

In Sets.

Sets of 18 quarters, 1, 11 and 2 in.per set \$8.80 QUARTER DOZEN IN A BOX

IRWIN BORING MACHINE AUGERS



Solid Center Stem, Double Cutter, Extension Lip. I IN. ONE DOZEN; 11/2 IN., HALF DOZEN; 2 IN., QUARTER

DOZEN IN A BOX

DOWEL SHARPENERS



No. 22-Stanley's, improved, w't per doz. 1 lb., per dozen


HALF DOZEN IN A BOX

DOWEL BITS



ONE DOZEN IN A BOX

PLUG CUTTERS



Polished knives, made from high grade tool steel carefully tempered. Knives are held in place by a steel band and easily replaced. These are used for cutting plugs where it is necessary to cover the heads of screws on all work requiring a fine finish.

HALF DOZEN IN A BOX


HOLLOW AUGERS



No. 4 — Adjustable, japanned disc with nickel trimmings, cuts a to 1 in., w't per doz. 20 lbs.,

per dozen\$24.00


SIXTH DOZEN IN A BOX



No. 33—Stearns', adjustable to any size from 4 to 14 in. in diameter and to depth of 3 in., japanned and painted red, polished edges, nickel plated thumb screws, w't per doz. 21 lbs., per dozen ... \$104.00

SIXTH DOZEN IN A BOX

SPOKE POINTERS



No. 1-Stearns', with graduated adjustable shank and cast steel adjustable knife, w't per doz. 15% lbs., per dozen.... \$19.20

HALF DOZEN IN A BOX

BREMASH OHIO GIMLET BITS



Double cut, hammer forged from best crucible steel, tempered and polished.

Each bit is carefully tested at factory and is fully war-Made exact size as listed.

ONE DOZEN IN A BOX. AVERAGE W'T 8 OZ.

German Pattern, Forged Steel, Straw Colored.

30 CFB—Inch. 2-32 3-32 4-32 5-32 6-32 7-32

dozen\$3.20 3.20 3.20 3.20 3.20 3.20 10-32 12-32 Asst'd 2 to 8 3.20 3.30 3.60 3.20 DOZEN IN A BOX. AVERAGE WT 12 OZ. PER DOZEN

German Pattern, Forged Steel, Straw Colored. dozen\$2.40 2.40 2.40 2.40 2.40 E-Inch7-32 8-32 9-32 10-32 Asst'd Ter disters\$2.40 2.40 2.40 2.40 2.40 DOZEN IN A BOX. AVERAGE W'T 12 OZ. PER DOZEN

SCREW DRIVER BITS



shank, hammer forged from extra fine tool steel,

One dozen in a box assorted as follows, I my 1 in., 2 only 1 in., 4 only 1 in., 5 only 16 in., w't ONE DOZEN IN A ROX STRAIGHT SIZES

See See\$5.60 5.60 5.60 5.60 ONE DOZEN IN A BOX




shank hammer forged tool steel, straw colored,

One dozen in a box assorted as follows, 3 only = 6 only 8 in., 3 only %6 in., w't per doz. 1 lbs.,



Bound Shank, Cast Steel, Polished, Extra Quality. One dozen in a box assorted as follows, in. and 5/16 in., w't per doz. 1 lb.,

ONE DOZEN IN A BOX\$3.00



MISTON'S, round shank, crucible tool steel, polished. Assorted one dozen in a box as follows: 4 each and 2 in., w't per doz. 1 lb. per dozen \$3.60 ONE DOZEN IN A BOX

COUNTERSINK BITS



Double Cut.

No. 35 CWD-1x31 in., snail head, for wood, hammer forged from finest tool steel, straw colored, w't per doz. 1 lb.per dozen \$4.60



No. 32-American, \$x31 in., snail head, cast steel, polished, round shank, for wood, w't per doz. 11 lbs., per dozen

ONE DOZEN IN A BOX



Rose head, for metal, hammer forged from finest tool steel, milled teeth, straw colored.

W't, doz., lbs. Per dozen\$5.00 6.00

ONE DOZEN IN A BOX



No. 30-American, 1×3% in., rose head, cast steel, polished, round shank, for metal, w't per doz. 1 lb., per dozen

ONE DOZEN IN A BOX



No. 20.

WHEELER'S, cast steel, nickel plated, size 1x4 inches, round shank, for wood.

No. 18-Without gauge, w't per doz. 1 lb., per dezen No. 20-With gauge, w't per doz. 11 lbs., per dozen

ONE DOZEN IN A BOX

COUNTERSINK GIMLET BITS



For screws, in. 1 1 12 2 Asst'd 0 to 3 11 1 to 1h Per dozen\$4.60 4.60 4.60 4.60 4.60

ONE DOZEN IN A BOX. AVERAGE W'T 8 OZ. PER DOZEN



Polished Cast Steel.

No. 12-One dozen in a box, assorted as follows, 3 each sizes 0, 1, 2, 3, for screws 2 to 15 in., w't per doz. 12 oz., ONE DOZEN IN A BOX per dozen ...

BBARD, SPENCER: BARTLETT &

REAMER BITS

MANUAL PROPERTY OF THE PARTY OF

G to, square, hammer forged from finest tool steel, straw colored.

No. 342-German, square, cast steel, straw colored, w't per doz 11 lbs. per dozen \$2.00

No. 2 OVE-1 in., octagon, hammer forged from finest tool steel, straw colored, w't per doz. 17 lbs., per dozen ONE DOZEN IN A BOX



Lighting taper, round shank, fine steel, for bit brace. No. 460—Inch 1-4 5-16 3-8 7-16 1-2 9-16 W't per doz., lbs. .. 1 1 1 1 2 2 2 2 Per dozen\$9.60 9.60 10.40 11.20 12.00 12.80 No. 460—Inch 5-8 11-16 3-4 7-8 1
W't per doz., lbs. 33 44 6 8 104
Per dozen \$15.20 17.60 23.50 28.00 36.00
HALF DOZEN IN A BOX

BURRING REAMERS



LIGHTNING

Bit stock, spiral fluted, made from finest steel. Are designed especially for removing burrs caused in cutting pipe. Extensively used for countersinking. Great care taken in tempering to adapt them to a variety of metals Nos. 241 242 242½ 244

Length, in. 3½ 4½ 4½ 5½

For pipe, in. ½ to ½ ½ to 1½ to 1½ ½ to 2

W't per doz., lbs. 1½ 5 5½ 18

Per dozen ... \$21.60 25.20 30.60 64.80

ONE IN A BOX

GENUINE CRITCHLEY EXPANDING REAMERS



These Reamers have six cutters made of special allog Semi-High Speed Steel, fitted to parallel slots cut lengthwise in the shaft of the Reamer. These slots are of sufficient depth that when the blades are forced up to their extreme limit they are sufficiently deep to hold firmly so that blades will not spring out.

Blades are beveled on each end and are confined to their place by special nuts. To increase the diameter of Reamer, it is only necessary to slack up on one nut and screw up on the other. Body of Reamer made of too steel nicely finished. These Reamers are especially valuables. able in garages and machine shops.


Nos. 19 20 Expansion, in. 2764 7/16 1 1 9/16 1 1 1/16 to see to to to to Length, in... 54 54 54 54 W't, doz., lbs. 2 2 2 3 4 43 Per dozen • \$86,40 86.40 86.40 86.40 91,20 91.20 26 27 Nos. 25 1346 Expansion, in. 4 7 1 13 11 to to to to to Length, in. . . 7 71 W't, doz., lbs. 61 8 Jack 8-1 11 17/16 9 10 11 14% 28 10 201 Per dozen .. \$96.00 96.00 105.60 111.40 134.40 153.60



IN SETS

No. 10-Set consists of ten reamers. Nos. 20 to 29 inclu-

WOOD HEAD GIMLETS



No. 1 @WB-German Pattern, bit point, hammer forged from dest tool steel, oil tempered, cocobola handle, assorted 4 to 8-32 in., w't per doz. 5 oz.per dozen \$3.30 No. 200 RWSER-Rosewood handle, sizes assorted 1 to 4, w't per doz. 10 oz.per dozen \$2.90 THREE DOZEN IN A BOX

GROSS IN A BOX

Beech handle, double cut.

No. 2-Small, size 2, 1%4 w't per gro. 5 lbs., per dozen \$2.00

No. 3-Medium, size 5, 13/64 in., w't gro. 5 lbs. per dozen \$2.00

No. 4-Large, size 4, 1%4 in., w't per gro. 8 lbs. ... per dozen \$2.00

No. 14-Sizes assorted, 1 to 4, 11/64 to 11/64 in., w't per gro, 6 lbs., per dozen\$2.00

QUARTER GROSS IN A BOX



Nos. 010 and 20.

No. 22—Spike, assorted sizes, 2, 3 and 4, 1%4 to 1%4 in., small medium and large, w't per gro. 18 lbs., per dozen\$1.50

No. 010-Nail, assorted sizes, 1, 2 and 3, %4 to 1%4 in., small medium and large, w't per gro. 7 lbs.,

per dozen\$1.40 No. 20—Nail, assorted sizes, 2 and 3, 11/64 and 11/64 in., medium and large, w't per gro. 81 lbs.,

per dozen O. 22 QUARTER GROSS; OTHERS, HALF ROSE TOOLS, INC.

TWIST DRILLS IN SETS



Wood pocket case, \$\circ{1}{2}\cdot \text{2}\cdot \text{6-32}\cdot \text{7-32}\cdot \text{8-32}\cdot \text{4-32}\cdot \text{8-32}\cdot \text{6-32}\cdot \text{7-32}\cdot \text{8-32}\cdot \text{10-32}\cdot \text{and 12-32}\cdot \text{in.}

OMD

No. 3A—For wood, w't per set 3 lb., per set\$3.70

No. 5A—For iron, w't per set 2 lbs. . . per set 4.35

ONE SET IN A BOX

STANDARD



Nos 1	2	3
10	12	15
Size of drill socket, square taper, in 1	1	1
Length of head, in 6	63	72
reed, in 25	21	3
w t each, lbs	6	83
macn\$5.75	7.25	9.00
No 1 coalest in 2 in	1000	THE RESERVE AND ADDRESS OF THE PERSON NAMED IN

No. 1 socket is § in. square at small end, § in. at large end. No. 2 socket is § in. square at small end, § in. at large end. LOOSE

FEED SCREW AND TAPER SOCKET FOR

TAPER SHANK DRILL	LS	The second	
Nos	1MI	2M	3M
Length, in.	10	12	15
LITHI SOCKET, In.	9	3	3
Takes taper shank drills, in	2964	5964	59/84
	to	to	to
Tenoth of hard to	29/32	11	11
Pand in	6		
Wet cook the	21		
Fach	44	6	84
	\$5.75	7.25	9.00
ONE IN A BOX			,oH
Feed, in. W't each, lbs.	6 21 41	62 24	71 3 81

DRILL CHUCKS



The three steel jaws are carefully adjusted in a socket to keep them in place and are so arranged as to open and close with the loosening or tightening of the chuck upon the spindle.

*o. 7—Miller Falls, for post drills, polished, nickel plated steel, knurled sleeve, 2½×½ in., shank capacity 0 to ½ in., round shank drills, w't 1½ lbs. each \$3.00

ONE IN A BOX

TWIST DRILLS





TWIST DRILL



EXTRA LENGTH DRILL

FOR BELL HANGERS AND ELECTRICIANS

Bit stock for wood, will drill through plastering, bricks, etc., can be sharpened, \(\frac{9}{16} \times \frac{3}{2} \times \frac{1}{2} \times \f

TWIST DRILLS

BIT STOCK, FOR WOOD AND IRON



Size Shank 3/6×8×11 in	Size	Shank	3/16×1×1	in.
------------------------	------	-------	----------	-----

No. 108-109-In. 1-16 3-32 1-8 7 1 11 2 W't per doz., lbs. . . . h · F Per dozen\$2.50 2.70 3.00 4.00 3.50 5-16 13-32 No. 108-109-In., 1-4 11-32 9-32 18 11 187 W't per doz., lbs. . . . 1 to 15 11 Per dozen\$5.00 6.00 7.00 8.00 No. 108-109-In. 7-16 15-32 1-2 9-16 5-8 3-4 W't per doz., lbs. . . . 2 23 23 23 3 Per dozen\$10.50 11.75 13.00 15.50 18.00 24.00 ONE DOZEN IN A BOX

No. 13—Sets of nine, one each 1/16, 1/2, 1/2, 1/16, 1/32, 1/4, 1/16 and 1/8 in., w't per set 2/2 lbs. per set \$4.25

ONE SET IN A BOX

STUBBS' STEEL WIRE GAUGE, STRAIGHT SHANK



No. 107-

Gauge1to5 6to10 11to15 16to20 21to25 26to30 Avg. 1gth, in. 4 311 31 31 31 21 Per dozen ...\$2.75 2.50 2.25 2.00 1.90 1.80

No. 107-

Gauge31to40 41to45 46to50 51to55 56to60 61to65

Avg. lgth., in. 2½ 2½ 2½ 1½ 1½ 1½ 1½

Per dozen ..\$1.75 1.70 1.65 1.60 1.55 1.50

ONE DOZEN IN A BOX

MOUNTED SETS

ONE SET IN A BOX

PATENT INCREASE, STRAIGHT SHANK



101 103 11 Length, in. Length, in. 8 82 89 91 99 10 Each\$1.30 1.40 1.60 1.80 No. 104B-104-In. 7-8 15-16 10 102 11\$2.60 3,50

ONE DOZEN IN A BOX

JOBBERS' AND MACHINISTS', STRAIGHT SHANK



No. 105-In. 1-16 5-64 3-32 7-64 9-64 Page 118 W't per doz., lbs.... 1/18 1/10 Per dozen\$1.60 1.65 1.70 1.75 No. 105-In. 5-32 11-64 3-16 13-64 31 31 Length, in. 31 31 W't per doz., lbs. .. 1 1 1 8 Per dozen\$1.90 2.00 2.25 2.50 5-16 21-64 No. 105-In. 1-4 17-64 9-32 19-64 48 1 7 00 V10 Per dozen\$3.25 3.50 3.80 4.00 4.35 No. 105-In. 11-32 23-64 3-8 25-64 13-32 27-64 Length, in. 42 47 5 W't per doz., lbs. . . 18 17 15 51 51 W't per doz., lbs. .. 19 19 13 Per dozen\$5.05 5.50 6.00 6.50 7.00

ONE DOZEN IN A BOX

MOUNTED SETS

No. 5—29 drills, all sizes from 1/16 to 1/2 in., w't per set 3 lbs.per set \$15.00

ONE SET IN A BOX

TAPER SHANK, PATENT INCREASE



No. 104-102-In. 3-16 1-4 9-32 5-16 11-32 13-32 7 61 67 Length, in. .. 6 61 61 61 .80 .90 Each\$0.50 .60 .65 .70 .75 No. 104-102-In... 7-16 15-32 1-2 17-32 9-16 19-32 Length, in. 71 71 81 74 Each\$1.00 1.10 1.20 1.30 1.40 No. 104-102-In... 5-8 21-32 11-16 23-32 3-4 25-32 Length, in. 83 9 91 99 1.90 Each\$1.60 1.70 2.00 1.80 2,10 No. 104-102-In. . 13-16 27-32 7-8 29-32 15-16 31-32 Length, in. 10 101 10% 109 109 10% Each\$2.20 2.40 2.60 2.80 3.00 3.25 No. 104-102-In... 1 11 11 14 11 Length, in. 11 111 112 12 123 143 Each\$3.50 4.00 4.50 5.00 5.50 6.00 11 15 Length, in. 145 149 Each\$6.50 7.50 8.05

ONE DOZEN IN A BOX

BBARD, SPENCER, B

TWIST DRILLS

BLACKSMITHS'



For Nos. 1 and 2 Prentice Drill Presses, Shanks 21 Inches Long, 1 Inch in Diameter.

112-						
E 1-8	5-32	3-16	7-32	1-4	9-32	5-16
Length, in 47	51	54	6	6	6	6
Each\$0.45	.45	.50	. 55	.60	.65	70
mon 112-				1275,3246		
<u>11-32</u>	3-8	13-32	7-16	15-32	1-2	17-32
mength, in 6	6	6	6	6	6	6
Each\$0.75	.80	.85	.90	. 95	1.00	1 05
No. 112-	- Andreada	200	100	100	2.00	1,00
E 9-16	19-32	5-8	21-32	11-16	23-32	3-4
Length, in 6	6	6	6	6	6	6
Each\$1.10	1.20	1.30	1 40	1 50	1 60	1 70
No. 112-	A.LEC.	ALOU	4.10	1.00	1.00	1.10
In	CLIBITI			2 30.132	7-8	1
Length, in	1000	1001.0			6	· G
Each	S SPECIAL	1100000			\$2 10	2 50
- ACALLS	ONE I	OZEN	IN A	BOX	Ψ2.10	2.50


MACHINISTS' HAND TAPS




Taper U. S. S. Threads. in., 32 threads, right hand, w't 1 lb.each \$0.35 1-16 in., 32 threads, right hand, w't 1 lbs.....each



Taper.



Plug.




Bottoming.

U. S. S. RIGHT HAND TAPER, PLUG AND

2011011	HIESE.		of Marian States		
Diameter, in	1-4	5-16	3-8	7-16	1-2
hreads to inch	. 20	18	16	14	13
Tt, OZ	à	4	4	11	19
ach	0.45	,50	1.55	.60	.70
set of three each Taper, Plu	ig an	d Bot	tomin	g,	C. Carrier
THE RESERVE THE PARTY NAMED IN COLUMN	1.35	1.50	1.65	1.80	2.10
Diameter, in	9-16	5-8	3-4	7-8	1
treads to inch	12	11	10	9	8
- L OZ	21	3	5	75	10
ach	0.80	90	1.20	1.60	2.00

set of three, one each Taper, Plug and Bottoming, \$2.40 2.70 3.60 4.80 6.00 when ordering state whether single or set is wanted. LOOSE

BLACKSMITHS'



For Coe's and No. 3 Prentice Drill Presses, Shanks 24 Inches Long, 41-64 Inch in Diameter.

No. 110-Diam., in. 1-8 5-32 3-16 7-32 1-4 9-32 No. 110-Diam., in.5-16 11-32 3-8 13-32 7-16 15-32 No. 110-Diam., in.1-2 17-32 9-16 19-32 5-8 21-32 Length, in. 6 6 6 6 6 6 Each\$1.10 1.15 1.20 1.25 1.30 1.40 No. 110-Diam., in.11-16 3-4 13-16 7-8 15-16 1 Length, in. 6 6 6 6 6 6 Each\$1.50 1.70 1.90 2.10 2.30 2.50

TAPS

MACHINE SCREW



Threads to inch 56 Each\$0.45 .40 .40 18 All the above numbers weigh less than an ounce.

LOOSE S. A. E. PLUG HAND TAPS FOR AUTOMOBILE USE

AND THE RESERVE OF THE PARTY OF		11100		- FE		
Diameter, in 1	-4	5-16	3-8	7-16	1-2	9-16
Threads to in 2	28	24	24	20	20	18
W't., doz	1	3	9	14	19	21
Each\$0.	45	.50	.55	.60	.70	80
Diameter, in			1700	100	5-8	3-4
Threads to in				Herman	18	16
W't., doz			001000000	200000	3	5
Each	HAR.	用证证			en on	1 20

BLACKSMITHS' TAPER



RIGHT HAND

Diameter, in. 1-4 5-16 3-8 7-16 1-2 Threads to inch ... 20 18 16 14 12,14 12,14 Each ... \$0.45 50 55 60 70 90

Specify Size Thread When Ordering.

HALF DOZEN IN A BOX

STOVE BOLT



Diameter, in. Threads to inch 24 18 18 W't, oz. 9 1 Each LOOSE\$0.35

BEAVER PIPE STOCKS AND DIES



No. 4-Bever ratchet stock consists of only three parts. Is an easy-working receding die stock using narrow dies that ease the labor as the thread is cut; threads 1, 11, 11 and 2 in. pipe, in addition 1 or 1 in. die heads can be furnished for this set; w't per 24 lbs., per set

Extra Die Heads for No. 4-1 or 2 in., ... each \$5.50

STOCKS AND DIES



With Set Screw at End.

No. 23-3 sets of dies, 3 taps, one each \$x14, \$x10, 1x9 right hand, w't 81 lbs.per set \$12.00 No. 37-3 sets of dies, 6 taps, one each 1x22, 16x22, 8x18 1/6×18, 1×14, 1×14 right hand, w't 4 lbs., No. 37A-3 sets of dies, 6 taps, one each 1x16, %6x16, 1x14.

7/16×14, 1x12, 8x12, w't 31 lbs.per set \$10.20 No. 37B-3 sets of dies, 6 taps, one each 1x18, %6x18, \$x16,

7/16×16, 1x14 and 1x14 right hand, w't 31 lbs., No. 41-3 sets of dies, 6 taps, one each 3/6×26, 3×26, 3×20,

%ex20, %ex16, ex16 right hand, w't 2 lbs., per set

No. 53-4 sets of dies, 4 taps, one each 1x32, 3/16x24, 1x20, %6×16 right hand, w't 1 lb.per set \$6.60

ONE SET IN A BOX

PIPE STOCK AND DIES



REED'S, Complete with Right Hand Dies.

All Reed stocks are made of malleable iron, all parts interchangeable, bushings are all machined, handles polished, and the ends carefully rounded.

\$8.80	No. 0SP—for pipe \$, \$, \$ and \$ in., w't 5 lbs., per set
lbs.,	No. 1SP—For pipe, 1, 2, 1, 2 and 1 in., w't 182 per set
	No. 1 SP—For pipe 3, 1 and 11 in., w't 20 lbs.,
rew, w't 27	No. 2SP—For pipe 11, 11 and 2 in. with lead scr

TAP WRENCHES



For Hand Taps, Hardened and Tempered Jaws, Ground and Polished Knurled

Nos	07	6	5
For taps	.0to14	\$ to 3/16	5to16
W't per doz., lbs			
Per dozen	.\$6.00	12.00	9.00

HALF DOZEN IN A BOX

"YANKEE" RATCHET TAP WRENCH

Right and Left Hand and Rigid



distinguishing features are its adaptability, connience, and efficiency for working in close quarters, corners, and inaccessible places.

No. 1251

The ratchet

mechanism is the same construction used in other "Yankee" Tools. With the shifter at top, it is left hand; at bottom, right hand; and in center, rigid, as ordinary Tap wrench.

The crossbar is held central by a friction

device and of ample leverage for even larger

taps than the chuck will hold.

A knurled thumb piece at top of Wrench affords a ready means of starting in and backing out the tap quickly. In the end of this thumb piece is a countersunk hole to use Tap Wrench on lathe center when desired, for holding small drills, etc.

The cross arm can be readily withdrawn, so that little room is taken up in tool chest or drawer. The ratchet and pawls are made of tool steel, hardened

and tempered. The chuck has harden steel jaws. No. 250-Holds up to \$16 in. Taps, outside diameter of chuck 3 in., length over all 31 in., w't per doz. 41 lbs.

per dozen No. 1251—Same as No. 251 except length over all is 13 in.

for work in steel cars, etc., and where long reach is necessary, w't per doz. 104 lbs.per dozen \$50.40

ONE IN A BOX

TAP AND REAMER WRENCHES



Handles made from best steel tubing, capped and knurled,

fine steel jaws, gun-metal linish.			
Nos	28	29	42
Length, in	11	16	21
For taps	%16 to #	1 to 2	1 to 1
W't per doz., lbs	. 9	24	27
Dan James	\$75 60	96 40	100 00


ONE IN A BOX

HIBBARD SPENCER BARTLETT & CO.

PIPE STOCKS AND DIES



2A—Reed's, adjustable, with right hand dies for pe 1, 2, 1, 1 and 1 in., w't 18 lbs. per set \$13.20 ONE SET IN A FINISHED HARDWOOD BOX



REED'S, Complete with Right Hand Dies.

21A—For pipe 2, 4, 1 and 11 in., w't 19 lbs., \$15.40

== 3A-For pipe 11, 11 and 2 in., w't 39 lbs.,

ONE SET IN CASE

PIPE DIES



- I-Diam. 31 in., for No. 2 pipe stock and dies 11,

and 21 in., w't 2 lbs.each \$3.80

STOCK AND DIES



These stocks have a positive setting arrangement without the use of any thumb screws or friction clamps of any kind. The dies are controlled by lever handle on top as shown in illustration. By moving this handle to the right as far as it will go, the dies are set and held in place while cutting. One movement of the top lever handle will open or close the dies. No resetting or backing off the threads.

The tool is equipped with adjustable guides which do away with loose bushings. These guides are operated on a scroll and can be set for all sizes the tool will thread. The scroll is constructed so that the guides are held in any position without locking. The more pressure on the ends of the guides, the more solid the locking arrangement. Great pressure on the ends of the guides only tends to lock them more firmly in position.



No. 6—Beaver, threads ½, ಔ, ½ and ಔ in. pipe, without changing dies or bushings. The two sets of dies are operated by a single adjusting handle, simply set to size and the thread may be cut in less time than it takes to change the dies in other tools. Will cut deep or shallow threads, w't per set 12 lbs., per set\$24.00



Illustration of No. 25.

No. 26—Beaver Ratchet Stock, threads 1, 11, 11 and 2 in pipe without changing dies or bushings. Same construction as No. 25 except has ratchet operation, making it cut easier, w't per set 35 lbs. per set \$42.00

STOCKS AND DIES




These stocks are used in pump installation and repair work to thread the ends of pump rods ready for the couplings.

No. 900—Pump Makers', 15 in. stock with one each \$x14, and one 7/6x12 die, w't each 12 lbs.,

per set\$6.40

ONE SET IN A BOX



Dies change instantly by pulling the pawl and dropping one die out and inserting another. A simple tool, operates easily.

ONE SET IN A BOX

the test and the last time I'w , apid and The Life




Toledo Adjustable.

ONE SET IN A BOX O and but sale to the sal

EXTRA DIES

No. 5-For No. OT sizes \$, \$, \$, \$ and \$ in. ... each \$2.80



TOLEDO SA TOL

No. 2—With ratchet, contains stock and four sets R. H. Dies for 2½, 3, 3½ and 4 in. pipe, w't per set 103 lbs., \$110.00

ONE SET IN A BOX

STOCKS AND DIES



NO. IT WITHOUT RATCHET.

ONE SET IN A BOX

ONE SET IN A BOX

NO. 1A WITH RATCHET.

ONE SET IN A BOX

EXTRA DIES

No. 1A may be used with two handles as die stock or with one handle inserted in the ratchet case. Desirable for threading pipe down in a trench or against walls, etc. A boy can thread a 2 in. pipe with it.

PIPE TAPS

GP, 312 what shows below see help



 Nos.
 171
 172
 173
 174
 176

 Size
 \$\$\frac{1}{3}\$ \$\frac{1}{3}\$ \$\frac{1}\$ \$\frac{1}{3}\$ \$\frac{1}{3}\$ \$\frac{1}{3}\$ \$\frac{1}{3}\$ \$\frac{1}{3}\$ \$

ONE IN A BOX

PIPE REAMERS



ONE IN A BOX

HIBBARD, SPENCER, BARTLETT & Co.

OFENING DIE SCREW PLATES



U. S. S. Thread.

attention is called to the opening dies, which are closed by a single movement of lever on side of after thread has been cut a movement of the lever the dies open so that the entire tool may be quickly thus wasting no time in turning back over fince. Prevents the marring or stripping of thread by chips and also increases the life of die.

11—26 in. stock, adjustable tap wrench and 5 sizes taps, dies and collets cutting \$\frac{1}{2}\cdot 20, \frac{1}{16}\cdot 218, \frac{3}{8}\cdot 16, \frac{1}{2}\cdot 4 and \frac{1}{2}\cdot 13 U. S. thread, w't per set 11 lbs., \$25.90

22—26 in. stock, adjustable tap wrench and 5 sizes taps, dies and collets cutting 4×20, 8×16, 8×13, and 3×10 V U. S. thread, w't per set 18 lbs.,

= 26 in. stock, adjustable tap wrench and 7 sizes taps, dies and collets cutting \$\frac{1}{2}\cdot 20, \frac{5}{16}\cdot 18, \frac{3}{2}\cdot 14, \frac{1}{2}\cdot 13, \frac{3}{2}\cdot 11 U. S. thread, w't per set 18 lbs., \$38.50

T7—26 in. stock, adjustable tap wrench and 9 sizes taps, dies and collets cutting \$\times20\$, \$\frac{1}{16}\times18\$, \$\frac{1}{2}\times16\$, \$\frac{1}{2}\times13\$, \$\frac{1}{2}\times10\$, \$\frac{1}{2}\times1

EACH SET IN A HANDSOME HARDWOOD CASE

RUSSELL SCREW PLATES



ble so they will cut from either face. The dies, reversed, bring the new set of cutting edges into thus making one die last as long as two of the old

R—1 to 1 in., 5 sizes, contains 15 in. stock, tap ch, bit brace attachment, 5 taps and dies cutting 4e, 2, 716 and 1 in., U. S. S. bolt size, w't per set per set \$23.30

2R-1 to 4 in., 5 sizes, contains 23 in. stock, tap such, bit brace attachment, 5 taps and dies cutting 1, 5 and 4 in. U. S. S. bolt sizes, w't per set 17 lbs., \$28.60

**AR—i to 1 in., 5 sizes, contains 26 in. stock, tap such, 5 taps and dies cutting i, i, i, i and 1 in. S. S. bolt sizes, per set 20 lbs. ... per set \$36.80 sr.—i to i in., 7 sizes, contains 23 in. stock, tap ch, bit brace attachment, 7 taps and dies cutting

RUSSELL SCREW PLATES

Hardwood case nicely finished. Dies are made double reversible so they will cut from either face. The dies, when reversed, bring the new set of cutting edges into action, thus making one die last as long as two of the old style.



RUSSELL AUTOMOBILE SCREW PLATES





No. 215—Contains two stocks 61 and 14 in. long, and two adjustable Tap Wrenches. 23 Taps and Dies Cutting Machine Screw. Sizes 2×56, 2×48, 4×36, 6×32, 8×32, 10×24, 12×24, 14×20, 16×18, 18×18. U. S. Standard Thread 36×24, 1×20, 36×18, 1×16, 36×14 and 1×13. S. A. E. Sizes 1×28, 36×24, 1×24, 36×20, 1×20, 36×18 and 1×18. Diameter of small dies 136 in., diameter of large dies 15 in., w't per set 12 lbs., each \$38.40

ONE SET NOLS, INC.

SCREW PLATES



No. 152.

GREEN RIVER, oiled hardwood case.

HUSSELL AUTOMOBILE SOREW PLATES



GREEN RIVER, oiled, hardwood case, U. S. S. thread. Do the work in a single cut. Die is adjustable for wear and to make bolts or nuts fit tightly or loosely as desired.

No. 5002—With stock, adjustable tap wrench and 5 sizes taps, dies and guides, sizes \(\frac{1}{2}\times 20\), \(\frac{3}{2}\times 16\), \(\frac{1}{2}\times 13\), \(\frac{3}{2}\times 11\), \(\frac{3}{2}\times 16\), \(\frac{1}{2}\times 16\times 16\), \(\frac{1}{2}\times 16\times 16\times 16\times 16\), \(\frac{1}{2}\times 16\times 16\times

No. 5005—With stock, adjustable tap wrench and 7 sizes taps, dies and guides, sizes 4×20, \(\frac{4}{16} \times 18, \) \(\frac{8}{16} \times 14 \), \(\frac{1}{16} \times 14 \), \(\frac{1}{16} \times 11 \), \(\frac{1}{16} \times 10 \), stock 22 in. long, diameter of dies 2\(\frac{4}{16} \) in., w't per set 16 lbs. per set \$36.60




GREEN RIVER, for Automobile Use, Oiled Hardwood
Case, S. A. E. Thread.



No. 1470—Automobile, with stock and 7 sizes round adjustable dies and plug taps, sizes \$\times28\$, \$\frac{5}{16}\times24\$, \$\frac{3}{16}\times20\$, \$\frac{3}{16}\times18\$ and \$\frac{3}{8}\times18\$, S. A. E. standard thread, complete in handsome leather roll, w't 3\frac{3}{2} lbs., per set \$\frac{3}{2}\times27.30\$

THE EASY A RETURN THE



Champion Easy Combination

Champion Easy combination. These sets are well made, are put up in a nicely finished case and are especially suitable for garage repair work.

HIBBARD, SPENCER, BARTLETT & CO.

THE STATE OF THE S

Sectional view of die and collet.

SCREW PLATES

These taps and dies make perfect threads at one cut. The claim for the adjustable dies is its solidity, the impossibility of stripping of threads, its perfect adjustment, its simplicity, durability and strength, doing away with all taper-pointed and cup-headed screws, common in many makes of dies. U. S. Standard threads always furnished unless otherwise specified.



Split die.

D. CHAMPION EASY.



.per dozen \$8:00

278 00 28030 YI.TO 74.00 T6.00

1 580 SO ST. TO SS. SO 92. SO ST. 20

. Territor dosen \$9.00

All U. S. S. thread.

No. 1B—15½ in. stock, adjustable tap wrench, 5 taper taps and dies, cuts ½×20, ½6×18, ½×16, ½6×14 and ½×13, w't per set 8 lbs. per set \$16.20



THE EASY SCHEW PLAYER OF THE PERSON OF THE P

Simple in construction, neat in design. Die adjusted by use of taper, head screw with taper nut, thus being braced on both sides of die making it rigid and solid. Well made and guaranteed.

ROSE TOOLS, INC.



G. T. D.

G. T. D., adjustable round dies 13-16 inch in diameter, with stock 61 in. long, tap wrench its made by inserting adjustable socket in stock.



Little Giant," 14½ in. stock, 5 taper taps, 5 dies, 2 collets, 10½ in. adjustable tap wrench, cutting ½-20, 1-16, 716-14, ½-13, w't per set 7½ lbs.,

taps, 7 dies, cutting 1-20, %6-18, 8-16, %6-14, 1-11, 1-10, w't per set 191 lbs. per set \$36.60




HIBBARD, SPENCER, BARTLETT & CO.

BIT BRACES

BALL BEARING RATCHET


Nickel plated, ball bearing, metal clad cocobola head and handle, adjustable handle collars, spindle and chuck body made from one piece of steel.



Alligator pattern, toothed forged steel jaws, anti-friction washer, knurled thimble ratchet adjustment and swell-end chuck.

Extra Jawsper dozen \$8.00

TWO IN A BOX



Universal jaws holding square, taper or round shank drills up to a in. diameter, ball bearing chuck sleeve with case hardened hood.

Extra Jawsper dozen \$9.00


TWO IN A BOX





Nickel plated steel frame, sweep and chuck, metal clad cocobola head, cocobola handle, drop forged steel jaws, length 181 inches.

HIBBARD RATCHET



Nickel plated steel shank, extra knurled steel sleeve metal clad cocobola head and handle, forged steel jawa anti-friction washer above chuck.

and-Hickor Hames	22	32	31
Nos	0	10	12
C	- M	318	
W't, doz., lbs	60.00		
Dow dogon		d-war	25 00
Extra Jaws	per	dozen	20.00
HALF DOZEN IN A BOX			

REVONOC RATCHET


OT 805 308 100



Nickel plated steel shank and sleeve, stained head and handle, steel jaws.

manding, 4	Nickel Plated.		Nickel Plated.			
Nos Sweep, in W't, doz., lbs. Per dozen	8 27 \$42.50	1010 10 29 43.00	33 43.60	-	2610 10 271 37.70	
Extra Jaws .			N IN A I	per	dozen	\$4.50

REVONOC PLAIN



Steel shank and sleeve, stained head and handle, steel

Nickel Plated.	Polished.
Nos	2308 2310 2312 8 10 12 22 241 28 21.60 22.10 22.70

HALF DOZEN IN A BOX

STANLEY'S BALL BEARING RATCHET



plated steel shank and cocobola ball bearment, cocobola handle forged plates jaws, concealed ratchet.

EALF DOZEN IN A BOX

STANLEY'S UNIVERSAL BALL BEARING RATCHET



makel plated, metal clad, ball

jaws for both wood and waters, holds round shank bits to i in., and taper shank was No. 2 Clark's expansive

\$86.00 87.50 90.00 92.00 TWO IN A BOX

SAMSON BALL BEARING RATCHET



baring metal clad cocobola handle, Samson ball cluck, holding round shank, bits or drills, forged

8 10 12 14 8 10 12 14 B 37 41 44 46 887.00 88.60 90.60 92.70

Two IN A BOX

BIT BRACES

PECK'S BALL BEARING RATCHET



Nickel plated steel shank and sleeve, metal clad cocobola ball bearing head, head, cocobola handle, forged steel jaws.

Nos...... 7008 7010 7012 7014 Sweep, in... 8 10 12 14 W't doz., Ibs. 35 39½ 41 43 Per dozen. \$71.20 72.80 74.90 77.00 Extra Jaws per dozen \$8.00 TWO IN A BOX

PEXTO BALL BEARING RATCHET



Full nickel plated, steel shank and knurled sleeve, open ratchet, alligator jaws, metal clad head with ball bearing cup and washer, head and handle ebonized finish.

FRAY'S BALL BEARING RATCHET



Nickel plated steel shank and fittings, cocobola metal clad head, ball bearing, cocobola handle.

Adjustable to square and round shank bits in and larger.

 Nos.
 66
 86
 106

 Sweep, in.
 6
 8
 10

 W't doz., lbs.
 25
 29
 32

 Per dozen
 \$69.00
 69.20
 70.70

 Nos.
 126
 146

 Sweep, in.
 12
 14


 W't per doz., lbs.
 40
 42

 Per dozen
 \$72.60
 74.80

 Extra Jaws
 per dozen
 \$9.00

HALF DOZEN IN A BOX

MILLERS FALLS BALL BEARING RATCHET




Full nickel plated, ball bearing head, cocobola head and handle. Has the Hold All Chuck which takes bit stock shanks and round shanks. \$ to \$\frac{1}{2}\$ in. in diameter, also No. 1 Morse taper shanks. This is one of the most popular numbers.

Nos. 733 732 731 730 Sweep, in. .. 8 10 12 14 W't doz., lbs. 37½ 42 44 51 Per dozen. \$76.00 76.70 80.80 83.40

SIES TWO IN A BOX

Extra Jawsper dozen \$8.00

Millers Falls Ratchet Braces.




Full nickel plated, metal clad, ball bearing cocobola head and handle. Has the Lion ball bearing chuck which takes bit stock shanks, and round shanks from ½ to ½ in. in diameter, also No. 1 Morse Taper shanks. This chuck makes it possible to lock any style shank with a tremendous grip. All ball bearing parts including the ratchets have rust proof coverings.

Nos	827	871	870
Sweep, in	10	12	14
W't, doz., lbs	45	48	53
Per dozen\$1	06.40	111.00	113.70

TWO IN A BOX


Extra Jawsper dozen \$8.00 ROSE TOOLS, INC.

PEXTO RATCHET BIT BRACES



Nickel plated, open ring ratchets, aligator jaws, knurled chuck, hardwood head and handle, mahogany finish.

Nos	. 3908	3910	3912
Sweep, in	. 8	10	12
W't doz., lbs		27	
Per dozen	\$36.50	37.00	37.80



Nickel plated, open ratchet, alligator jaws, knurled sleeve, half clad head, nicely finished.

Nos 3908	3910	3912
Sweep, in 8	10	12
W't doz., lbs 26	28	29
Per dozen\$42.90	43.40	44.00

CRUSO BIT BRACES



Polished steel shank, polished octagon pattern sleeve, ebonized hardwood head and handle, steel jaws.

Sleeve can be tightened or loosened with a wrench, if desired.

Nos	80R	100R	120R
Sweep, in	8	10	12
W't doz., lbs	24 .	26	291
Per dozen\$2	27.20	27.60	28.00
Extra Jaws	per	dozen	\$3.00



Polished steel shank, polished octagon pattern sleeve, ebonized hardwood head and handle, steel jaws.

Sleeve can be tightened	or loos	ened
Nos 8P	10P	12P
Sweep, in 8	10	12
W't per doz., lbs 202	23	25
with wrench, if desired.		

Per dozen\$15.30 15.70 16.10 Extra Jawsper dozen \$3.00 HALF DOZEN IN A BOX SPOFFORD'S PLAIN BIT BRACES



Nickel plated steel shank, split socket, with thumb screw, cocobola head and handle.

Nos	108	110	112
Sweep, in	8	10	12
W't doz., lbs		201	-211
Per dozen\$			
HALF DOZEN	IN A	BOX	Ter.

COMMON BALL BIT BRACES

Extra Laws pendoce \$8.00



HALF DOZEN IN A BOX

WHIMBLE BIT BRACES

Pur domen 549.30 58.60 52 20


... edl son use i W



No. 12W—12 in. sweep, nickel plated steel shank, Cocobolo Handles, split socket with thumb screw, for millwright, ship carpenters, etc., w't per doz. 33 lbs. per dozen \$60.00

HALF DOZEN IN A BOX

MILLERS FALLS DRILLS



The gear wheel can be remoleaving a ratchet brace. The jaws of forged steel and will center and firmly round twist drills from %6 in. diameter, also tool shanks any size or shape.

ONE IN A BOX. W'T 57 LBS. PER DOZ

SILL BORERS



No. 051-Miller's Falls, japan malleable iron frame, length 15 per doz. 40 lbs. . . . per dozen \$84.

ONE IN A BOX

UNIVERSAL AUGER BIT STOCK




No. 108—Length 12 in., japanned we nickel plated trimmings, for use bit brace or breast drill, for drilling at an angle. Has Master Chuwhich takes bit stock and tap shanks, also round shank drills from a to a in. in diameter. Angle boring can be adjusted to any por from 180 degrees to 125 degrees, per doz. 26 lbs. . . . per dozen \$60.

ONE IN A BOX

DRILL ATTACHMENTS

No. 73 GMB—Automatic feed, knurled bit brace chuck, for square or round shank drills, japanned frame, polished chuck, w't per doz. 33 lbs., per dozen \$80.00 ONE IN A BOX



Plain chuck, for bit papanned frame, polserie, semi-automatic feed,

Wonder.

No. 14E — Automatic nickel plated brace chuck, for bit stock drills and round shank drills 1/16 to 1 in., w't per doz. 73 lbs.,

per dozen\$54.00

CHAIN DRILL ATTACHMENTS

Wonder.

No. 10A—Plain socket, polished, for ½ in. round straight shank drills, w't per doz. lbs., per dozen \$26.40

No. 11B—Plain socket, polished for bit stock drills, w't per doz. lbs., per dozen \$26.40

No. 12C—Brace chuck, nickel plated, for bit stock drills, and fa to 1 in. round shank drills, w't per doz. lbs., per dozen \$42.00

.. per doren \$108,00

ONE IN A BOX



YANKEE



No. 500—Two jaw chuck, polished and nickel plated, length 3½ in., with hexagon to use wrench in tightening large drills. Drop forged steel jaws, alligator pattern, chuck holds up to ½ in. drills with square shanks, length over all 10% in., w't per doz. doz. 40 lbs. per dozen \$

ONE IN A BOX

YANKEE

No. 1500—Three jaw chuck, polished and nickel plated, length 2\(\frac{3}{2}\) in., diam. 1\(\frac{3}{2}\) in., tool steel jaws, chuck holds up to \(\frac{1}{2}\) in. round shank drills only, length over all 9\(\frac{3}{2}\) in., w't, per doz., 39 lbs. Per dozen ...\(\frac{5}{2}\)...

ONE IN A BOX

BORING MACHINES



MILLER'S FALLS, angular, steel frame, adjustable depth gauge, self-withdrawing auger, extension crank.





No. T2-Without augers, w't 38 lbs., each\$15.40

No. T12—With one each, 1, 11 and 2 in. No. 128 cast steel ball bear augers, w't 45 lbs. . . . each \$23 ONE IN A CRATE

HAND DRILLS



No. 190 @WB-Ratchet, length 15% in. Large size made with both a ratchet and change of speed. Ratchet is shifted from left to right or vice versa by giving a half turn to the cap of a small boss on the crank handle. Speed is changed by turning the knurled thumb barrel on drill shaft. Has three jaw chuck holding round shank drills up to in. in diameter. The hollow end handle is detachable and holds drills up to capacity of shuck, no drills are included. Malleable iron frame black japanned, drive wheel is blue, other parts nickel plated, w't per doz. 40 lbs. per dozen \$.....

ONE IN A BOX

HIBBARD HAND DRILL



No. 192-Length 111 in., has a solid steel frame with a detachabble side handle and hollow end with screw cap, single gear, springless three jaw chuck which takes drills up to % in., no drills included, large gear is blue, other metal parts nickel plated, w't per doz. 18 lbs., per dozen\$....

ONE IN A BOX

HAND DRILLS



No. 1430-Length 107 in., malleable iron frame, dead block finish, 3 jaw chuck holding round shank drills up to %6 in. in diameter, hardwood handle, nickel plated trimmings, w't per dozen 15 lbs. . . per dozen \$60.00

ONE IN A BOX

HAND DRILLS



YANKEE, two speed malleable iron frame, dead black finish, ball bearing detachable handle for holding drills, nickel plated chuck holding drills up to § in., can be changed from single to double speed by means of shifter on frame, length 15% in.

No. 445-2 jaw chuck, w't per doz. 42 lbs.per dozen \$108.00 No. 1445—3 jaw chuck, w't per doz. 42 lbs. per dozen \$108.00


ONE IN A BOX



YANKEE, two speed, malleable iron frame, finished in dead black, bright parts nickel plated and polished, length 161 in., with right and left hand ratchet movement, chuck holds either square or round shank drills or other tools up to 1 in., detachable and hollow handles instead of breast plate, which can be held in hand or against body and which can be used as a magazine for holding drills.

No. 545-2 jaw chuck, w't per doz. 52 lbs.per dozen \$160.80 No. 1545-3 jaw chuck, w't per doz., 52 lbs.per dozen \$160.80

ONE IN A BOX



No. 980-Miller's Falls, malleable iron frame, length 151 in., stained hardwood handles, nickel plated trimmings double speed, which can be instantly changed without removing bit from work, detachabble hollow end handle, with receptable for holding twist drills, 3 jaw chuck holding round shank drills up to 2 in. diameter, w't per doz. 42 lbs., per dozen\$88.60

ONE IN A BOX

HAND DRILLS



By means of the ratchet this dr can be used as a plain, left han right hand or double ratchet dr.

No. 1530—Yankee, malleable ir frame, dead black finish, 3 is steel chuck, nickel plated, holding drills up to 36 in. in diam., sing speed, extreme length 101 in., 3 m driving wheel, w't per doz. 17 lbs. per dozen ONE IN A BOX



P.o. 1-Miller's Falls, single gent length 12 in., malleable iron framcocobola hollow head and hands nickel plated chuck, 8 cast stee drills enclosed in head, holds 3/16 in round shank drills, w't per des 22 lbs. per dozen \$57.2 Extra Drills, sizes 1/4 to 1/4,

per dozen Extra Drills, sizes 1/4 to 1/4, per set of 8

ONE IN A BOX



No. 5-Miller's Falls, double gear length 111 in., malleable iron frame cocobola hollow head and handles nickel plated chuck, 8 cast steedrills enclosed in handle, hold %16 in round shank drills, w't per doz. 24 lbs. per dozen \$61.00

Extra Drills, sizes 164 to 164, per dozen Extra Drills, sizes 1/64 to 5/64,

per set of 8\$0.90

ONE IN A BOX



No. 2-Miller's Falls, single gear. length 15 in., malleable iron frame cocobola hollow head and handles nickel plated chuck, 8 cast steel drills enclosed in handle, holds # in round shank drills, ball bearing, wt per doz. 28 lbs., per dozen \$66.00 Extra Drills, sizes 1/4 to 8/4,

per dozen Extra Drills, sizes 1/64 to 8/4,

per set of 8 ONE IN A BOX

HAND DRILLS

State for the law Yankee, drill point revolves accessed in upward movement of to clear chips. Has magazine points in handle, nickel and polished, eight drill %s to 1%s with each drill,

111 in., w't per doz. 7 lbs., ser dozen\$41.80 ONE IN A BOX

Springs, for No. 41, ser Gozen\$2.50

Drills, for Nos. 41 and 44, %4, %4, 1%4, 11%4, 11%4, 1.20 ONE SET IN A BOX

DOZEN IN A PACKAGE

Yankee, has spring with tension to regulate suitable for difference in soft woods, or for large and still points. The cap on end has a screw by which spring weaker or stronger. Has drill points and is nickel polished. Eight drill to 11/16 with each drill. ONE IN A BOX



in drilling in steel, iron, and other metals as well as

as entstructed that the drill runs to the right during both and backward movement of The pressure to feed the and by the pressure against the and a ze tool which is provided with to reduce friction.

Yankee, reciprocating, pol-meel spindle, polished hard-badle, ball bearing, nickel barled chuck with 3 jaws me belong % in. drills or smaller, omers 16 in, w't per doz. 12% lbs. But dizze\$63.30

ONE IN A BOX



Tankee, for light wood only, length 104 in., nickel cast steel drills, 1/16, %4 and adapted to larger size pellin wt per doz. 21 lbs.,

ONE IN A BOX

BREAST DRILLS



No. 80 WE Two speed, universal chuck holding square, taper or round shank, drills up to a in. diameter, finished in blue and gold enamel, nickel plated trimmings, ebonized hanuies, w't per doz. 66 lbs., per dozen\$74.70

ONE IN A BOX



No. 81 @WB_Breast plates, two universal chuck holding square, taper or round shank, drills up to 1 in. in diameter, has level set in frame, also a latch for holding chuck while tightening drills, finished in blue and gold enamel, nickel plated tribundes, wit per doz. 60 lbs., handles, wit per doz. 60 lbs., \$96.00 nickel plated trimmings, cocobola per dozen

ONE IN A BOX




No. 19-Ball bearing, alligator jaws. 5 in. drive wheel, adjustable speed gear and crank, permitting a varia-tion in length of 3 in., black japanned hub casing, aluminum bronze gear and breast plate, w't per doz. 72 lbs.per dozen \$73.70 ONE IN A BOX



MILLER'S FALLS, with level glass, japanned iron frame, nickel plated chuck, for round or square

No. 15—Iron D handles, w't per doz.
72 lbs.per dozen \$94.20
ONE IN A BOX

BREAST DRILLS



YANKEE, two speeds, malleable iron frame, dead black finish, ball bearing, length 171 in.

No. 455-2 Jaw chuck for holding round or square shank drills up to 1 in. in diameter, w't per doz. 72 lbs. per dozen \$124.80 No. 1455—3 jaw chuck for holding round shank drills only up to & in. in diameter, w't per doz. 72 lbs.,


per dozen\$124.80 ONE IN A BOX No. 1555 YANKEE, two speed,

malleable iron frame, finished in dead black, bright parts nickel plated and polished, length 18 in., with right and left hand rather

left hand ratchet.

No. 555—2 Jaw chuck for holding round or square shank drills up to i in. in diameter, w't per doz. 78 lbs. per dozen \$184.80
No. 1555—3 jaw chuck for holding round shank drills only up to h in. in diameter, w't per doz. 78 lbs.,

per dozen ONE IN A BOX ...\$184.80



No. 97-M. F. Co. ratchet construction, five different actions, speed instantly changed by moving knob on crank handle, handle is adjustable for use as crank or as straight lever for ratchet action, three jaw chuck for holding round shank drills up to 1 in. diameter, malleable frame japanned and nickel trimmed, w't doz. 99 lbs., per dozen \$187.20




No. 118-M. F. Co., with level glass, iron frame, three jawed nickel plated chuck, capacity 0 to 1 in. for round shank drills, adjustable speed gear and breast plate, steel cone bearing, nickel plated crank, cocobola handles, w't dz. 90 lbs., dz. \$109.60 ONE IN A BOX

irth frame, dead black finish, ball

No. 455-2 Jaw chuck for hole



o shank driffs up THE WORLD'S GREATEST ELECTRIC DRILLS



Will drill a hole in metal or wood in one-fifth the time required by hand. Saves 80% in the cost of drilling. All drills are furnished with Jacobs Chuck for straight shank twist drills.

specified.

plate or grip handle if

A CA	PACIT	Y	FREE SPEED		Distance From Side L'gth		Watts Con-	
Drilling, in.	Reaming, in. %ie	Wood Boring, in.	Uni- versal 2600 1400 950 800 750	Direct Current 1900 1000 750 675 650	W't, Lbs. 6 7 12 17 18	to Spindle Center, in, 15/10 15/10 12 13 13		umed Under Load 260 260 500 550 600

specified.

w't dox, 30 lbit, pdr 368on \$187.20

bommist lasain

Harris III	UNIVERSAL TIPE
For Direct	For Alternating and
Current Onl	Direct Current,
Nos. Eat	Nos. Each
PMMMD \$102	P000U \$102.00
PMMD 118.	P00U 119.00
POD 136	POU 136.00
P01D 161	P01U 161.50
P1D 170	P1U 170.00
and the second second	ASTRONOM ST. ST. ST.

VOLTAGE DESIRED MUST BE SPECIFIED IN ORDERING. ROSE TOOLS, INC.

SCREW DRIVERS



from solid bar high grade special steel. Hardfinish, knife handle. The handle is securely driver with two rivets. Highly polished blade tempered. The flat shape of handle prevents rolling when laid down. A high grade tool in spect.

200 Hibbard-

Will per

NOT GETTE

					5	6
(RS per	doz., lbs.		 . 41	43	5	71
Mr o.	and the same of		 .\$5.60	6.00	7.00	8.40
		1557/41		4 45YDOMB	MIX 20	

10 Hibbard-

227111			. 7	8	10	12
doz., lbs			79	103	113	123
			\$9.80	11.20	14.00	16.80
	HALF	DOZEN IN	A BO	X		1000

HALF DOESN IN A BOX



Inches 2 3 4 5 6

strong well made driver. Finely polished, temperforged from solid bar high grade special steel, stained hardwood handle riveted to driver with two

a overall, in	6	7 8	93	103
doz., lbs	4	45 4	5	7
5 \$5	.60 6	.40 7.0	00.8 00	9.60
50 CVB—Inches	7	8	10	12
overall, in	111	13	16	181
er doz., Ibs			103	
men	1.20	12.80	16.00	19.20
HALF DOZEN IN	A BO	X		Toler II



cast steel, round polished blade, polished steel ebonized handle.

material is used as in forgang the regular rous

Inches	. 2	3	4	5	6
doz., lbs	13	19	21	31	
men	\$4.80	5.20	5.60	6.10	6.80
_Inches				10	12
doz., lbs	. 42	6	2	8	83
HALF DOZEN IN	\$7.7 A BO	0 8. X	40 1	0.00	13.00

MACHINISTS'



sthand and of paint Square Shank, it signed

Finely polished tempered blade, forged from solid bar high grade special steel. Stained hardwood handle, riveted

HALF DOZEN IN A BOX



Round blued cast steel blade, heavy iron ferrule, stained

 No. 6
 RMSSEC_Inches
 7
 8
 10
 12

 W't per doz., lbs.
 4½
 7
 7½
 8

 Per dozen
 \$5.80
 6.40
 7.70
 9.20

HALF DOZEN IN A BOX

CHAMPION



Polished round blade, forged from die steel, tempered and shrunk into malleable bolster, heavy combined tang and ferrule, stained fluted handle.

 No. 26—Inches
 7
 8
 10
 12

 W't per doz., lbs.
 6½
 7
 8
 11

 Per dozen
 \$9.20
 10.20
 10.80
 15.30

 HALF DOZEN IN A BOX

CABINET

31 Per dozen\$5.20 6.20 6.50 7.60 8.60 HALF DOZEN IN A BOX

CRUSO

ofbrad bandle			12	1	No. of Concession, Name of Street, or other Persons, Name of Street, or ot	1
No. 012-Length, in.	pts	100	ilitis	21	3	4
W't per doz., lbs		 		1	13	21

Per dozen\$3,60 4.80 6.00

HALF DOZEN IN A BOX ROSE TOOLS, INC.

SCREW DRIVERS



the head prevents the blade from turning in the handle.

This construction makes the constr

drivers are made in two forms—one in which the metal head comes through the handle, and one having countersunk head and insulated by a non-conduction plug. Electricians require this type. On account of the parallel sides a countersunk screw may be followed without injury to the wood, thus making it an attractive tool to the cabinet maker.

All cuts used to illustrate this line are made to scale approximately one-fourth the actual size.

All handles are finished in dull black and are typical of "THE VERY BEST" workmanship.



STANDARD TYPE, special steel, finely tempered blade, polished steel ferrule, ebonite handle.

For all sorts of work. Diameter of blades, width of tips, and size of handle vary according to over-all length of driver.

No. 100 CVB—Blade, in. 2½ Tip, in. %32 Stock, in. ½2 W't per doz., lbs. 1½ Per dozen \$4.50	2 29	%2 \$ %6 %6 45 6 7.30 8.80
No. 100 CMB_Blade, in Tip, in Stock, in W't per doz. lbs Per dozen	516 516 8	10 12 g g g g g g

HALF DOZEN IN A BOX



Has cabinet makers' tip, sides being parallel (instead of tapered) to follow up countersunk screws without marring the wood. It also has an insulated head. In this driver the diameter of blade, size of handle, width of tip do not increase in same proportion as in the standard line.

No. 101 GVD_B	la	de	ė,	i	n,								6		3	4	5	1
Tip, in	1			1		ě.		*	3		٠			11	74.2	7/22	7/32	1
Stock, in		* *				*		*	1	1		ŕ	*	*	2	29	3	31
W't per doz., lbs.					5	*	*	*	***			Ċ		9	5.20	6.10	7.50	8.90


HALF DOZEN IN A BOX



Special steel blade, nickel plated ferrule, ebonized handle. Blades are pinned, making a strong driver for pocket use.

Nos.														1	1	07	108
Length of	blade,	in						*	*	1	*			Z	1	164	11/64
W't per dozen																	

ONE DOZEN IN A BOX



ELECTRICIANS'

Electric, special steel, finely tempered blades, h tip, %2 in. stock, poliched steel ferrule, ebonite handle, in sulated head.

W't per doz., Ibs Per dozen	1.3	4 5 13 13 6.10 7.5	0 8.9
No. 103 GWB-Blade, in.	 	8	10
W't per doz., lbs Per dozen	 	\$11.00	

HALF DOZEN IN A BOX



MACHINISTS'

Machinists' special finely tempered blade, polished steeferrule, ebonite handle.

Especially adapted for heavy work.

Nos	105	106
Length of blade, in	12	31
Length over all, in	D2	71
W't per doz., lbs	32	A CONTRACTOR OF THE PARTY OF TH
Per dozen	0.00	16:30

HALF DOZEN IN A BOX




SPECIAL

The special feature of this driver is that the blade in stead of being round is forged to a flat shape %2 is thick and %6 in. wide. Tip is %2 in. wide. The same six material is used as in forging the regular round drives so that this tool is unusually strong. Designed for us in automobile and electrical work.

No. 114—Regular head, length 4 in., w't per doz. 23 lbs. per dozen\$6.1

No. 214—Insulated head, length 4 in., w't per doz. 29 lbs per dozen\$6.1

HALF DOZEN IN A BOX



No. 104 @ Special steel, 11 in. finely temperblade, %2 in. tip, %2 in. stock, polished steel fermi ebonite handle, w't per doz. 1 lb. per dozen \$4.5 HALF DOZEN IN A BOX

Marine .

"HURWOOD" SCREW DRIVERS



Cross Section "Hurwood" Screw Driver.



Cross Section "Hurwood" Screw Driver Insulated Head.

HURWOOD" SCREW DRIVERS have blade, shank and head formed of one piece of special steel. A rivet through ferrule, handle and shank as well as the head with two projecting wings—see cut—securely fasten the handle. This rection makes the "Hurwood" driver unsurpassed for strength and durability.

"Hurwood" drivers are made in two forms—one in which the metal head comes clear through the handle and one med for electricians giving same advantages of strength but having the head countersunk in the handle and insulated non-conducting plug. All "Hurwood" drivers have finely tempered blades and are well finished and fully warranted.



No. 20-4 in.

STANDARD TYPE, special steel, finely tempered blade, steel ferrule, ebonite handle.

Timeter of blade, size of tip and size of handle increase length of blade in proportion for heavier work.

### ### ##############################	Blade, in		21	3	4 7/42	5 7/32	6
Blade, in	doz., lbs	9.4	732 11	782	21	5/16 41 7 20	%16 6
716 8 732	-Blade, in		8	1	0	12	18
doz., lbs	er doz., lbs		70	8	hen a	91	101

HALF DOZEN IN A BOX

State of the late of the late

B 74 74



No. 50-4 in.

special steel, finely tempered blade, h in. tip,

driver designed for light and delicate work, and selected of very small stock and with a small tip. The stock, tip and handle is the same in all lengths of the small diameter of shank wire necessitates a rivet, the "winged" head is a great advantage.

Blade, in	4	5	6 8
er doz., lbs	1	1	11 11
DES	\$6.	00 7.20	8.60 10.60

HALF DOZEN IN A BOX



MACHINISTS'

steel, finely tempered blade, polished steel fer-

adapted for heavy work, where a heavy driver

lade, in	
all, in 51 71 9	h .
\$6 70 12 00 15	-

CABINET MAKERS'

Tip, parallel sides, insulated head, special steel, finely tempered blade, polished steel ferrule, ebonite handle.

Has cabinet maker's tip, sides being parallel (instead of tapered) to follow up countersunk screws without marring the work; also insulated head. In this driver, diameter of blade and size of handle do not increase in same proportion as in the standard line.

No. 45-Blade, in	21	3	4	5
Tip, in		7/32	1	1
Stock, in		7/82	7/32	%2 3
W't per doz., lbs	10	2	24	3
Per dozen\$4	1.40	5.00	6.00	7.20
No. 45-Blade, in	18.4		6	8
Tip, in				1
Stock, in			1	1
W't per doz., lbs			31	32
Per dozen		\$	8.60 1	0.60

HALF DOZEN IN A BOX



ELECTRICIANS

Special steel, finely tempered blade, \$\frac{1}{n}\$ in. tip, \$\frac{1}{3}2\$ in. stock, polished steel ferrule, ebonite handle, insulated head.

A special driver corresponding to the No. 50, but having insulated head for electrican's work.

No.	55-Blade, in.	i,	-					11	21	3	4	5
Wt	per doz., Ibs.	.,						1	13	11	13	11
Per	dozen	ě.	*			٠.	. 5	4.40	4.40	5.00	6.00	7.20

		.40 0.00	0.00	1.20
No.	55—Blade, in 6	8	10	12
W't	per doz., lbs 15	11	17	2
Per	dozen\$8.60	10.60 1	3.30	15.80

HALF DOZEN IN A BOX



For use where a driver of short length is desired. The blade is strong and the size makes it a handy vest pocket screw driver.

No. 21—Baby, special steel, 1½ in., finely tempered blade, %2 in. tip. %2 in. stock, polished steel ferrule, ebonite handle, w't per doz. 2 ib.per dozen \$4.40

HALF DOZEN IN A BOX

ROSE TOOLS, INC.

HALF DOZEN IN A BOX

ARD, SPENCER, BARTLET

YANKEE SPIRAL RATCHET SCREW DRIVER



Right or left hand and rigid at variable lengths. This tool is for driving small screws only and is intended for electrical workers, cabinet makers and mechanics having a large number of small screws to drive. It is a very light and convenient tool that can be easily carried in the pocket.

No. 35-Nickel plated, stained cherry handle, length with bit when extended 9% in., 3 forged steel bits, w't per doz. 54 lbs. one in A Box



Right or left hand ratchet and rigid at variable lengths. The change from right to left hand is made by simply moving the slide to either end of the slot. The ratchet movement can be used in any part of the length of tool and can be used as an ordinary screw driver at any point in length of rod.

No. 30—Nickel plated, stained cherry handle, length with bit 131 in., extended 191 in., 3 forged steel bits, w't per doz. 15 lbs. ... per dozen \$48.20
No. 31—Length with 17% in., extended 26% in., for extra

heavy work, w't per doz. 20 lbs., otherwise same as BITS WITH SCREW HOLDERS



A longer bit than regular with holder attached to hold screw, especially useful in places difficult to reach.

YANKEE CHUCKS AND DRILLS



For Nos. 30, 31, 35 Screw Drivers. No. 301-For No. 35-Set consists of chuck and 3 cast steel steel drill points sizes 1/16 to 11/16 in., spring lock, per dozen sets


YANKEE SCREW DRIVER BITS

and %2 in.per dozen sets \$10.00

YANKEE DRILL BITS

For Nos. 30, 31, 35 Screw Drivers. Used With Nos. 300 and 301 Chucks. STRAIGHT SIZES

Sizes, %4, %4, %4, %4, %4, %4, 1%4 and 1%4,



For Nos. 30, 31, 35 Screw Drivers. No. 030-For No. 30, cast steel round shank,\$3.90 per dozen

YANKEE RATCHET SCREW DRIVER



Quick Return Spiral Ratchet. No. 130—Nickel plated, stained cherry handle, length with bit 11 in., extended 191 in., 3 forged steel bits, w't per the last the state of the last the last the state of the last the doz. 15 lbs. ONE IN A BOX

YANKEE QUICK RETURN SCREW DRIVER



Nickel Plated.

Has a spring in handle which causes the handle to come back for the next push when driving a screw. Stained cherry handle, 3 forged steel bits. Nos. 131
Length—bit extended, in. 264
Weight, lbs. 20 91 51 \$74.30 42.50 Per dozenONE IN A BOX

YANKEE PUSH BRACE AND SCREW DRIVER



Will hold all the small tools used in a bit brace, but operated by pushing the handle. Will bore is in. holes in metal, drive in auger bits in hard wood or is to in him

in white pine. No. 75-Nickel plated frame and chuck, hardwood polishe handle, 2% in. diameter, length without bit 164 in., entended 234 in., w't per doz. 26 lbs.,

ONE IN A BOX per dozen

YANKEE RATCHET SCREW DRIVER



Polished cast steel forged blade, nickel plated ferrule polished hardwood handle, has knurled screw on blacused for turning with thumb and finger when desired.



Polished cast steel forged blade, nickel plated ferrula Nos. 112 113 114 115 116 118 Inches 2 3 4 5 6 8 W't doz., lbs. 110.50 12.90 13.80 15.20 17.10 19.30 HALF DOZEN IN A BOX

REED'S LIGHTNING SCREW DRIVER



No. 42-Nickel plated cylinder, rosewood handle, lignum vitae head, length 12 in., extended 21 in., with 1 borin and 2 screw driver bits, for light boring, driving an removing screws, w't per doz. 9 lbs., per dozen HALF DOZEN IN A BOX



No. 411-Nickel plated cylinder, rosewood handle, lignus vitae head, length 15 in., extended 26 in., with 1 serdriver bit, for light boring, driving and removing screw w't per doz. 18 lbs.per dozen \$81.0

MOVELTY SCREW DRIVERS



made of the best grade of the

Four in One, length 5% in.

ONE DOZEN IN A BOX



DUPLEX

Two-in-one with ring on end
stening to watch chain, length
consists of two distinct
rivers in one, large blade is
by screw cap, made of
rade tool steel highly temand polished with nickel
murled body, w't per doz.
...per dozen \$5.50

MAGAZINE SCREW DRIVERS



FOUR TOOLS IN ONE

blades, one sturdy awl.

sturdy blades, one sturdy awl.

sturdy blades, one sturdy awl.

Small

are 1½2, %2, ¾6, and will the second and tapers from a point three corners. It is small make starting holes for see screw, or large enough three screw.

and nickel plated. The

has a chuck locked inside to tacts as a chuck and same time. The blades the chuck and chuck the handle, and when the blade it is like a solid steel

POCKET MAGAZINE SCREW DRIVER



Has four blades to suit different size screws. Blades are kept in magazine in handle.

No. 60—Nickel plated, polished cast steel blades, knurled handle, diam. § in., length closed 3 in., w't per doz. 1 bls. per dozen \$16.00 ONE DOZEN IN A BOX

HAMMER HANDLE SCREW DRIVERS



Tool steel, tempered, nickel plated, folding T hammer handle held in either position by a strong spring.

Nos. ... 24 25 26½
Length blade, in. . 4 5 6
Length over all, in. 7½ 9 10
Width point, in. . 5/16 8 ½
W't per doz., lbs. . . 4½ 7 10
Per dozen \$12.50 13.45 14.40

NOS. 24 AND 25 ONE-QUARTER DOZEN NO. 26 ONE DOZEN IN A BOX

HAMMER AND SCREW DRIVER ASSORTMENT



10 TOOLS WITH DISPLAY CARD IN A PACKAGE

SCREW DRIVERS



LITTLE GIANT

A Very Strong and Useful Tool.

No. 13½ — Length over all 3½ in.,
forged crucible steel blade, carefully tempered, knurled steel handle, nickel plated, w't per doz.
1½ lbs per dozen \$2.20
ONE DOZEN ON A DISPLAY CARD


YANKEE RATCHET SCREW



For gunsmith's fitters, electricians, etc., a strong, substantial driver.


No. 12—Polished cast steel forged blade, 1½ in., nickel plated ferrule, polished hardwood handle, w't per doz, 3 lbs. per dozen \$15.00 kalf Dozen in A box

SCREW DRIVER ASSORTMENTS



MAYHEW

No. 811—Assorted 1 to 3 in., forged blued steel blade, 3/2 in. diam., securely fastened, stained handle, w't per doz. 3 lb.,



ONE DOZEN MOUNTED ON A DARK GREEN PASTEBOARD CARD WITH CARD HANGEP

INSIDE CALIPERS



Cast Steel Polished.

Nos. 104 105 108 8 5 Inches 4 28 W't, doz., lbs. .. 3 11 Per dozen\$3.00 3.30 3.80 8.00 ONE DOZEN IN A BOX

OUTSIDE CALIPERS




Cast Steel Polished.

Nos	203	204	205
		4	5
W't, doz., lbs		3	11
Per dozen\$	2.70	3.00	3.30

MOS	208
W't, doz., lbs 12	22
Per dozen\$3.80 ONE DOZEN IN A BOX	8.00

DOUBLE CALIPERS



Cast Steel Polished.

Nos	. 304	305	306
Inches			6
W't, doz., lbs	. 3	1	11
Per dozen	\$4.30	5.00	6.00
HALF DOZEN	IN A	BOX	

SELF-REGISTERING CALIPERS



No. 50-3 in, nickel plated, with set screw, w't per don i lb., per depen\$11.00

HALF DOZEN IN A BOX


WING CALIPERS



Forged Steel Polished, with Spring and Set Screw.

Nos	808
Inches	
HALF DOZEN IN A BOX	

DIVIDERS




Nickel Plated, Forged Steel, Brass Jointed, Tempered Steel Points.

Nos.—@*** 46	47	48
Inches 6	7 7	8
W't per doz., lbs 4	41	5
Per dozen\$17.00	19.20	21.20

Nos.—②证例 410	412
Inches 10	12
W't per doz., lbs 8	13
Per dozen\$28.40	32.40

HALF DOZEN IN A BOX

REVONOC WING DIVIDERS



Forged Steel, Polished.

Nos. REVENEC	36	37	38	39
Inches		7	8	9
W't, doz., lbs.	31	4	41	7
Per dozen\$	11.40	12.80	14.00	14.80
Nos.—REVONO	N Size		312	
Inches		. 10	12	15
W't, doz., lbs		. 72	13	15
Per dozen		\$19.00	21.60	57.00
6 TO 8 ONE				
DOZI	IN IN	A BO	X	

EXTENSION WING DIVIDERS



Forged Steel, Polished, One Extension Leg.

Nos	16	17	18
Inches	6	•7	8
W't, doz., lbs	4	43	41
Per dozen\$1	9.50	21.60	23.80
HALF DOZEN	IN A	BOX	



Forged Steel, Polished, Two Extension Legs.

Nos	26	27	28
Inches	6	7	8
W't, doz., lbs	41	43	51
Per dozen\$2	1.60	23.80	26.00
HALF DOZEN			

COMPASSES AND DIVIDERS



One in a box, together with a nickel box containing six refills. No. 569—Eagle, nickel plated, w't per doz. 11 lbs. per dozen \$9.00 ONE DOZEN IN A CARTON

PENCIL HOLDERS




No. 8-Stanley's, corrugated steel with thumb screw, nickel plated, w't per doz. 4 lb. per dozen \$2.80 ONE DOZEN ON A CARD

COMBINATION CALIPERS



Inside and Outside Calipers also Depth Gauge made of nickel silver guaranteed not to rust graduated, in 16ths and 32nds. Jaws 1 in. deep. 134 135 Nos. 8 Length, in. 5 W't, doz., lbs. . . . 2 1 11 Per dozen \$43.20 45.60 48.00 HALF DOZEN IN A BOX

FAY PATENT CALIPERS



spring, with spring nut.


dozen ...\$24.00 24.00 25.80 Linside, dozen ...\$24.00 24.00 25.80

==gth, in. 5 6 8 == doz., lbs. 2½ 3 8¾

** S—Outside, ** Seen.....\$25.80 31.00 36.20 ** T—Inside,

SEXTH DOZEN IN A BOX

YANYEE CALIPERS



tempered flat steel bow

to the Fay pattern but are


on No. 73 is stiff, making reliable. After calipering chambered cavity by spring-legs they may be withdrawn, spring back will show the calipered.

6 8 10 21 33 58

S—Outside, \$18.00 20.70 28.50

\$18.00 20.70 28.50 DERRIER DOZEN IN A BOX

THREAD CALIPERS



Polished steel, tempered flat steel bow spring, with solid nut, designed for measuring diameter at bottom of threads.


Length, in. 4 5 6 W't, doz., lbs. . . . 1½ 1½ 2¼ No. 179—Outside,

per dozen.....\$15.70 17.20 18.00

No. 184—Inside, per dozen.....\$15.70 17.20 18.00

QUARTER DOZEN IN A BOX

IMPROVED FIRM-JOINT CALIPERS



No. 26. No. 27.

Joint is made to be drawn together by means of a screw. Main stud is squared and fitted to one leg, preventing the stud turning when loosening and tightening, and insuring a smooth and uniform friction of more or less tension to suit the user.

The capacity is about one-third greater than the size given.

Length, in. 3 4 5 6 W't, doz., lbs. 2 11 12 21 No. 26—Outside,

per dozen \$9.60 10.30 12.00 13.80 No. 27—Inside,

per dozen \$8.60 10.30 12.00 13.80 Length, in. 8 10 12 W't, doz., lbs. 3 51 71 No. 26—Outside,

per dozen....\$17.20 18.90 20.70 No. 27—Inside, per dozen....\$17.20 18.90 20.70

QUARTER DOZEN IN A BOX

LOCK-JOINT CALIPERS



No. 38. No. 39. Polished Steel, Lock Joint.

Instantly adjusted to their full extent, and as quickly locked firm in the joint, and yet provided with a sensitive adjustment. A socket joint made tapering is locked or released by a partial turn of the knurled disk, drawing it together. A spring washer under the disk maintains an easy friction in the joint when unlocked.

Length, in. 4 6 8 W't, doz., lbs. ... 1½ 3 4½ No. 38—Outside,

per dozen.....\$18.90 20.70 25.80 No. 39—Inside,

per dozen\$18.90 20.70 25.80 QUARTER DOZEN IN A BOX

Our reputation founded on over sixty-seven years' business stands back of the was brand.

All goods branded are guaranteed to be of highest quality material and workmanship and free from imperfections.

In selling articles there is a profit for you and satisfaction to your customers.

STARRETT HERMAPHRODITE CALIPERS



Polished steel, adjustable point, lock-joint, sensitive adjustment.

A socket joint made tapering is locked or released by a partial turn of the knurled disc drawing it together. A spring washer under the disk maintains an easy friction in the joint when unlocked.

No. 42—In. 4 6 8 W't, doz., ibs.... 1 29 4 4 Per dozen\$20.70 24.00 28.50 QUARTER DOZEN IN A BOX

FIRM-JOINT HERMAPHRO-DITE CALIPERS



Polished Steel, Adjustable Point.

The improved firm joint, with its smooth and uniform friction, is superior to the old style riveted jointed.

No. 41—Length, in. 4 6 8

W't, doz., lbs. . . . 11 12 38

Per dozen \$13.80 17.20 20.70

QUARTER DOZEN IN A BOX

STARRETT SPRING DIVIDERS



FAY PATENT, polished steel, quick adjustment, automatic closing spring nut.



Polished Steel, Solid Nut.

Made under the Fay patent, but not

			y.		4	5
Wit	per	doz.,	lbs.	4 60	13 15.70	17 20
No.	83-	-In.		 	. 6	8
2	per	dot.	lbs.		21	

QUARTER DOZEN IN A BOX

STARRETT IMPROVED EXTEN-SION DIVIDERS



Head and arms of best malleable iron and the balance of tool steel, hardened points, auxiliary caliper legs, patent locking nut.

A well made, nicely finished divider, with auxiliary caliper legs, which, together with a common pencil, form convenient combinations. The patent locking nut between the arms, against which a spiral spring acts, is a valuable feature. After the fine adjustment is made, the nut may be turned back, locking spring and arms firmly, thus remedying the weak point which renders the common wing divider only as stiff as the adjusting spring.

WITH DIVIDER LEGS ONLY

Nos 85A	85B
Length, in 7	9
W't, doz., lbs	10%
Per dozen\$31.00	36.20

COMPLETE

Nos	85C	85D
Length, in	7	9
W't. doz., lbs	121	16
Per dozen\$	51.80	57.00
1997G Damino	A. Carrier	

al bata man worse a lo ansen ed

SCRIBERS

fifted to due log, pre-



Takes the place of the compass, and being small, can be carried in vest pocket.

STARRETT SCRIBERS

HALF DOZEN IN A BOX

The knurled sleeve has hole clear through and a clamping device at one end, adapting it for slipping on or off different tools, securely holding them near to or away from the working point.

HALF DOZEN IN A BOX

STARRETT SURFACE GAUGES



The spindle passes through a rotating head, joined to a rocking bracket, pivoted in base. The bracket being adjusted by a knurled screw in one end against a stiff spring in the other, the spindle may be set upright or at any angle, or turned so as to work under the base and be sensitively adjusted to any position. The snug and head carrying the scriber are so made that when the clamp nut is loosened, all may be freely moved to any position and by friction springs retained in place until a slight turn of the clamp nut holds them firm. In the rear end of the base are two gauge pins frictionally held which may be pushed to bear against the edge of a surface plate or in slot of a planer bed for lineal work.

ONE IN A PACKAGE

COMBINATION SETS

STARRETT STAIR COURSE



with center head and 7 in.

head may be instantly rereplaced and used interby with the scale, thus formmost useful combination set ever devised for mechanics'

PROTRACTOR HEADS

2—7 in., with level attachment, the learning per dozen \$51.80 ONE IN A PACKAGE

COMBINATION SQUARES



Euroened polished steel blade, jamend iron stock, polished faces and

complete substitute for a whole common try squares and is one best gauges made for transferrant measurements or laying out Also convenient for a depth or to square in a mortise. For it is perfect, while with the try center head it forms a censquare, both inside and outside, for convenience and accuracy equal.

without center HEAD
11—In. 9 12
doz., lbs. 81 121
82 123
84 40 51.80

and iron stock, polished faces and allar in design to No. 11. While

blade is made of good hard steel,

STARRETT TOOLS

POLISHED STEEL RULES

Patentiante de la la latera de la particola

Flexible, very thin, spring tempered, graduated in 32nds and 64ths on one side only.

No. 320—
Length, in. 3 4 6 12
W't, doz., lbs. 1 1 2
Per dozen \$10.30 12.90 15.70 28.50
HALF DOZEN IN A PACKAGE

OAST 1 MARINES 2 MARINES 3

Improved hook, spring tempered, %4 in. or 18 gauge thick, graduated in 64ths and 32nds on one side, 16ths and 8ths on the other, with end graduated in 32nds. Convenient in taking measurements from round corners, through hubs of pulleys, setting inside calipers, etc. Hook quickly removed by turning eccentric stud one-half round.

No. 419—
Length, in. 6 9 12
Width, in. 2 1 1
W't, doz., lbs. 4 1 24
Per dozen \$21.60 30.20 37.00
QUARTER DOZEN IN A PACKAGE

AL REST LANGUAGE STREET BY

Narrow hook, spring tempered, 364 in. or 18 gauge thick, 366 in. wide, graduated in 32nds on one side, 64ths on the other

No. 422—
Length, in. 4 6 9
W't, doz., lbs. . . . 4 4 4
Per dozen \$17.20 20.70 28.50
QUARTER DOZEN IN A PACKAGE

WHEN DOZEN IN THE THE PARTY OF THE PARTY OF

Spring tempered, %4 in. or 18 gauge thick, graduated in 64ths and 32nds on one side, 16ths and 8ths on the other, graduated in 32nds on apposite sides of one end.

No. 0303—
Length, in. 3 4 6 12
Width, in. . . 18 8 3 1
W't, doz., lbs. 3 3 23
Per dozen. \$10.30 12.90 15.70 28.50
HALF DOZEN IN A BOX

The Section of the Se

Spring tempered, %4 in. or 18 gauge thick, graduated in 64ths and 32nds on one side, 16ths and 8ths on the other, graduated in 32nds on both ends of one side.

No. 603—
Length, in. 3 4 6 12
Width, in. 916 8 9 1
W't, doz., lbs. 8 9 2 24
Per dezen. \$10.30 12.90 15.70 28.50
HALF DOZEN IN A PACKAGE

CENTER GAUGES

DOUBLE SOUARES



Polished steel, graduated one corner each in 32nds, 24ths, 20ths and 14ths, length 2½ in., 60 degree angles. For use in grinding and setting

screw cutting tools.

No. 390—Not tempered, w't per doz. 3 lb.per dozen \$6.80

No. 391—Spring tempered, w't per doz. % lb. per dozen \$8.60 HALF DOZEN IN A PACKAGE


COMBINATION RULES



JOHNSON'S

The center joint is so constructed that the rule remains firm in any position. The vernier reads to one-half degrees and is a valuable feature in obtaining fine measurements.

Nickeled silver, combines caliper rule, try square bevel square and protractor, adjustable to any angle or bevel desired, marked in 8ths 16ths and 32nds.




A Combined Scale Rule, Degree Square and Caliper.

Graduated from 1 in. to 4 in. in 64ths. Graduated from 4 in. to 8 in. in 32nds. Caliper is graduated in 64ths.

Accurately and carefully made from 18-gauge, nickel silvered, and will not rust. Center joint has fibre bearings

DOUBLE SQUARES



Polished and hardened steel blade, japanned cast iron stock with pol-ished face and edges, blade graduated in 64ths and 32nds on one side, 16ths and 8ths on the other.


4 and 6 in. are fitted with both bevel

and regular blades.

The sliding scale, shortened or extended full length makes this square very valuable, while with the extra bevel blade we have both the hexagon and octagon angles.

No. 13—In. 4 W't, doz., lbs. ... 32 71 Per dozen\$34.50 51.80 62.00 ONE IN A PACKAGE

STARRETT DEPTH GAUGES



The wire in this gauge is held to a groove by a friction spring inside the nut while adjusting, and may be used close to the end, as well as in the middle of the straight edge. By loosening the nut, the gauge may be neatly fold-

No. 45A-Polished steel, 31 in. stock, w't per doz. 13 lbs.,

....\$15.70 per dezen ONE IN A BOX




No. 46A-Polished steel, 31 in. stock, and is graduated in 32ds and 64ths, and may be used separately from the gauge, w't per doz. 13 lbs.,

STARRETT THICKNESS GAUGES



The thickness is marked on each leaf. No. 172A-Polished steel, 9 tempered 3%6x3 in. leaves, w't per doz. 11 lbs., per dozen\$25.80 ONE IN A PACKAGE

STARRETT SCREW PITCH GAUGES




Polished Steel, 24 in. Long. Can be used inside a nut as well as on the outside of a screw or bolt. Each leaf is stamped in decimals showing the double depth of thread on said leaf, and this of course equals the depths of threads on the two sides of a tap having the same pitch, and helps the workman determine the size of drill needed to drill the hole the right size to leave a full V thread for a tap having the same pitch.



Can also be used as a center gauge with coarse and fine notch.

No. 155—U. S. Standard, polished steel, 31 in. long, 25 pitches—21 to 20—w't per doz. 3 lbs.,

Per dozen\$34.50 ONE IN A BOX STARRETT POCKET SCREW DRIVER



Steel tubing, knurled and nickel plated, properly tempered blades. 553A 553B Diam., handle, in. 4 8 3 Length of blade, in..... 13

STARRETT STAIR GAUGE FIXTURES




A pair of these fixtures can be real ily clamped to a carpenter's ste square to form a gauge for various

Sketch A shows the gauge as plied for laying out a stair stringer sketch B, laying off hexagon angles sketch C, as used as a center gauge in quartering a circle.

No. 111-Nickel plated, steel, unpoished body, w't 4 oz., per pair

THREE PAIRS IN A BOX

STARRETT PROTRACTORS



Graduated in degrees from 0 to 90 both ways. The blade is 6 inches long, and by means of patent lock joint is set firmly by a slight turn of the nut. The back of the tool is flat. This pro-tractor is accurate and is convenient for setting bevels, for transferring angles, as a small T-square, or for a large number of other uses which will readily occur to a machinist or draftsman and will be found reliable, and very satisfactory by any mechanic, especially those who do not care to pay for a more expensive tool.

No.19-Polished steel, graduated from 0 to 90 degrees from each end, 6 in blade, w't per doz. 11 lbs., per dozen ONE IN A BOX

STANDARD WIRE GAUGES



Cast Steel, Round.

Nos.

 Size
 Small Large

 Gauges, wire Nos.
 6 to 36 0 to 36

 W't doz. lbs.,
 1
 21

 Per dozen
 \$28.80
 48.60

HALF DOZEN IN A BOX

THERETT MICROMETERS



steel, hardened spinded sleeve and lock nut, with stop, for measurement by to 1 in., w't per doz. per dozen \$172.80

ONE IN A PACKAGE



Tolished steel, hardened spinmuried sleeve and lock nut, with stop and 1 in. test gauge, for ment by thousandths from 1 in., w't per doz. 7½ lbs., 190.00

ONE IN A PACKAGE



THE IN A PACKAGE

Drop forged from bar steel, nicely finished, knurled sleeve, patent lock nut and rachet stop. Graduated to read by thousandths of an inch. One inch has decimal equivalents stamped on frame. Other sizes marked to show capacity.

3 to 4 4 to 5 5 to 6 17 20 28 18 ... \$194.00 216.00 233.20

STARRETT HIGH SPEED INDICATORS



This indicator may be run at highest speed required without heating, and this on account of frictionless bearing against which the inner end of the spindle revolves. The dial plate has two rows of figures, reading right or left, as the shaft may run. The rotating disc being carried by friction, may be moved to the starting point where the raised knobs coincide. When the spindle is placed in connection with the revolving shaft, pressing the raised knob with the thumb will prevent the disc from rotating, while the hand of the watch gets to the right position to take the time. By releasing the pressure the disc is liberated for counting the revolutions of the shaft when every 100 may be noted by feeling the knob pass under the thumb lightly pressed against it, thus relieving the eye, which has only to look on the watch to note the time.

ONE IN A BOX

STARRETT REGISTERING SPEED INDICATORS



Devised to automatically register hundreds as well as units and tens, and thus relieve the mind from keeping tally. The instrument will register 5,000 revolutions. The large dial is graduated into one hundred lines, each one representing a revolution of the spindle. The small dial has fifty lines cut upon its face, each representing one hundred revolutions of the spindle (or one complete turn of the large dial). A spring finger trip attached to the case engages with one of the lines in the small dial and holds it from revolving until the large dial makes one complete turn, when the trip pin passing under the spring trip lifts it, and the dial is frictionally carried along by the large plate one line, thus showing that one hundred revolutions of the spindle have been made.

No. 107—Nickel plated, hard rubber handle, making a safe insulator when used on electric machinery, hardened steel pointed spindle with rubber tip for pointed or hollow centers, w't per doz. 4½ lbs. . . per dozen \$62.00 ONE IN A BOX


STARRETT KEY-SEAT OLAMPS



Can be put on or off almost instantly, and are a complete substitute for a more costly tool. They may be used with Starrett combination square blades, or with any straight rule, with accurate results.

ONE PAIR IN A PACKAGE

STARRETT RULE CLAMPS



For clamping two steel rules together, end to end, making one long rule. The rules may be the same or different widths up to 1½ in. Of special value to mechanics whose tool chests will usually not hold rules longer than 12 inches.

No. 299—Blued steel, w't per doz. prs. 1½ lbs. per dozen pairs \$10.30 FOUR PAIRS IN A PACKAGE

BOSTROM'S FARM LEVELS



The telescope, which is "achromatic" giving a clear field, is equipped with a focusing eye-cap, and contains a system of magnifying glasses enabling you to read the target a quarter of a mile away. On account of the novel elements of construction of this level the telescope may be pointed in any direction desired without the necessity of re-adjusting the instrument.

The level has circle of degrees for obtaining angles; has spirit bubble and all necessary means of adjustment.

No. 22—Brass, highly lacquered and finished, consisting of 3 in. level and 9 in. telescope, tripod, plumb bob, graduated rod and target, w't 11 lbs. each \$36.00

ONE IN A NEAT WOOD CASE

CENTER PUNCHES



Tool Steel, Tempered, Knurled Center. Nos. 924 925 926 Diam. in. 1-4 5-16 3-8 W't per doz., lbs. h 1 h Per dozen\$2.50 2.70 3.10

ONE DOZEN IN A BOX.

NAIL SETS

Cup Point, Blued Knurled Handles, Length 5 In. STRAIGHT SIZE

No. 40 diam., 3 in., size at point, %2 in., w't per doz. 11 lbs. \$3.20

ASSORTED SIZES

No. 38-Consists of one dozen, 4 each %2, %2 and %2 in. points, diam. in, w't, doz. 11 lbs. ...asst. \$3.00

No. 381-Consists of one dozen, 6 each %2 and %2 in. points, diam. 3 in., w't, doz. 13 lbs., assortment \$3.00 ONE DOZEN IN A BOX



For use on large nails and spikes.

No. 3 Car builders', high grade tool steel, \$x5 in., oil finished octagon barrel, \$ in. cup point, polished taper, w't per doz. 7 lbs., doz. \$7.00 ONE DOZEN IN A BOX



Square head, cup point, blue knurled handle.

STRAIGHT SIZES

Nos	COLUMN TO SERVICE	2 5	Marine San
Size, in	7	32 %	
Length, in			4
W't, doz., lbs	-	70 0	70 2 70
Per dozen TWO DOZEN IN A	DIS	PT AV	BOX.
TWO DOYER IN D	O'CO TO	E date a	THE REAL PROPERTY.

ASSORTED SIZES

o. 50—Consists of two dozen, assorted 2-32, 3-32, 4-32 and 5-32 in. No. points, w't, box 13 lbs., asst. \$5.40 WE DO NOT BREAK BOXES TWO DOZEN IN A BOX



ASSORTED SIZES

No. 35-Consists of one dozen, 6 each He and the in points, diam. % a in., ALL ABOVE ONE DOZEN IN A BOX

NAIL SETS



own, cast steel, cup point, blued knurled handles, length 4 in.

STRAIGHT SIZES

.\$2.10 2.10 2.10 Per dozen\$2.10 2.10 2.10 ONE DOZEN IN A BOX WE DO NOT BREAK BOXES ASSORTED SIZES

No. 44 Consists of two dozen, 8 each 2-32, 3-32 and 4-32 in. points, diam. % in., w't per box 11 lbs.,

TWO DOZEN IN A BOX per assortment



SYRACUSE, cast steel cup point, blued knurled handles, length 4 in.

ASSORTED SIZES

No. 37-Consists of two dozen, 8 each %2, %2 and 1/32 in.

points, diam. %2 in., w't per box, 13 lbs.per assortment \$5.30 STRAIGHT SIZES

Nos.	A. W.	93
Diam. in	932	732
Size at point, in	732	732
W't, doz. lbs\$	2 60	2 60
ONE DOZEN IN A BO	X	nboc

WE DO NOT BREAK BOXES. PUNCH SET ASSORTMENT



No. 124 CVB—Tool steel, tempered, polished and blued finish, in knurled body length 4 in. Contains 24 assorted Punches, as follows: 14 only Pin Punches, à to à inch Point. 4 drive, 4 center and 2 Prick Punches. W't per asst. 21 lbs., per asst. \$5.60 TWO DOZEN IN A DISPLAY BOX

MACHINE PUNCHES

No. 5 @ ma_ in., cast steel, a quality, & in. point, length 9 w't per doz. 8 lbs., per dozen \$5. HALF DOZEN IN A BOX

own, forged from high gr octagon tool steel, polished taper, finished barrel.

STRAIGHT SIZES

Nos. 11 12 Sizes, in. . . 6×à 6×à 13 14 6×à 6x1 Size at 932 point, in .. 332 W't, doz., lbs. 3 31 31 31 Per dozen \$4.00 4.00 4.00 4.00 16 18 19 Sizes, in. 6×1 8×1 9×8 Size at point, in. %2 %2 742 W't, doz., lbs. ... 31 5 Per dozen\$4.00 4.80 5.70 8 HALF DOZEN IN A BOX

GMB ASSORTED SIZES

Consists of one dozen, assorted %2, %2, %2, %2, 752 and %2 points, diam. 2 in., length 6 in. doz. 31 lbs. . . per assortment \$3.

REVONED length 6 in., forged from a in. octagon tool steel, regular tape polished, oil finished barrel.

STRAIGHT SIZES

106 Nos. 104 105 Sizes, in. 6x4 6x4 6×1 Size at point, in. %2 %2 %2 W't, doz., lbs. . . . 3 31 31 W't, doz., lbs. . . . 3 3à 3à 3à 3 Per dozen \$3.60 3.60 3.60 3. HALF DOZEN IN A BOX

REVONOC ASSORTED SIZES

Consists of one dozen, assorted # 532, 52 and 52 in. points, dia in., length 6 in., w't doz. 31 lbs., per assortment\$3. ONE DOZEN IN A BOX.

REGULAR TAPER MACHINE PUNCHES

Forged from high grade octas tool steel, carefully tempered, p ished taper, oil finished barrel. 28

Nos. 23 25 Size, in. ... 7x1 7x1 27 8xa 7×1 Size at point, in.. %2 %2 %2 W't doz. lbs. 31 31 31 %e

Per dozen \$4.60 4.60 4.60 5.80 9 NOS. 23 TO 27, ONE DOZEN: BALAN HALF DOZEN IN A BOX

COLD CHISELS

high grade octagon tool

HALF DOZEN IN A BOX

The state state we con the

octagon, tool steel, extra

7½ 8 8 8 1 14 20 \$\\ \dots \quad \text{9.00} \quad \text{12.50} \quad \text{15.00}

TALF DOZEN IN A BOX

Che, ... says. edi >

ONE IN A BOX

Cast Steel, Natural Finish.

 CAPE CHISELS



HALF DOZEN IN A BOX

LONG BRICK CHISELS

Inches 1-2 5-8 3-4 Length, in. 12 16 18 W't doz., lbs. ... 8 17 18 Per dozen \$6.00 8.40 12.00

HALF DOZEN IN A PACKAGE

Me. 20-Velous for Non. 4 and

POT A RI MESSES THE POST

DIAMOND POINT CHISELS



Octagon, Tool Steel, Oil Tempered.


HALF DOZEN IN A BOX

ROUND HOSE CHISELS



HALF DOZEN IN A BOX

SADDLERS' OR BELT PUNCHES



fine tool steel, polished handle, blued barrel, evenly tempered, carefully milled, reamed to allow easy clearance in punching.

ONE DOZEN IN A BOX



Cast steel, polished, length 34 in.

No. 50 RWWWC_Sizes 1, 2, 3, 4, 5 and 6,
w't per doz. 4 lb., per dozen \$3.10

No. 50 RWWWC_Sizes 7, 8 and 9, w't
doz. 14 lbs.per dozen \$3.80

No. 50 RWWWC_Sizes 10 and 12, w't
doz. 14 lbs.per dozen \$5.00

ONE DOZEN IN A BOX




Tool steel, tempered, length 3½ in.

No. 33—Sizes 1, 2, 3, 4, 5 and 6, w't doz. ½ lb. per dozen \$2.50

No. 33—Sizes 7, 8 and 9, w't doz. ½ lbs. per dozen \$2.80

No. 33—Size 10, w't, doz. ½ lbs., per dozen\$3.50


ONE DOZEN IN A BOX



A handy vest pocket punch. Adjustable blade. Can cut any size hole from it to g in., easily sharpened on a stone when dull. Cutter is pushed into handle when not in use.

ONE DOZEN IN A BOX

SPRING PUNCHES



Spring Punches are forged from the best tool steel.

The Grip with its mild curve exactly

fits the hand.

The Cutting Tubes are made of tool steel, tapered to allow easy escape of leather and can be changed.

The Cutting Seat is copper to protect


cutting edges.
No. 24 CVB-4 tubes, drop forged tool steel, polished, knurled handles, tubes and spring straw color, sizes 4, 6, 8 and 10, length 9 in., w't per doz. 10 lbs. per dozen \$18.00 No. 10—Tubes for No. 24, per dozen\$2.80

HALF DOZEN IN A BOX



No. 21 CVD—Single tube, drop forged tool steel, polished, knurled handles, tube and spring straw color, assorted sizes, length 9 in., w't per doz. 8 lbs., per dozen\$13.00

HALF DOZEN IN A BOX



PARAGON

Full nickel plated, knurled handles. Best quality assorted screw tubes, crucible sheet steel frame, light, strong and durable. Nos. 284 286

HALF DOZEN IN A BOX



PARAGON

Single tube, full nickel plated, knurled handle, best quality screw tubes, assorted sizes, crucible sheet steel frame. Light, strong and durable. No. 281—Length 8 in., w't per doz.

EALF DOZEN IN A BOX

SPRING PUNCHES



LODI Revolving, pressed steel, polished steel, polished, bright finish, steel, drive tubes sizes 1, 3, 5 and 7, length 8 in., knurled handle.

No. 384—4 tube, w't per doz., 7 lbs.,

per dozen\$14.40

No. 386-6 tube, w't per doz. 8 lbs., per dozen\$18.40

No. 40-Tubes for No. 384, per dozen\$2.50

ONE IN A BOX



Cast steel, polished, sizes 4, 6, 8 and 10, length 9 in. Nos. 4 6 No. of tubes 4 No. 30-Tubes for Nos. 4 and 6, per dozen\$2.50 HALF DOZEN IN A BOX



No. 544-Single tube, cast steel polished, assorted sizes from 3 to 9 length 71 in., w't per doz. 51 lbs., per dozen\$10.00


No. 20-Tubes for No. 544, per dozen\$2.50 ONE DOZEN IN A BOX

CONDUCTORS' PUNCHES



No. 38-Nickel plated, fancy holes, assorted, length 51 in., w't per doz. 3 lbs.per dozen \$26.00


HALF DOZEN IN A BOX



No 120-Nickel plated, with fancy holes, assorted, length 41 in., w't per doz. 21 lbs.per dozen \$20.30


HALF DOZEN IN A BOX

CONDUCTORS' PUNCHES




No 22-Wrought steel, nickel plated fancy holes, assorted, length 5 in. w't per doz. 2 lbs., per dozen\$4.50

HALF DOZEN IN A BOX



No. 260-Wrought steel, nickel plated with reservoir, fancy holes, length 5 in., w't per doz. 2 lbs., per dozen

HALF DOZEN IN A BOX



No. 44-Nickel plated, fancy holes. assorted, length 4 in., w't per doz. 4 lbs.per dozen \$54.00

ONE IN A BOX



This is one of the best punches made for street car transfers and other tickets, as the numbers to be punched can be plainly seen through the punch.

No. 263-Nickel plated, fancy holes assorted, length 4% in., w't per don 31 lbs.per dozen \$54.00

ONE IN A BOX

FLAT NOSE



金沙西

plier steel, close fitting box polished jaws, gun metal

604 605 606 607½

4 5 6 7½

602 1bs. 13 2 3½ 6

\$18.00 20.00 22.00 25.00

FLAT NOSE SIDE CUTTING

ONE IN A BOX



CALLED

Torged from best crucible that close fitting box joints, polished metal finish handles.

ROUND NOSE




OWD

forged from best special plier steel, close fitting box polished jaws, gun metal

624 625 626 627 4 5 6 7 5 11 19 31 51 5 18.00 20.00 22.00 25.00

LINEMAN'S PLIERS



NEVER SLIP

A very high grade tool in every way, 8 inch full polished, forged steel handles, extra fine crucible steel inserted cutting jaws securely fastened to plier with countersunk screws, the removable cutters can be easily replaced, thus increasing many times life of plier, w't per doz. 8½ lbs.

EXTRA JAWS FOR NEVERSLIP PLIERS

For No. 480-Per dozen pairs \$12.00



The rubber is a special composition, seamless, moulded to the handles, and almost unbreakable, offering a perfect resistance of about 2,000 volts.

No. 380 *** 8 in., forged tool steel, highly polished jaws, with hard rubber insulated handles, w't per doz. 13 lbs. . . per dozen \$56.00 ONE IN A BOX



ONTE

Crucible steel, highly polished, bright jaws, gun metal finish handles, with wire cutter.

COMBINATION PLIERS



SEXTET, special Swedish plier steel, polished jaws, gun metal finish handles, combines flat nose, gas, side and wire cutter pliers, screw driver and reamer.

Nos. 3 10 ... 736 737 738 W't, doz., lbs. ... 52 91 111 Per dozen\$21.60 23.60 25.60

ONE IN A BOX

SIDE CUTTING PLIERS



REVONOC




KLEIN'S, forged crucible steel, polished heads and cutters, black handles.

Nos. 2016 2017 2018 2019 Inches 6 7 8 9 W't, doz., lbs. 5 7½ 12 13 Per dozen. \$51.00 57.40 63.80 76.50

ONE IN A BOX

MILLINERS' PLIERS



No. 450 CYB-5 in. nickel plated, flat nose with side cutter, extra quality crucible steel, w't per doz. 2 lbs., per dozen\$20.00

ONE IN A BOX



Combination oval nose and side cutting nippers.

No. 99—5 in., bright polished, cast steel, w't per doz. 23 lbs., per dozen\$18.00

HALF DOZEN IN A BOX

FLAT NOSE PLIERS



DOZEN IN A BOX

ELECTRICIAN'S PLIERS



Round Nose.

No. 68 GWD-51 in., drop forged, lap joint, long polished jaws, gun metal finish handles, w't per doz. 2 lbs.per dozen \$18.80 ONE IN A BOX



Round Nose Side Cutting.

No. 69 CFD-51 in., drop forged lap joint, long polished jaws, gun metal finish handles, w't per doz. 21 lbs. per dozen \$21.20 ONE IN A BOX



Round Long Needle Nose Side Cutting. No. 779 CVD-Length 7 in., jaw 21 in., hand forged, lap joint, long polished jaws, gun metal finish handles. This plier is adapted for extra fine work, w't per doz. 3 lbs., per dozen\$23.00 ONE IN A BOX



Flat Nose.

No. 63 CVD 51 in., drop forged, ONE IN A BOX



Flat Nose Side Cutting.

ONE IN A BOX

PLIERS KLIEN'S ELECTRICIAN'S PLIERS



Oblique Cutting

Electricians, telephone men and switchboard builders will find this particular oblique cutting plier one of the most useful tools in their kits.

Cuts close, the narrow head permit-ting its use in confined places. The knives are perfectly fitted, so that they meet accurately at all points.

Nos		 2025	
Inches		 5	6 Gry
W't, per do:	. lbs	 4	1.44
Per dozen		\$ 35.10	41.40
	ONE IN		



Long Nose

This style of plier has been per-fected to meet a long felt want of the electrician and general mechanic. It is adaptable to stripping the ends of insulated wire and the extra long reach of the jaws permits working in confined space.

WITHOUT CUTTER'S	1011
Nos 3015	3016
Inches 5	6
W. E. DEL COZE IDS:	3
Per dozen\$31.90	35.10

WITH SIDE CUTTING KNIVES Nos. 2035 2036 ONE IN A BOX



Long Flat-Nose

Extra long wide flat nose makes this an especially useful plier.

No. 3056-6 in., w't per doz. 31 lbs.,



Long Flat-Nose Side-Cutting Extra long flat nose, side cutting knives.

No. 2066-6 in., w't per doz., 31 lbs., per dozen\$41.40 ONE IN A BOX

DIAGONAL CUTTING

FLAT MOSE



These are extra heavy and are designed so as to give very strong leverage in using. One pound pressure on handles cuts twenty pounds on jaws No. 7 OVB-61 in., crucible steel, polished jaws, gun metal finish, knuried handles, w't per doz. 62 lbs.,

ONE IN A BOX



Swedish pattern, crucible steel, box joint, polished jaws, gun metal finish

Nos.—@#@ 275	276
W't per doz., lbs 21	6 3
Per dozen\$24.00	28.00

END CUTTING NIPPERS



Hand forged from special Swedish plier steel, lap joint, polished jaws, gun metal finish handles.

Nos. 274 775 Inches 274 04 5 W't, doz., lbs. 21 4 51 Per dozen\$19.20 20.50 22.80 ONE IN A BOX



BERNARD

No. 165-6 in. drop forged, nicked plated knurled handles, black jaws polished cutting edges, compound leverage, which gives it great cutting power, jaws open %6 in., w'per doz. 71 lbs., per dozen \$28.80 HALF DOZEN IN A BOX

CUTTING PLIERS



ARD'S, crucible steel, full plated, parallel jaws.

51 Wit per doz., lbs. . . 3 44 49\$23.00 26.00 29.00 m 6 6 a tiper dot. 6 61 10 12 \$32.00 35.00 40.00 50.00 ONE IN A BOX

REPAIRS FOR NO. 102

61 wet Cutting,

\$8.00 10.00 12.00 17.00

Cutting 5.00 5.50 6.00 7.50

Plain 4.00 5.00 6.00 8.00

CUTTING PLIERS



BERNARD'S combination gas and cutting pliers, flat nose.

Nickel plated, crucible steel, parallel jaws.

No. 128-In. 5 W't per doz., lbs. . . 41 Per dozen\$26.00 32.00 40.00

ONE IN A BOX

ROUND BELT PUNCH PLIERS




BERNARD'S

Mo. 1120-6 in., crucible steel, nickel plated, parallel jaws, cuts and pierces § in. round belting. Also adapted for removing and clamping belt hooks, w't per doz. 6 lbs., per dozen\$30.00

ONE IN A BOX

PLIER ASSORTMENTS




Each piler is secure GRANAE to

Assortment consists on one each No. 102, 41, 51, No. 128, 5, 6 and 7 in. Bernard Pliers. Mounta structive metal display board, size 9x16 in. Finthe state colors. No extra charge for display board manufact pliers, w't per doz. 9 lbs.,

ONE IN A BOX

ur ameriment



No. 4-Assortment consists of:

No. 203-6 in. Long Nose Side Cutting Pliers.

3 No. 301-6 in. Long Nose Pliers. 3 No. 202-5 in. Oblique Side Cutting Pliers.

3 No. 201-6 in. Side Cutting Pliers.

No. 201-7 Side Cutting Pliers.

3 No. 201-8 in. Side Cutting Pliers. One of each of above are mounted on attractive metal

blue display board, size 14x11 inch.

Each assortment has packed with it enameled door signs, counter folders and extra booklets for sales help. Is priced at regular selling price of pliers, without any extra charge for display board. W't per ass't, 171 lbs.

> ONE ASSORTMENT IN A BOX ROSE TOOLS, INC.


OVE PLIER ASSORTMENTS


THE LOGICAL CHOICE OF THOSE WHO JUDGE VALUE BY PRACTICAL SERVICE

These Pliers are all forged from special steel exactly and individually tempered and possess unique, practical features in design and finish which give them unmistakable distinction.



Scientifically designed and perfectly balanced. They are not he a d he a vy. This insures utmost leverage—the strain being uniformly distributed over the entire tool, making for greater strength and durability.





PLIER ASSORTMENTS

These assortments have been made up from our regular stock and comprise the best selling sizes in high grade pliers. They are very attractive in appearance and will afford valuable help to the dealer in selling. No charge is made for the display board.

One of each number of pliers in the assortment is mounted on attractive wood display board, made in three ply to prevent warping. Board is attractively finished in mahogany. Each plier is securely fastened to board with nicke plated bolt and nut. Board has a wire easel on back for support.

No. E24 Plier Assortment.

The assortment contains following
Combination Pliers: Two
each Nos. 210 and 405, three No.
208, seven each Nos. 206 and 406
and three Hibbard Combination
Pliers. Wt per assortment 15 lbs.,
232.50

The assortment contains following Pliers: Two each Nos. 27—5 in. and No. 208, three each Nos. 69 and 47—8 in. and six each Nos. 206 and 406. W't per assortment 13½ lbs. per assortment \$33.50

ONE ASSORTMENT IN A BOX

No. E18— Plier Assortment
The assortment contains following
Pliers: Four each Nos. 69
and 270, two each Nos. 27—5 in. and
No. 77—6 in., three each No. 7 and
No. 73—8 in. W't per assortment
13½ lbs.per assortment \$37.00

ONE ASSORTMENT IN A BOX

COMBINATION PLIERS



finely nickel plated, crucimurled handles, narrow jaw.

Learning as plier, wire cutter,
and screw driver.



fine polished, coppered, and plated, mirrow buffed, wide Dentyne knurled handles, with A. shield. Will handle all sizes plugs, pipes and nuts from in., combines wire cutter, gas wrench and screw driver.

405 CVB-51 in., w't per doz.
per dozen \$15.00
405 CVB-61 in., w't per doz.
per dozen \$16.00

EALF DOZEN IN A CARTON



REVONOC

grade tool steel, drop forged, ming gas plier, wire cutter, and screw driver, knurled han-



REVONOC

grade tool steel, drop forged, ming gas plier, wire cutter and screw driver, knurled han-

Nickel Plated.

3221	323
th, in 8	10
lozen \$10.80	
ONE IN A BOX	10.20



Knurled Handle.

combining side cutter, gas screw driver and reamer, w't

COMBINATION PLIERS



The thin bent nose is designed to be used on check nuts and similar work inacessible with regular pliers.



Combines the adaptability of a gas plier, a wire cutter, wrench and a screw driver. The curved lower jaw will force any object against the straight upper jaw for its entire length thus giving increased bearing surface. The straight jaw has a groove for holding wire and rods parallel with the jaws. This plier is especially convenient for handling all kinds of odd shaped screws, pins, etc.



Nickel plated, combining gas plier, wire cutter, wrench and screw driver.

No. 305—Cruso, drop forged, 5 in., w't per doz. 41 lbs., per dozen \$5.00 No. 306—Cruso, drop forged, 6 in.,

knurled handle, w't per doz. 6 lbs., per dozen\$5.00

ONE IN A BOX

Bolts and nuts, for No. 306, per dozen\$1.00




CRUSO, nickel plated forged steel, combining gas plier, wire cutter, wrench and screw driver.

Nos	. 308 310
Length, in	. 8 10
W't per doz., lbs	
Per dozen	\$7.60 11.40

ONE IN A BAG

COMBINATION PLIERS



BERNARD

Forged steel, full nickel part, knurled handles, combining side cutter, gas plier and screw driver. A universal slip-joint cutting plier. Jaws are formed to hold objects of any shape or form without slipping. The flush center pin and narrow nose increases the range and efficiency of the tool, while the broad scored handles are comfortable to the grip.

HALF DOZEN IN A BOX



Narrow jaw, especially useful for automobile work.

No. 97 RWSNGC—7½ in., nickel plated thin jaw, forged tool steel, w't per doz. 7 lbs. per dozen \$12.00

HALF DOZEN IN A BOX

SLIP JOINT NUT PLIERS



V AND B

BURNER PLIERS



No. 6 CVD—6 in., full polished, drop forged tool steel, tempered in oil, w't per doz. 42 lbs., per dozen\$11.50

HALF DOZEN IN A BOX



in the contar gift and parrow none

No. 06 RWWW. 6 in., extra qualtiy steel, oil finished, polished jaws, w't per doz. 41 lbs. ...per dozen \$10.90

HALF DOZEN IN A BOX

GAS PLIERS



多种型

Full polished, drop forged tool steel, tempered in oil.

Nos01080	110
Inches	10
W't per doz., lbs 8	11
Per dozen\$13.90	17.20

HALF DOZEN IN A BOX



REVONOC

Cast steel, oil finished, polished

Nos		10
Inches	8	10
W't per doz, lbs	71	111
Daw dozen	13.30	16.4

HALF DOZEN IN A BOX

STAPLE PULLERS



ONE IN A BOX



No. 29 RNSSSC—Length 10 in., forged steel, blued finish, combining staple puller, wire cutter, splicer and hammer, w't per doz. 22 lbs., per dozen\$28.00

train to XOB A MI SMO other length



No. 010—Hercules, cast steel, bright jaws, combining wire cutter, staple puller, splicer and hammer, length 10 in, w't per doz. 21 lbs., per dozen\$28.00

HALF DOZEN IN A BOX



No. 104 Black Bull, forged steel, polished jaws, blued handles, combining wire cutter, staple puller, splicer and hammer, length 10 in., w't per dozen\$30.00

ONE IN A BOX

FENCING PLIERS



No. 12—Cronk's, forged tool steel, polished jaws, combining plier, wire cutter, staple puller and hammer, length 11 in., w't per doz. 21 lbs., per dozen\$30.00

HALF DOZEN IN A BOX

BUTTON PLIERS AND WIRE CUTTERS



Extra Quality Steel, Full Polisher

A highly finished high grade to for constant use, the handle is rounds and fits the hand Nos. 4741 476 478 4711

Nos. 474 476 478 4711 Inches 44 6 8 10 Cut wire No. 14 11 8 6 W't, doz., lbs. 24 4 74 11 Per dozen. \$13.20 15.00 18.00 22.8

HALF DOZEN IN A BOX



Stop joint, highest grade tool steefull polished, beveled jaws, knurs handles.

When open, the wire cutters sto opposite each other so that the plical is always ready to receive the wire. The jaws are beveled to prevent breaking wire in twisting it.

Nos. 574½ 576 578 5716
Inches 4½ 6 8 10
Cut wire No. 14 11 8 6
W't, doz., lbs. 2½ 4 8 13
Per dozen. \$12.60 14.30 17.20 21.50

HALF DOZEN IN A BOX



Stop joint, extra heavy wide jawa polished, forged from high grade too steel.

808 8910 Nos..... 804 806 Inches 41 Cut wire No. 14 8 10 6 6 8 11 10 17 W't, doz., lbs. 3 6 Per dozen. .\$11.00 12.20 14.80 18.8 ONE IN A BOX

HALF DOZEN IN A CARTON





CRUSO

Cast steel, polished jaws, black handles.

HALF DOZEN IN A BOX ROSE TOOLS, INC.

CARPENTERS' PINCERS



extra quality, black finish, knurled handles,

6种型				,			4					108	108	1010	1012
		ä	d	1	ė				ě			6	8	-10	12
L, lbs												51	10	15	18
onen						ı			u			\$ 12.00	15.50	19.30	21.00

HALF DOZEN IN A BOX



extra quality, black finish, with claw, screw wire cutter.

MENONOC												166	168	1610	1612
			*	+	×	*		×				6	8	10	12
IL, lbs.												51	10	15	18
men										¢	\$	11.20	14.60	18.80	20.60

HALF DOZEN IN A BOX



EUSO, good quality, oil finish with claw and screw

.Albama		176	177	178	1710
********		6	7	8 8	10
L. Ibs		5	91	14	17
sten		\$9.00	10.90	12.50	15.60
	HALF DOZEN IN			00	

PORTER'S BOLT CUTTER



tool steel, adjustable jaws, japanned malleable handles, all parts interchangeable, ample adjustment up the wear on the cutting edges.

O. K. Cutters are made to meet the demand for a priced bolt cutter than the regular New Easy, being the same of th

************		٠.				. ,	Č,								10	14
a over all, in				٠			i.				ě	•			10	14
bolts up to, in.												Ļ	1		3/10	1
each, lbs												ŝ			11	21
	-							1	1	b	i	ĺ	Q	\$4	00.4	4 50

TWENTY-FIVE IN A CASE



and malleable iron handles, tool steel jaws tempercutting bolts, rivets, wire, etc.

per doz. 18 lbs.each \$2.35

PORTER'S BOLT CLIPPERS

PORTER'S "NEW EASY," compound lever action, forged tool steel adjustable jaws, japanned malleable iron handles, rubber buffers, all parts interchangeable.



These clippers have an adjustable set screw requiring no special shim or wrench.

Nos				 									. 0	1
Length over all, in.		 		 							٠.		. 18	24
Cuts bolts up to, in.			*	٠,							.,		. 918	8
W't each, lbs					×				ě				. 3	53
Each	1	4				P	٠,	*				P)	\$6.00	8.00

HALF DOZEN IN A CASE

No. 0J—Extra Jaws, for No. 0per pair \$3.30 No. 1J—Extra Jaws, for No. 1per pair 4.00



PORTER'S "NEW EASY"—Equalizing device is in the gear teeth between the two jaws. Any degree of adjustment is secured by means of the set screw and eye bolt. Requires only an ordinary monkey wrench for use on all parts.

Nos	2	3
Length over all, in	30	36
Cuts bolts up to, in	8	9
W't each, lbs.	9	13
Each	1.40	14.60

HALF DOZEN IN A CASE

No.	2J—Extra	Jaws,	for	No.	2	 	per	pair	\$5.70
No.	3J-Extra	Jaws,	for	No.	3		per	pair	7.20



PORTER'S "EASY"—Equalizing device is in the equalizing gears. Adjustment is secured by steps by the use of shims. Requires special wrench for use on lock nuts.

No. F11—For bolts & in. and smaller, length 24 in., w't

HALF DOZEN IN A CASE

No. F11J-Extra Jaws, for No. F11*per pair \$4.00



PORTER'S "EASY"—A steel shim and wrench is furnished with each clipper for adjusting.

No. F12—For bolts i in. and smaller, length 30 in., w't 71 lbs.*each \$11.40

HALF DOZEN IN A CASE

No. F12J-Extra Jaws, for No. F12★ ...per pair \$5.70

* Items Marked Thus * Are Shipped From Factory Only.

ROSE TOOLS, INC.

IN A BOX

Pincers and Pliers Are Superior in Every Way. They Are Made of Fine Tool Steel, Carefully Tempered and Extra Finished.

SHOE PINCERS



PEXTO

No. 56-6 in. forged steel, polished jaws, black handles, made especially for shoe-makers, but is a handy tool for use about home, farm and garage. W't per doz. 71 lbs., per dozen\$8.40

HALF DOZEN IN A BOX

BLACKSMITHS'



Finest quality solid steel, polished jaws.

Nos.—OND	1810	1812	1814
Inches W't doz., lbs	. 10	21	24
Per dozen	.\$19.70	20.80	23.10


HALF DOZEN IN A BOX

FARRIERS' SHOEING PINCERS



No. 034-14 in., solid steel, polished jaws, w't per doz. 321 lbs., per dozen\$39.60

SIXTH DOZEN IN A CASE



No. 2014-Heller's, 14 in., cast steel, polished jaws, w't per doz. 33 lbs., per dozen\$45.60

QUARTER DOZEN IN A BOX

HOOF CUTTING NIPPERS



Extra Tool Steel, Full Polish	ed.
Nos 520	540
Inches	23
W't doz., lbs 21	
Per dozen\$36.00	42.00

HALF DOZEN IN A BOX



HIBBARD

Drop forged tool steel, polished jaws, the jaws on these nippers are so designed that great leverage is obtained making the work very easy when cutting.

Nos	*****	60 64
Length, in		10 14
Wit dog the		11 24
Per dozen	\$17	7.60 23.80

HALF DOZEN IN A BOX



HELLER'S Cast Steel, Full Polished.

THE RESERVE OF THE PARTY OF THE		10000000000000000000000000000000000000
Nos	24A	24
Inches	12	31
W't doz., lbs	21	40.00
Per dozen\$	43.00	94.00

HALF DOZEN IN A BOX

LXCa



No. 1-13 in., hoof-nippers, drop forged tool steel, japanned, polished jaws, w't per doz. 19 lbs., per dozen

HALF DOZEN IN A BOX

HOOF PARING NIPPERS



and the same

Extra Cast Steel, Full Polished.

Nos 620	640
Inches 12	14
11774 dog 1hg 25	26
Per dozen\$36.00	42.00

HALF DOZEN IN A BOX



REVONOC

Solid Steel, Polished Jaws.

Nos	212	214
Inches	12	- 200
With don the	203	251
Per dozen\$3	2.40	36.0

HALF DOZEN IN A BOX



HELLER'S, Cast Steel, Full Polisher

Nos.	23A 23
Inches	0.0
Titte day lbp	22 04
Per dozen	45.60 54

HALF DOZEN IN A BOX

LARSON PINCERS



Drop forged tool steel, japann polished jaws.

No. 2H—Heavy, 13 in., w't per d 20 lbs. per dozen \$24

HALP DOZEN IN A BOX

* Items Marked Thus * Are Shipped From Factory Only.

PONOC KNIFE HANDLE



Berged steel bar through end of case hardened jaws, two in handle. 146 148 1410

in, 6 . 8 10 mening, in. 3 13 19 ** 5.00 18.00 22.00 1412 1415 1418

COE'S STANDARD



Barred steel bar, head and screw, hardwood knife handle. surfaces hardened; handle metained at ends and in centre. man meral part is a solid piece, no

may or pins in screw, 106 108 1010 1012 - 6 8 10 12 - 14 14 24 21 \$15.00 18.00 22.00 28.00 1015 1018 1015 15 18 21 4 \$38.00 48.00 58.00 DOZEN IN A PACKAGE TRIMO MONKEY

ALL STEEL

increases in proportion to movable jaw and instead of toward all and munded rendering them prac-Threads of both jaw misstructible, all steel, drop-and hardened; the nut-guards ment in adjustment.

12 21 The state of the s 1 \$15.00 18.00 22.00 28.00 1715 1718 1721 18 21 10 ming. in. 29 41 73 102 162 \$38.00 48.00 58.00


WRENCHES GIRARD AGRICULTURAL



Wrought steel bar, head and screw. oil finished hardwood handle.

408 410 Length, in. 6 8 10 Opening, in. 7 11 11 W't, doz., lbs. 8 15 22 Per dozen\$10.00 12.00 14.00 HALF DOZEN IN A PACKAGE

P. S. & CO.'S SOLID HANDLE



One piece, solid steel forging, case hardened, oil finished hardwood riveted handle, warranted.

Nos. 866 868 8610 8612 Length, in. 6 8 10 12 Opening, in. 7 11 12 21

Nos. 8615 18 21 21 4 Length, in. 15 Opening, in. 2%6

HALF DOZEN IN A PACKAGE

P. S. & CO.'S ALL STEEL



Head, bar and handle forged solid from one piece of steel, black.

Nos. 876 878 8710 8712 Length, in. 6 8 10 12 Opening, in. 7 11 12 22 Doz. in box 1 1 1 12 23 W't, dz., lbs. 10 18 33 50 Per dozen .\$15.00 18.00 22.00 28.00

Length, in. 15 18 21 Opening, in. 2%6 31 4 Doz. in box 1 102 W't doz., lbs. 73 102 Per dozen\$38.00 48.00 58.00 ROSE TOOLS, INCHALF DOZEN IN A BOX

ADJUSTABLE "S"



B. & C. WESTCOTT PATTERN malleable frame, japanned, polished jaws and edges, adjustable.

Nos. 486 Length, in. 6 8 10
Opening, in. . . . 1 1½ 1½
W't, doz., lbs. . . 6 12 24
Per dozen \$8.00 10.00 12.00 14 Per dozen\$18.00 24.00


HALF DOZEN IN A BOX



Adjustable wrenches, malleable frame, japanned, polished jaws and edges.

Nos. 756 758 7510 Length, in. 6 8 10 Opening, in. 1 18 W't, doz., lbs. . . . 6 12 19 Per dozen\$8,00 10,00 12,00

HALF DOZEN IN A BOX



ROBINSON

Drop forged, from high grade steel, natural finish, polished jaws.

There are two grooves on the mova-ble jaw where it moves through the frame which adds considerably to the strength and firmness of this wrench. Jaws are also thinner than other wrenches which permits their use in places heretofore inaccessible. The opening in jaws are also wider.

Length, in. 6 8 Opening, in. 11 11 10 19 W't doz., lbs. ... 7 11 22 Per dozen\$16.80 21.00 28.00

DROP FORGED STEEL WRENCHES




CRESCENT, single end, forged steel ribbed handle, special steel jaws, hardened, tempered and polished, 22½ degree angle engineer's wrench. Nos. 5010 5012 5015 5018 Size in. . . . 10 12 15 18
Opening, in. 11 15/16 111/16 21/16
W't, doz., lbs. 15 24 52 84
Per dozen..\$18.70 28.00 42.00 60.80

STOCK REPAIRS

Jaws.

Nos. 54 56 58 510 512 Size, in. . 4 6 8 10 12 Per dozen \$4.80 4.80 5.76 7.68 11.52 Thumb Knurls.

Per dozen \$1.90 1.90 2.30 2.90 4.80 Pins.





CRESCENT, double end, forged steel, ribbed handle, special steel jaws, hardened, tempered and polished, 221 degree angle engineer's wrench.

Parts are interchangeable with Crescent single end wrenches.

12

Nos. 46 68 10

Size, in. ... 6 8 Opening, in. 1&1 1& 1h to 18& -11 116 W't, doz., lbs. 5 81 15 Per dozen..\$20.60 23.40 28.00 37.45 ONE IN A BOX



Polished jaws, natural finish handles. Drop forged from high grade steel, carefully hardened and tempered, sliding jaws are reversible and can be used for either nut or pipe wrench, also on square or hexagon nuts. Knurl fitted with spiral spring for holding

adjus	ement.		-7.2	6 15.99	William Control	
Nos.	****			66		610
Sire,	in	010		6	8	11 11 11 17 17 17 17
Openi	ing, in.			. 1	18	11
WED	er doz.	. lbs.		. 5	10	18
Per s	ionen	-	. 4	15.0	0. 18.0	0 23.50
	0	NE	IN	AB	XOX	
	MALE I	DOZE	383	IN A	CARTO	N

GENERAL PURPOSE WRENCHES



Drop Forged Steel, Semi-Finished. Case Hardened.

Size bolts, in. ... Atol itof istos Openings, in. ... is & is said itof Length, in. 6½ 7½ W't per doz., lbs. . 2 3½ 83 61 Per dozen\$3.50 4.30 5.50 retoh 37 & 18 101 14 Per dozen \$7.10 9.00




Drop Forged Steel, Unfinished. Nos. 475 477 Size bolts, in. Atol ltone Openings, in. 11&1 1&3 音卷 計 Length, in. 64 W't per doz., lbs. . . 2 7計 81 33 64 Per dozen\$2,30 3.00 3.75 Nos. 481 483 retoh 11&th 101 14 6.50 HALF DOZEN IN A BOX

GENERAL PURPOSE SETS IN BUNDLES

No. 105—One each Nos. 475, 477, 479, 481 and 483, w't per set 23 lbs., per set\$1.70


GENERAL PURPOSE SETS



Set constits of 5 wrenches, one each Nos. 475, 477, 481 and 483. For Bolts % to 1 in. In canvas rolls. Nos. 110-Unfinished, drop forged, w't per set 2^a lbs. per set \$1.90 No. 115—Semi-finished, case hardened, w't per set 21 lbs.,

per set\$2.40

DROP FORGED STEEL WRENCHES



UNFINISHED, double head, gineers' pattern, 15 degree ang-milled for U. S. standard nuts.

Nos	21	23	25
Size bolts, in		1282	社会者
Openings, in		1184	100
Extreme length,			
in	31	4	45
W't, doz., lbs		21	21
Per dozen		1.80	2.15
09 22 25		adi no	
Nos.	27	29	31
Size bolts, in	to de l	\$ 82 Ta	To de I
Openings, in	13811	14824	計算会員
Extreme length,	ME A WEST	N. Man	
in	54	67	-71
W't, doz., lbs	31	45	17
Per dozen	\$2,70	3.45	3,90
		-	0.0
Nos.	33	9935 be	37
Size bolts, in	notre	Te ct 8	BOLL
Openings, in		34 & 1 to 1	LAGE TE
Extreme length,		morning to the	Palific
in	89	92	115
W't, doz., lbs	81	125	181
Per dozen	\$4.80	5.90	8.50
the state of the state of		00	44
Nos		39	41
Size bolts, in		. 100	8001
Openings, in		120116	191
Extreme length,	m	. 103	100
W't, doz., lbs		24	10 00
Per dozen	****	312.95	18.00
	TOORE	THE SHE	

LOOSE

SEMI-FINISHED, double head, engineers' pattern, 15 degree angle, milled for U. S. standard nuts, case

nardened.			
Nos	21 T 1&A A&B	23T #&1 11&1	25T 1&6 1&11
W't, doz., lbs Per dozen	\$2.15	3.25	3.25
Nos	27T	29 T	31 T
Size bolts, in Openings, in Extreme length,	11&11	16.41	7a&1 31&1
w't, doz., lbs	51 31 \$4.00	61 41 4.80	74 7 5.80
THE PARTY OF THE PROPERTY OF THE PARTY OF TH	33 T	35 T	
Size bolts, in Openings, in	181	#&9 #&1#	182
Extreme length,	os .	03	110

12%

184

12,40

W't, doz., lbs. .. Per dozen\$7.10

CHECK NUT OR THIN WRENCHES



finished, drop forged, double beat 15 degree angle, milled for U. S. muchand nuts and cap screws.

DESCRIPTION AND DESCRIPTION OF STREET	ment	SOLE ON ON	
Bolt, in	623 16×1	623D	625 1×1s
Screws, in.	1181	1081	1&11
don, lbs		11	41 11 3.60
Bolt, in Screws, in	626 S	627 fe×8	629 8×16
mings, in.	76 & 8	12&11	11.612
doz., Ibs	5½ 3 \$4.60	51 3 4.60	64 5 5.75
Bolt, in.		629E	631 16×1
Screws, in.	in	67	11&1 61 5
cocen	44.44	\$5.75	5.75
Boit, in		TEXTE	632X
Screws, in	in	81.81	18&1 81 9
COLUMN TOTAL	1007	\$8.00	8.00
PACK	ED LO	USE ALL	TIRRED -

CAP SCREW WRENCH



WILLIAMS'

Semi-finshed, drop forged, double head, 15 degree angle, for Hexagon Head Cap Screws.

"LOD LOG TAMESHEROR" THE		
Nos 721 Size, Screws &&& Openings, milled &&& Thickness, head %6	723 16&1 18&1 1	723A #&# #&#</td></tr><tr><td>Extreme length, in 3 b W't, doz., lbs 1 Per dozen \$2.45</td><td>4 19 3.00</td><td>4 19 3.00</td></tr><tr><td>Size Screws 1&3 Openings, milled 1&1 Thickness, head %2</td><td>725A 1&8 1&8 1&6</td><td>725B 6&8 8&6 952</td></tr><tr><td>Extreme length, in 43 W't, doz., lbs 29 Per dozen \$3.60</td><td>43 22 3.60</td><td>41 29 3.60</td></tr><tr><td>Nos</td><td>727</td><td>729</td></tr><tr><td>Size Screws</td><td>887</td><td>7081</td></tr><tr><td>Openings, milled</td><td>re&8</td><td>1881</td></tr><tr><td>Thickness, head</td><td>9/18</td><td>11/32</td></tr><tr><td>Extreme length, in</td><td>57</td><td>63</td></tr><tr><td>W't per doz., lbs</td><td>5</td><td>6</td></tr><tr><td>Per dozen</td><td>\$4.45</td><td>5.30</td></tr><tr><td>of fn., black, solid, eng</td><td>50,550 E</td><td>2.668</td></tr><tr><td>Nos.</td><td>731</td><td>731A</td></tr><tr><td>Size Screws</td><td></td><td>188</td></tr><tr><td>Openings, milled</td><td>1811</td><td>184</td></tr><tr><td>Thickness, head</td><td>13/32</td><td>13/32</td></tr><tr><td>Extreme length, in</td><td>75</td><td>.73</td></tr><tr><td>W't per doz., lbs</td><td>81</td><td>81</td></tr><tr><td>Per dozen</td><td>\$6.50</td><td>6.50</td></tr><tr><td></td><td>The Labor</td><td></td></tr></tbody></table>

WOTER GR WRENCH ASSORTMENTS


Bolt sisk



GENUINE CRESCENT

No. E5-Consists of six each 4 and 10 in. and No. 68 twelve each 6 and 8 in., three each 12 in. and No. 80 one each 15 and 18 in., with handsome display board. This 26×25 in. board is made of selected quartered oak, five-ply veneered to prevent warping. It is surrounded by an ornamental molding. Upon the board is mounted a decalcomania transfer showing each wrench in its natural color and full size with its natural color and full size with the lettering in black and gold. The board is then given a high-rubbed varnish finish, in natural oak, equal to that of the finest furniture, w't each 75 lbs.each \$76.90

WRENCH ASSORTMENTS



All Semi-finished Wrenches. Use our 021T line to fill in for these assortments.

Eighty-four 15 degree angle, dou-ble head wrenches in 14 sizes.

SIX EACH OF THE FOLLOWING NOS.

THIN WRENCHES

ST TO	1 23														Ope	ning,	in.
No.	623D														7	and	I divid
No.	6265												9		940	and	250
No.	627	y	į	ũ	ç	í		ū	ũ	ã	ō		C	ũ	860	and	114
No.	629E	ă	ũ	Ī	0	ũ	Č	Ĵ	ō	å	9	ğ	0	-	702	and	1
No.	632	H	7			r.	Ğ	å	9	ů	ř	Ô	ð	ð	254	and	814
No.	632X	٦	٥	î		7	ð	*	*	*	*	*	*	*	15/	and	782
HO.	DOCAL														-71 ft	Bun	

ENGINEERS' WRENCHES

35.05	25 1 25	AM.			Upe	ning.	m.
No.	21				. 5/18	and 1	18/2
No.						and	
No.	725				- 7/1 A	and	1
No.	27				1860	and 1	140
No.	727				940	and 1	140
No.	731A	1000			3	and	I
No.	32	no.	200	03244	254	and t	116
No.	336	W 32	1996	100	164	and	782
No.	1D-	Ace	2	ont	710	15×24	-
hor	and	mit a	OT CHE	nest.	41 lbs	10×24	ın.
					er ins		-
D49	r ass	OFTO	tent			630	50

CAR WRENCHES



ONE ASSORTMENT IN A BOX

UNFINISHED, 221 degree angle, milled for U. S. standard nuts. Size bolts, in. B&9 Openings, in. 11017 14.90 1&11 Openings, in. 14 &11 11 &24 Length, in. 21 W't per doz., Ibs. ... 48 Per dozen \$18,50 30.80 LOOSE

ALLIGATOR PATTERN



5½ in., cast steel, open handle, polished jaws, for ½ to § in. pipe and ½ to § in. round iron.

No. 1 CVD—Case hardened, w't per doz. 33 lbs. per dozen \$2.50

ONE DOZEN IN A BOX



Drop forged steel, polished raised jaws, open handle.

Nos	12	13
Length, in		7
For pipe, in	a to 1	1 to 2
For round iron, in	1 to 1	% to 1à
W't doz., lbs	47	99
Per dozen	.\$4.00	7.20
		nomer

NO. 12, ONE DOZEN; NO. 13, HALF DOZEN IN A BOX

TWIN ALLIGATOR PATTERN



HALF DOZEN IN A BOX

RONSON



No. 204—6 in., drop forged nickel plated, carefully tempered, consists of 4 open end slotted wrenches fastened together with bolt and wing nut, wrenches fit U. S. Standard nuts on bolts from \$ to 7/16 in. diameter, also has 3/16 in. square opening in head of 1 in. wrench, w't per doz.

6 be per dozen \$14.00

ONE IN A BOX; ONE DOZEN IN A


WRENCHES UNIVERSAL GRIP



Drop forged, nicely finished, guaranteed first class,

ALWAYS READY

Drop forged steel, chased body, pollaned raised jaws.



No. 23 @ BB—6 in., black, solid, cast steel of superior quality, oil tempered, re-threads, bolts 5-16, % and hin., for round iron him, w't per doz. 3% lbs. per dozen \$6.00 ONE DOZEN IN A BOX



The upper part of wrench is adjustable and is held open by a spring. It can be closed by the thumb nut until both jaws meet, giving the tool a wide range of work. The extra jaws are very easily adjusted and they renew the wrench indefinitely.

No. 202—7 in., for h to h in. pipe and h to h in. round iron, wrought steel, hardened jaws, nickel plated and polished, w't per doz. 7h lbs., per dozen\$24.00

ONE DOZEN IN A BOX

ORUSO WRENCH SETS



The sare strong services wrenche at a verattractive price.

five standard double end white nickel finish wrend ches, made

Consists

BIT BRACE SOCKET WRENCHES

Made of malleable, hardened so to give the greatest strength. Nice finished, japanned body, polished has and shank. Each size is accurate drifted to United States standard masize. A shoulder prevents the moverning far up into the wrench and the open shank prevents clogging windirt, also enabling the user to hand dirt, also enabling use of wrench in places where brace would not go.



 Square opening for U. S. standar nuts, cap screws and set screws.

 Nos.
 152
 153
 154
 155

 Openings, in.
 \$\frac{1}{16}\$
 \$\frac{1}{16}\$
 \$\frac{1}{16}\$

 Bolt size
 \$\frac{1}{16}\$
 \$\frac{1}{16}\$
 \$\frac{1}{16}\$

 Cap screw
 \$\frac{1}{16}\$
 \$\frac{1}{16}\$
 \$\frac{1}{16}\$

 W't per doz, lbs.
 \$\frac{1}{3}\$
 \$\frac{1}{4}\$
 \$\frac{1}{4}\$

 Per dozen
 \$\frac{1}{3}\$
 \$\frac{1}{4}\$
 \$\frac{1}{4}\$

 Openings, in.
 \$\frac{2}{3}\$
 \$\frac{1}{4}\$
 \$\frac{1}{4}\$

 Cap screw
 \$\frac{1}{4}\$
 \$\frac{1}{4}\$
 \$\frac{1}{4}\$

 Set screw
 \$\frac{1}{4}\$
 \$\frac{1}{4}\$
 \$\frac{1}{4}\$

 W't per doz, lbs
 \$\frac{1}{4}\$
 \$\frac{1}{4}\$
 \$\frac{1}{4}\$

 Per dozen
 \$\frac{1}{4}\$
 \$\frac{1}{4}\$
 \$\frac{1}{4}\$

 Set screw
 \$\frac{1}{4}\$
 \$\frac{1}{4}\$
 \$\frac{1}{4}\$

 Per dozen
 \$\frac{1}{4}\$
 \$\frac{1}{4}\$
 \$\frac{1}{4}\$

 Openings, in.
 \$\frac{1}{4}\$
 \$\frac{1}{4}\$
 \$\frac{1}{4}\$

 Cap screw
 \$\frac{1}{4}\$
 \$\frac{



W't per doz., lbs. 13 2 22
Per dozen \$4.80 5.40 6.00
Nos. 170 172 173
Openings, in 8 25%2 3
Bolt size 2 3 5/16
Cap screw 7/16 3 4

WRENCHES



forged tool steel, hardened frame, polished shank and Movable steel pin holds frame

Dennie Spring, Hardwood Handle.

206 208 2010 2014
6 8 10 14
6 8 10 14
6 9 19 38
824.00 27.00 30.00 42.00



54 96 180 300 550.00 87.00 162.00 240.00 EALF DOZEN; 36 IN., SIXTH

PARTS FOR STILLSON WRENCHES

Buttons --- 6 8 10 \$9.00 9.60 10.20 13.80 1.44 1.80 2.40 3.60 5.04 6.00 7.20 .48 Pins ,36 .48 Marines 18 24 36 \$21.00 27.00 52.20 90.00 4.20 6.60 13.20 18.00 9.00 11.40 20.40 26.40 Fins .48 .48 .60 .60

WILLIAM PIPE WRENCHES



fireged steel, saw tempered m the link chain. 031 032 _____ 1 to 11 1 to 21 1 to 4 100 Es ... 60 27 37 120 192 \$42.00 60.00 84.00 0331 034 035 1 to 6 1 to 8 2 to 12 m. 44h 501 348 588 \$108.00 132.00 216.00

GENUINE TRIMO PIPE WRENCHES

Drop forged bar steel hardened jaws and frame, insert jaw and frame fastened to handle with movable pin, with nut guard to hold in place, japanned handle, polished head and jaws.



Hardwood Handle.

Nos. 226 228 2210 2214
Inches 6 8 10 14
For pipe, in. \(\frac{1}{2} \) to \(\frac{1}{2} \) to 1 \(\frac{1}{2} \) to 1 \(\frac{1}{2} \) to 1 \(\frac{1}{2} \)
W't, doz., lbs. 6 9 19 40
Per dozen. \(\frac{524.00}{27.00} \) \(\frac{27.00}{30.00} \) \(\frac{42.00}{20.00} \)



Solid Steel Handle.

Nos. 256 2510 2514 258 8 Inches 6 14 For pipe, in. \$ to 1 1 to 1 1 to 11 W't, doz., lbs. 6 9 19 Per dozen. \$24.00 27.00 30.00 42.00 Nos. .. 2518 2524 2536 2548 In. . . 18 24 For pipe, in. ... 4 to 2 4 to 21 1 to 31 1 to 5 W't, doz., lbs. .. 60 300 192 96 Per doz. \$60.00 87.00 162.00 240.00

EXTRA PARTS FOR TRIMO WRENCHES.

Inches	6	8	10	14
Movable Jaw	\$9.00	9.60	10.20	13.80
Nuts	1.44	1.80	2.40	3.60
Insert Jaws	4.20	4.80	6.00	7.20
Frames	4.56	5.04	6.00	7.20
Springs	. 36	.36	.36	.36
Frame Pins	.36	.36	.48	.48
Jaw Pins	.36	.36	,48	.48
Nut Guards	1.80	1.80	2.40	3.60
Inches	18	24	36	48
Mov. Jaw \$				
	21.00	27.00	52,20	90.00
Mov. Jaw \$	21.00 4.20	27.00 6.60	52,20 13,20	90.00 18.00
Mov. Jaw \$	21.00 4.20 8.40	27.00 6.60 9.60	52,20 13,20 13,20	90.00 18.00 24.00
Mov. Jaw & Nuts Insert Jaws	21.00 4.20 8.40 9.00	27.00 6.60 9.60 11.40	52,20 13,20 13,20 20,40	90,00 18,00 24,00 26,40
Mov. Jaw \$ Nuts Insert Jaws Frames	21.00 4.20 8.40 9.00 .48	27.00 6.60 9.60 11.40 .48	52,20 13,20 13,20 20,40 _48	90.00 18.00 24.00 26.40 48
Mov. Jaw \$ Nuts Insert Jaws Frames Springs	21.00 4.20 8.40 9.00 .48 .48	27.00 6.60 9.60 11.40 .48 .48	52,20 13,20 13,20 20,40 48 ,60	90.00 18.00 24.00 26.40 .48

TRIMO AUTO PIPE WRENCHES



Narrow jaw, drop forged bar, steel hardened jaws, and frame. Frame fastened to handle with movable pin and fitted with nut guards to hold jaw in place. Japanned handle, polished head and jaws.

Jaws are narrower than in regular wrench and teeth are milled finer.

COMBINATION WRENCHES BEMIS & CALLS



Tool steel, hardened jaws, polished hardwood handle. Bright with long

TRIMO PIPE CUTTERS



Drop forged, cast steel handle with iron grip, case hardened, rolls on pins, with cutter and two rollers.

BARNES' PIPE CUTTERS



Three wheel, malleable frame, crucible steel cutters and pins.

Nos. . 1 2 3 4 For pipe, in. . . 1 to 1 1 to 2 1 to 3 2 to 4

LOOSE

PICK-UP TONGS



No. 201—22 in., drop forged steel, oil finished, for picking up hot iron, w't 3½ lbs. per dozen \$19.50 LOOSE

GAD TONGS



No. 202—20 in., drop forged steel, oil finish, w't per doz. 27 lbs., per dozen\$16.60

BOLT TONGS



Drop Forged Steel, Oil Finished.

For holding bolts and round iron. When ordering, give size of iron instead of length.

Nos	. 2033	2034
Size of iron, in	. 8	200
Length, in	20	20
W't each, lbs Per dozen		
Nos 2035	2036	2037
Size of iron, in R	1.4	7
Length, in 22	22	24
W't each lbs 31	32	
Per dozen\$19.00	19.00	20.00
LOOSE		

STRAIGHT LIP TONGS

Drop Forged Steel, Oil Finished.

moh roreca	Deceil or	STEPHEN	
Nos	01	1	2
Length, in	16	18	20
W4 aach lbs	1200	2	24
Per dozen	\$12.80	13.20	14.20
Nos.		3	4
Length, in		22	24
W't each lbs		3	33
Per dozen		15.20	17.10
	LOOSE		No.

HORSESHOERS' TONGS




Drop Forged Steel, Oil Finished.

Nos.												0	00
Leng	th.	III.				×		. 4	*			12	
WE	don.	:: Ib	٤.,		_						4	18	20
Per	Š00	m).	-	,,	.,,		+	į,		6	\$1	1,20	11.00

LOOSE

COLD CUTTERS OR CHISELS



Cold Forged Steel, Oil Finished.

Nos	2269	22610
Size square steel, in		11
W't per doz., lbs	. 18	24
Per dozen	11.40	12.70
Nos	22611	22612
Size square steel, in		11
W't per doz., lbs	. 30	36
Per dozen	\$16.30	19.30
LOOSE	Kess Trans	at player

HOT CUTTERS OR CHISELS



HOT

Nos	. 2279	22710
Size square steel, in	. 1à	14
W't per doz., lbs	. 18	24
Per dozen	\$11.40	12.70
	22711	22712
Nos.	a distant of the	March 41. 1.00
Nos	. 13	11
Size square steel, in W't per doz., lbs	. 19	36
Size square steel, in W't per doz., lbs Per dozen	. 19	36

LOOSE A THEOD IN

FLATTERS



Forged Steel, Oil Finished.

Nos	2292	22921	2293
Size square face, in.		21	3
W't doz. Ibs		45	63
Length over all, in.	43	5	53
Per dozen\$	19.30	25.40	32.00

TO SE HALF DOESN'S IN. SIXING DOSEN'IN A BOX | G IN. LOGSE | L

HARDIES

10 314

-88



Forged Steel, Oil Finished.

Nos	. 2254	2255	2255
Size of shank, in	ds Mone	TO BE IN	ZT (1)
Cutting edge, in.	. 15	19	13
W't, doz., lbs	6	9	12
Per dozen	\$8.00	8.60	9.85
Nos		2257	2258
Nos			2258
Size of shank, in.		- 8	
Size of shank, in. Cutting edge, in.		13	1
Size of shank, in.		13	1 2 21

BBARD, SPENCER, BARTLE

RALLIS



-I in. jaws, steel screw with w't per doz. 7 lbs., uer dozen\$27.00 EALF DOZEN IN A BOX

BONNEY PATTERN



in. jaws, steel screw with fron head, w't per doz. per dozen \$12.00



with wrought iron head. 100 mw in 21 2 DE 18 -----\$13.50 18.80 LOOSE



STATE OF THE PERSON C DEL

with wrought iron head, street,

		.,				03	04
in.					50000	21	23
DE			т.	,	~	33	60
,	à	n's			. \$2	2.50	34.50

VISES





No. 741 No. 761 ALL CLAMP BOTTOM, PLAIN IRON JAWS Nos. 741 Width jaw, in. . . . 11 12 2 W't, doz., lbs. . . . 36 39 42 Per dozen \$27.40 32.40 38.00 Nos. 745 ALL CLAMP BOTTOM, STEEL 766


Per dozen\$63.80 93.80 Swivel base, steel faced jaw.

3

105

Nos. 772 Width, jaw, in. 11 773 775 776 21 2 3 W't, doz., lbs. 36 42 114 Per dozen.,\$39.80 48.00 70.30 96.00 LOOSE

W't doz., lbs. 60




Fitted with loose malleable iron nut and solid steel screw. Face of jaw ground so that the jaws come up square, screw works easy and smooth. Body finished with a brown baked japan, working parts highly polished. No. A12 Assortment-Consisting of

display stand and 12 Victor Vises, w't 65 lbs. . . per assortment \$43.60 Consisting of the following— 2 No. 741 1 No. 744 1 No. 761 2 No. 742 1 No. 745 1 No. 763 2 No. 742 1 No. 745 1 No. 763

1 No. 746

2 No. 743

CHAMPION IMPROVED COMBINATION BLACKSMITH OUTFITS



Outfit, equipped with Forged, Vise, Anvil, Pipe Vise, Drill Press and Emery Grinder, strictly a high grade combination tool built for service.

Gears are all cut. Forge pan 12x14 inches, large enough to take a plow-share. Pan cut away so that a plowshare can be put into it. The Blowerhead attached is a real cut-gear, high speed outfit that runs silent, is speeded high enough to produce a white pressure heat so that welding can be done on any work.

Emery wheel is screwed on stud between vise jaws attached to high speed gear on this gear box, two substantial bearings-one on each side of vise jaws support this wheel, making it a rigid, practical, durable grinder.

Screw accurately cut and two heavy shafts support vise so that jaws meet perfectly without lost motion.

Pipe vise operates without any change whatever. No parts are removed or lost and this machine takes pipe up to two inches.

Legs are angle steel, well riveted to top plate and tool tray, two steel rods support forge pan.

Width of Vise Jaws 4 in. Extreme opening of Vise Jaws 42 in. Capacity of Pipe Vise 2 in. Capacity of Drill Press in. Greatest distance from Spindle

Depth of Forge Hearth 21 in.

Speeds obtained by gearing

1 to 1, 1 to 4 and 1 to 14

Size of Emery Wheel 6x1 in.
Floor Space 19x32 in.
Weight Crated 185 lba No. W19-Each\$46.00

ROSE TOOLS, INC.

1 No. 772

VISES

REVONOC MACHINIST



REPORTO SWIVEL BASE, dead black finish, removable polished steel face jaws, milled and fitted.

The swiveling device is patented and is operative at all points, a REVONOC feature. It can be converted to the use of a left hand workman. These vises are exceptionally first-class in every respect.

.....A1721 A173 A1731 A174 A1741 A175 Nos. Jaws, in. 21 3 5 31 5 18\$16.00 17.30 20.00 22.60 26.60 40.00 PACKED LOOSE Each



STATION-REVONOC ARY BASE, dead black finish, removable polished steel face jaws, milled and fitted.


.... A162 A163 A163 A164 A164 A165 Jaws, in. 25 3 31 5 31 4 74 Opens, in. 5 15 23 35 43 61 Each\$12.00 13.30 15.00 17.00 20.70 26.60 PACKED LOOSE

OVAL SLIDE



PARKER'S polished steel jaws, covered wrought iron screw.

409																									
Nos	4						į,										Į,						.A30	A31	A32
Jaws, in																								3	31
Opens, in.				*	*									ě,	. ,					÷			34	1.00	4
W't, lbs																								13	20
Each		٠	٠		ŧ.	٠,	ŀ	6	٠	٠	Š	×				9		×		K		Ş	5.60	6.80	8.30



Grey iron castings, cold rolled steel screw, crucible steel jaws, steel nut, black satin finish, polished face and jaws.

 A230	A231	A232
 24	3	31
 33	4	44
 8	14	22
 \$4.00	5.00	6.00

OVAL SLIDE



EMPIRE, solid c steel, hardened jam nicely finished.

Nos		*									A025	A030	A035	A08
Jaws, in.											24	3	31	4
Opens, in.												41	49	58
W't, lbs											8	10	14	25
Each											\$7.50	9.00	12.00	15.0
												A TOTAL PROPERTY.	LETTER STREET	1000

PACKED LOOSE YANKEE



All parts are acc rately machined. For use on Ben Drills or attached see arately to bench.

No. 990-Main body and sliding jaw east iron, 6×21×2 in. high, jaws open 3 in., removable case harden swivel jaw, w't per doz. 48 lbs.each \$4 dox one in A BOX


YANKEE SWIVEL



Vise is especially adapted for use in garage and home and for tool makers and machinists. While used on the bench the Vise proper can be quickly detached from base and without removing work from Vise, can be used a Bench Drill, etc., and returned to base again.

No. A1993-74 in. long, 54 in. high, 24 in. wide, 15 in. deep opens 35 in., steel face jaws and screw, main body machined finish, japanned base, steel block with V shape grooves for holding round or irregular work, main body can be removed for use on drill press, swivel base i operated by small lever, size boxed 9x5x6 in., w't each 15 lbs.each \$12.51

ONE IN A BOX GARAGE VISES




Stationary Base with central Bolt, Nut and Washer for fastening to bench, also provided with bolt holes for permanently securing to bench. 3 in. steel jaws, opens 31 in. Can be used as either Stationary or Swivel Bottom Vise.

ROSE TOOLS INC LOOSE No. A1611-W't each 12 lbs.

IBBARD, SPENCER; BARTL

VISES




BOTH THE SERVICE State ...

I wimm! base, money steel mend and Der Jaws, sillent and fitted.

Swivel base, self - adjusting back jaw, polished steel faces, milled and fitted.

31 31	A271 38 5	A272	A273	A275
\$23.30 LOOSE	26.60	37.30	80 46.60	4770

PARKER'S COMBINATION



	-	ľ	-		**																.,		. ,		,					A87	A88
(MC00000, 22.		Ē					Š	*	*	*	*	•						•						*						39	4à
COMPANIE TO	-			ľ	-	ň	*	•	*	*		•		P1.5		*	*	6	ò	Ġ		ě		ź	×		×			2	3
Stiller, Tow.					7	ň	Ď.	*	*	*	1	ň.	*	*	*	1	٠							Se	٠	×				49	61
				1	-		*	•	•	*	•	٠											,					į.		48	71
				ľ		*	*	-	*7	r.	13	33	5	9		3	Š	10	9	1	-					ě,			\$2	24.00	30.00

PACKED LOOSE

COMBINATION



Sewart Handy Worker, consists of a compipe vise takes pipe up to 1½ in., drill be operated at two speeds, 5 in. carborundum see the operated at three speeds, main body made entire tool and attachments are first finished in green enamel, w't each ----- \$40.50

PIPE

Malleable iron frame, polished solid tool steel milled jaws, oil hardened, self locking, all parts interchangeable.




		ALCOHOLD STATE OF THE STATE OF	
Nos.			
For pipe, in.	******		1 A212
W t each, lbs.		Z028	a ato3a
Each			14
ALTERNATION OF THE PARTY OF	2010.35	\$6.30	0 10.30
		LOOSE	



No. A25-Malleable iron, steel jaws, hinged frame with hook lock, for pipe & to 2 in., w't 6 lbs.....each \$4.80 LOOSE

ELGIN PIPE VISE JAWS




No. 15-Two pieces of toothed steel 15x13 in., riveted together with a steel spring, for use with any vise, w't per doz. 18 lbs.per dozen \$5.00

PACKED ONE DOZEN IN A BOX ROSE TOOLS, INC.

ONE SET IN A BOX

IBBARD, SPENCER, BARTLETT & Co.

REVONOC ANVIL AND VISE



No. A24 REVENUE_4 in. steel faced milled jaws, opens 12 in. back jaw adjustable to any desired position, securely held in position by corrugations on either side, pipe holding device holds from 1 to 2 in. pipe, 2 in. solid steel screw, face of anvil chilled and polished, size not including horn 8x3 in., painted green, w't each 51 lbs.,

ONE IN A BOX



REVONOC DRILL ATTACH-MENTS

No. A124 REVERSE For use with No. A24 REVERSE Anvil and Vise, w't 15 lbs.each \$4.80

ONE IN A CARTON

WOODWORKERS' VISES




SHELDON'S rapid acting, rigid jaws, forged steel rack, accurately milled, % to % in. thrust.

No. A224-3x7 in. jaws, opens 9 in., w't 24 lbs.,


No. A123-3x7 in. jaws, opens 8½ in., with steel dog for holding wide material, w't 27 lbs., each\$15.00

PACKED LOOSE

CABINET MAKERS' VISES




Ma. Add Parker's 41 in. jaws, opens 91 in., 7 in. screw, ** 5 3each \$23.30 SOLID BOX VISES




	ACTO ACTO A	The state of	Extra Finish.	
	Extra Quality.			.80
No.	A35-31 in. ja			.30
No.	A40-4 in. ja	aws		.70
No.	A45-41 in. j	aws		00.0
No.	A50-41 in. j		each 10	0.60
No.	A55-41 in. j		each 11	.40
No.	A60-5 in. j	aws	each 18	3.20
No.	A70-51 in. j	aws	each	5.40
No.	A80—51 in. j		each 1	7.60
No.	2400 C in i	aws U	each 13	9.40
No.	A100—6 in. J	PACKED LOO	SE	
	THE STATE OF THE PARTY OF THE P		HIERE	

ANVILS AND VISES



AUSTIN'S hardened face and jaws. No. A13-3 in. jaws, 4 in. opening, piper's jaws, 71×3 in. anvil face, w't 22 lbs. PACKED LOOSE



CHENEY'S, self-adjusting back jaw, tempered stee face, chilled steel anvil, smooth face, solid steel hardy of cutting-off tool.

The back jaw of the vise is self-adjusting and in us conforms by automatic action to any angle and makes fir any objects held, whether it be straight, beveled or weds shape.

snape.				A120 A130	Al
Nos.				C1-2 8v31	885
Face, in				23 33	41
Taxabeen 120		The second second	1 4 5 5 F F S S S S S S S S S S S S S S S S		6
					51
W't, lbsle	ess crat	0		16 40 18.70	23.
Each		****	***	10.40	1.000
		ONE IN	A CRATE		

PACKED LOOSE

REVONOC ANVILS



from American ingot or wrought iron, welded at waist, thus making a solid forging to which is welded grade crucble cast steel face—the best obtainable in turn is ground, tempered and polished, forming a working surface, body coated with pure asphaltum The wrought iron being fibrous is very tough, and will withstand more hard usage than any other metal used manufacture of anvils, while nothing but the very salafactory to the smith desiring a high grade article. Fully Warranted.

anvils have a greater surface area for their than any other on the market, owing to the correct by 14 inch curface weighs 100 pounds, and fre-less; in order to obtain this same surface in an other makes, the user is often compelled to buy sounds or more of metal.

With of base is always equal to height, so they will not break loose from fastenings by side blows.

long horn is round throughout its full length, a ring can be forged and welded at any point. long tail admits of bending small perfect U shapes, baves a large surface for welding.

of face, in		F70 12½×3½ ¾ 70 .30★	F80 13×3± 31:6 80 .30★	F90 13½×3½ ¾ %6 90 .30★	
of face, in	1 %e 100	F120 15×32 1 1 120 .30*	F150 15½×4 1 150 30+	F200 17½×4½ 1¼ ½ 200 30+	

HAND OR MOULDERS' BELLOWS

Name. **Dinne** 15329F Harr. 200 Wors. Time

Ner



grained wood boards, galvasheet steel funnel, select tan leather, with studded black

border.			
-Inches	7	8	9
in	145	154	173
bs	12	133	149
men			28.20
-Inches			12
in		18	211
mm., lbs		19	33
men			40.80

LUMP BORAX

Lump, 100 lb. bags or less, pound\$0.25

VULCAN ANVILS



Cast Iron Body with Welded Steel Face.

The face is welded to the body by a patent process, then accurately ground and tempered. The horn is covered with and at its extremity is made entirely of steel. The face and horn are warranted to be thoroughly welded to the body and not to separate.

Dimen. of face, in	F00 1×4%6	F0 2%ex5%e	F1 25/16×51	F2 23×6
Size of pritchel hole, in W't about, lbs Per pound\$6	5	10 .55*	15 .45*	20 .40*
Nos. Dimen. of face, in. Size of hardie hole, in. Size of pritchel hole, in. W't about, lbs. Per pound	8 30	F4 3×7å 8 8 40 .25★	F5 3×81 1 3/16 50 .25*	F6 31×109 8 7/16 60 .20*
Nos. Dimen. of face, in. Size of hardie hole, in. Size of pritchel hole, in. W't about, lbs. Per pound	7/16 70	7/16 80	A9 33×12 1 1 90 .20	A10 33×123 3 100 .20
Nos. Dimen. of face, in. Size of hardie hole, in. Size of pritchel hole, in. W't about, lbs. Per pound		39	1 % 8	A15 4×148 1 %16 150 .20

WELDING COMPOUND



Cherry heat welding compound, welds iron to iron, steel to steel, and malleable fron to steel and is the highest

grade of welding flux.

No. W00-In 100 lb. boxes, per box\$21.50 No. 0-In 25 lb. boxes ...box 5.50 No. 13-In 5 lb. boxes ...box 1.20

CLFMAX, especially adapted for tires, axles and general job work, recommended for iron and all grades of steel, No. W011-In 100 lb. boxes

per box No. 02-In 25 lb. boxes ..box 5.00 No. 2-In 5 lb. boxes ...box 1.10



We guarantee "E-Z" Welding Compound to make stronger and smoother welds on any grade of steel or iron than any other. It does not boil up and waste like other compounds do. It welds at a lower heat, prevents slipping of parts and leaves no scale.

No. W100-	-In	100	lb.	boxe	s,
per box					\$19.50
No. 25-In	25	Ib. F	ove		

per box\$5.00

No. W5-In 5 lb. boxes, per box\$1.10

WE DO NOT BREAK BOXES WE DO NOT BREAK BOXES * Items Marked Thus * Are Shipped From Factory Only. ROSE TOOLS, INC

HIBBARD, SPENCER, BARTLETT & CO.

CHAMPION BLACKSMITH'S GOODS


HAND BLOWERS



A well built, helical cut gear blower, smooth running, crank turns either way to make the blast.

No. W40 — Lancaster, cut geared, crank motion, 12 in. fan, adjustable nozzle tuyere iron and piping, w't 125 lbs., each ...\$38.00





ALL ABOVE ONE IN A CRATE

HAND BLOWERS



Meets the demand for strong, dependable direct driven blower no so expensive as the No. 400 or "Midway."

No. W40L — Champion Lancaster, cut geared black-smith's, adjustable nozzle, tuyere iron and piping complete, smooth running, crank turns either way to make blast, 12 in. fan, w't 110 lbs., each \$38.00

CHAMPION WHIRLWIND TUYERE IRONS




NEW CHAMPION DISC WHEEL



Strictly first class in all parts. Blades are made of special rolled steel and mechanically fit into a grooved hub where they are securely fastened.


STATE OF THE PERSON NAMED IN COLUMN	MCD/F	Tastenet	de .
Nos	F18	F20	F30
Diam. pulley in.	4	4	6
Face pulley, in.	2	2	2
Diam. wheel, in.	18	24	30
W't, Ibs	90	105	135
Each\$.	****	* *	· · · · · *
Nos	F36	F42	F48
Diam .pulley, in.	6	8	9
Face pullay, in.	2	31	4
Diam. wheel, in.	36	42	48
Wt', lbs	150	295	350
Each\$		* *	******
Nos		F54	F60
Diam. of pulley,	in.	4	5
Face of pulley,	n	. 4	5
Diam. of wheel,	in	54	60
W't, lbs		450	540
Each		.S*	
Nos			F84
Diam. of pulley,	in	12	14
Face of pulley,	in.	51	6
Diam. of wheel,	in.	72	84
W't, Ibs		625	800
Fach	4 40000		*****
ALL ABOV	E ON	E IN A CR	AIL

POWER BLOWERS



CHAMPION, one-fire variable speed blower with Universal motor for electric steel pressure blacksmith, both direct and alternating currents either 110 or 220 volts, with detached rheostat for six speeds, with attachment cord and plug to fit any light socket, 14 in. steel pressure fan case, 9 in. fan wing.

No. F50—1-12 H. P. Motor, w't complete 55 lbs.*each \$80.00 ONE IN A CRATE



Built especially for use where a large volume of blast is required. Adapted for steam boilers, puddling and heating furnaces, dry rooms, refrigerators, forge fires, etc., also ventilation.

Nos	34	F1 15 5 41	F2 18 5 5 5
Rach\$. Nos Height, in Diam. inlet, in. Diam. outlet, in. Each\$	F3 211 61 6	F4 251 71 71	F5 281 9 9
Nos		F7	F8
Height, in Diam. inlet, in. Diam. outlet, in. Each\$	34 7½ 10½	40 9 12	45 10½ 14

IBBARD, SPENCER, BARTLETT & Co.

HAMPION, steel horseshoers', alf hood, heavy structural steel, parts of highest grade tool 12 in fan, adjustable ball bear-with "Whirlwind" blast antidaller heavy nest tuyere iron.



No. 4084. is virtually the No. 400 Blower and into a forge. It will make beat blast equal to the best mover blast. Crank turns in direction, it runs noiseless easy and pleasant to the hand. sampled for carriage and heavy me general blacksmithing.

WITHOUT WATER TANK

Size of hearth 30x36x6 in., 295 lbs* ...each \$95.40

WITH WATER TANK

Size of hearth 30x36x6 in., ONE IN A CRATE



The pearing used for producing the man ample in construction and gears or pinions. The either direction to make with half hood, helical cut exstproof casing. Heavy iron, 12 in. fan.

WITHOUT WATER TANK

-Size of hearth 32x45 in., 300 lbs.each \$73.40

WATER TANK

Size of hearth 32x45 in., 200 lbs.each \$.....

PORTABLE FORGES




AGRICULTURAL

No. 145

These Improved Agricultural Forges are equipped with a cut-geared crank-driven blower, helical gearing being used to give smooth running and noiseless operation. The gear ratio gives 48 revolutions of the blast wheel to one turn of the crank, making a strong, steady, high pressure blast with smooth easy turning—crank turning either direction. The gear case is oil-tight and dust-proof.

WIT	H SHI	ELD	
Nos	F145	F147	F142
Hearth, in	18	22	23×30
Height, in	30		30
Diam. of fan, in.	8	8	10
W't, lbs	85	105	135
Each \$.	****		STATE OF THE PARTY.

WITH HALF HOOD Nos. F146 F148 F143 Hearth, in. . . . 18 22 23×30 Height, in. ... 30 30 Diam. of fan, in. 8 8 W't, lbs. 90 110 10 140 Each



No. 42 CHAMPION LANCASTER CUT, geared direct drive, agricultural forge

23x35 in., cast iron hearth, height 30 in., 12 in. fan.

A well built, low priced, direct drive forge, a good blast producer and one recommended for farmers' use. It is well finished in every respect, with a large size hearth and fan.

No. W43-With half hood, w't each No. W42-With shield, w't each 165 lbs.each \$45.60



No. 401 CHAMPION, structural steel, rivet, adjustable ball bearings throughout. Patented high speed spiral cut bronze and steel gearing, 18 in. hearth, height 30 in., 9 in, fans.

Used by railroads, bridge builders, boiler and structural iron workers.

Will produce blast to weld 3% to 4 in. iron in 10 minutes. The crank turns either way to produce blast.

Can be taken apart for transportation and set up in a few minutes.

No. W401-With Shield, w't 115 lbs., each\$51.40

400 ST 401-000



CHAMPION GEARED RIVET FORGE

For farmers use. All gears are supplied with bushed journal bearings and run in dust-proof cases. Crank turns in either direction.

No. F48-Size of hearth 18 in., height 30 in., diam. of fan 10 in., w't 125 lbs.*each \$.....

* Items Marked Thus * Are Shipped From Factory Only ROSE TOOLS, INC.

IBBARD, SPENCER; BARTLETT & CO.



These forges are built strong and powerful. All gears are substantially supplied with bushed journal bearings on both sides of the gears. All gears in the Midway cross spiral gearing are made from guaranteed durable metals, machined and constructed so perfectly that the Midway Forges are sold guaranteed to run smooth and noiseless. This line will give satis-faction to those who are not looking for that high class machinery which can only be furnished by the famous 400 Blower. The Midway has no small gears or pinions. Gears run in a dustproof casing. Crank turns in either direction.

WILLIAM I DAW		
Nos	F073	F072
Size of hearth, in	23×35	23×35
Height, in	30	30
neight, in.	10	10
Diameter of fan, in.	105	190
W't, 1bs	. 100	
Each	.\$58.70%	52.80%

WITH WATER TANK

Nos	F12	F13
Size of hearth, in	23×35	23×35
Height, in	30	30
Diameter of fan, in	10	10
W't, lbs	195	200
Each	\$8.00*	8.00*



CHAMPION LANCASTER CUT, geared agricultural forge, height 80

in., hearth 22 in., fan 10 in. These are suitable direct drive cut gear forges for use where a well built, low priced, good blast producer is desired. They are strong, light forges for all kinds of portable work and are similar in construction to the No. 40 Lancaster blower line. Can be easily carried about and make the best low forges ever manufactured. was-with shield, w't each DB DBcach \$32.40

PORTABLE FORGES



CHAMPION IMPERIAL, self-acting ratchet levers, hardened tool steel ratchet dogs, height 30 in., hearth 23×35 in., fan 121 in.

The Imperial Lever Motion is a very simple device. Will stand years of hard work.

For machinests, plumbers, millers, locksmiths, planters, and in railroad repair shops.

No. W83-with half hood, w't each 170 lbs.each \$53.40



CHAMPION, agricultural lever forge, height 30 in., hearth 22 in., fan

These forges are larger in both hearth and fan than the usual agricultural or farmer's forge. The hearth is deeper and heavier. The bearings aretaper turned and long. The lever is of the ratchet motion type, simple and durable.

No. W100-With shield, w't each 90 lbs.each \$19.20



CHAMPION, agricultural, lever forge, height 30 in., hearth 18 in., fan

No. W150-With shield, w't each 75 lbs.each \$16.90




CHAMPION, agricultural erank forge, height 30 in., depth 4 in., hearth 18 in., fan 8 in.

Especially adapted for farmers or where light jobs are to be done.

No. W152-With shield, w't each 70 lbs.each \$16.90

* Items Marked Thus * Are Shipped From Factory Only.

UPRIGHT DRILLS




No. F397

and Quick Return Drill has back cut gears with two speeds, change from fast to slow is shed by sliding the cut gears.

The late is raised and lowered by a make is raised and lowered by a make is quick in action. Spindle late is up to 1½ inches. Spindle late Champion "Patented" Chuck to take 41/64-inch shank bits. If specially orbe bored for ½-inch straight late. Drills to center of a circle.

champion, self-feed and hand-feed upright drill, pulley and counter shaft, for hand and power com-


Champion, self-feed and market hand feed upright drill, described, for hand power 600 lbs.* ...each \$....



No. F201—Champion, upright combination automatic self-feed and compound lever-feed, with cut gears and ball bearings, table is raised and lowered by a rack and can be turned back out of the way, drills to center of 21 in. circle, up-and-down run of spindle 5½ in., spindle 1½ in. in diameter, bored like "Never-Slip" chuck, to take in ½ in. straight shank drill bits, drills from 0 to ½ in., with wheel hanger for drilling tires, w't 415 lbs.*each \$108.70


No. F1201—Tight and Loose Pulleys for power for No. F201 Champion, extra*each \$9.40

Drill Bits not included with Drills.



CHAMPION Post Drill is built to furnish a self-feed drill at the lowest price possible. Has back gears and slotted lathe-turned table. Will drill to center of a 12-inch circle. Has one speed for the crank. The spindle is \$\frac{2}{3}\$ inch in diameter. It drills holes up to \$\frac{2}{3}\$ inch and has an up-and-down run of 3 inches. The spindle is bored like never slip chuck for \$\frac{1}{2}\$-inch straight shank drills; when specially ordered \$\frac{4}{164}\$. Greatest distance from table to spindle \$\frac{2}{3}\$ inches.

No. F103—Ball Bearing, w't each 75 lbs.★ each \$....



Ball Bearing.

No. F2001—Champion, upright, combination automatic self-feed and lever-feed, ball bearings, double sliding back gears, drills to center of 18 in. circle, up-and-down run of spndle 5½ in., spindle 1½ in. in diameter, bored like "Never-Slip" chuck to take ½ in. straight shank drill bits, drills from 0 to 1½ in., w't 240 lbs.*each \$81.40

No. F12001—Tight and loose pulleys for power for F2001 Champion, extra* each \$.....

ONE IN A CRATE



Has improved third gear principle which gives the second speed the same crank motion as on the first speed. The third gear being part of the handle hub, it is therefore disengaged when using first speed, saving the continuous labor of pulling along an intermediate gear while using the first speed; has


double journal bearings to all working parts.

* Items Marked Thus * Are Shipped From Factory Only.
ROSE TOOLS, INC.

HIBBARD, SPENCER, BARTLETT & CO.


UPRIGHT DRILLS

POST DRILLS



This drill has points of simplicity never found on a drill before at this price.

No W972 With tight and loose pulleys, 6 in. diam. 2 in. face for power, speed 250 R. P. M., w't each 175 lbs. each \$



No. W91—Champion, two speed ball bearing, full automatic self-feed, blacksmith's, with end thrust ball bearing cups and cones of tool steel, drills to center of a 14½ in. circle, bore belle up to 1 in., 1½ in. spindle me of 3 in., spindle self-bearing chuck to hank drill table, w't




CHAMPION, ball bearing, self-feed blacksmiths', made of best material bearings ground from solid metal, steel spindle bored like "Never-Slip" chuck, 3 in. up-and-down run, single speed, with back gear slotted latheturned table.

No. W101-7 in. spindle drills to center of 12 in. circle, holes from 1/64 to 2 in., for 2 in. straight shank drills, greatest distance from table to spindle 10 in., w't each 80 lbs.,

each \$18.00


No. W98—1 in. spindle drills, to center of 14 in. circle, holes from 1/64 to 1 in., for 1/2 in. straight shank drills, greatest distance from table to spindle 10 in., w't each 100 lbs., \$21.40



This drill has a third gear to give the second speed the same turning direction of the crank as the first speed, and full back gears with two speeds to the crank.

No. W195—Champion, ball-bearing full automatic self-feed, black-smiths', with cups and cones of tool steel, drills to center of a 15 in. circle, drills holes up to 1½ in., 1½ in. spindle, up-and-down run of 3½ in., spindle bored like "Never-Slip" chuck to take in ½ in. straight shank drill bits, slotted lathe turned table, greatest distance from table to spindle 10 in., w't 115 lbs., each \$29.40


Drill Bits Not Included With Drills.



No. W931—Champion, self feed, blacksmiths', made of best material, bearings ground out of solid metal, 1½ in. steel spindle bored like "Never-Slip" chuck, for ½ in. straight shank drills, 3 in. up-and-down run, drills to center of 15 in. circle, holes from 1/64 to 1½ in., 2 speeds, full back gear, w't 115 lbs., each\$28.00

This tool is designed for light and quick work, where tire drilling and counter-sinking is an object.

Our stock on above drills have spindles bored to take ½ in. straight shank drill bits. If specially ordered from factory, will be bored to take 41/64 in.



No. W100—Champion, lever feed blacksmiths', made of best material, bearings ground out of solid metal, steel spindle bored like "Never-Slip" chuck for ½ in. straight shank drills, 4½ in. up-and-down run, drills to center of 14 in. circle, holes up to ½ in., with back gear, slotted lathe turned table, w't 110 lbs.,

BALL-BEARING POST DRILL



metal, 3 in. steel spindle bored like "Never-slip" chuck, 3 in. up-and-down run, drills to center of 12 in. circle, holes from 164 to 2 in., slotted lathe turned table, greatest dis-tance from table to

32-For 1 in. straight shank ----- \$15.60 ONE IN A CRATE

EMAMPION POWER BENCH DRILL




Campion No. 0 Power Bench represents a powerful and Well-Bench Drill with every taken into consideration. The top of the drill base is planed off as a table when the regular drill and a termed to one side, thus giving 16 in. between the chuck The upper cone two bearings, thus the strain. Countershaft with belt shift on tight pulley and feed lever is with spring arrangement all times automatically keep and bit up and out of work.

to center of a 9 in. circle. to see in to % in in diam-Up-and-down run of spindle = up-and-down run of table a greatest distance from table 10 in; greatest distance base to spindle 16 in., use next and loose pulleys 4x13 in., large cone pulley 43×13 in., small cone pulley 3×13 in., bored with No. 1 morse mer tale, height 32 in., w't 115 lbs.,

ONE IN A CRATE

BALL-BEARING BENCH DRILLS




Particularly adapted for light automobile or bicycle repair work.

Strong and well built, for light accurate and rapid drilling. Driven ex-clusively by belt and with the aid of cone pulleys two separate speeds can be had. Countershaft has belt shifter on the tight and loose pulley and feed lever can be returned without affecting position of belt by a patent device in feed lever hub. The best possible drill and one guaranteed in every respect.

No. F50-Champion, sensitive bench drill, with Star chuck, double flange top cone, table swings 180° horizon-tally,, end thrust ball bearing, adjustable spindle stop, spindle has 2½ in. up-and-down run, table has 7 in. up-and-down run, diam, of table 8 in. drills to center of 10 in. circle, drilling capacity \$ in., size of tight and loose pulley 4×1½ in., height 27½ in., speed of driving pulley 550 R. P. M., w't 90 lbs., each*

NEW PATENT TIRE BENDER



NEW PATENT TIRE BENDER

Its adjusting roll has an adjusting screw at each end, with a graduated indicator and double back gear, and worked with two cranks and two speeds, one for light and fast work and the second for heavy work. The center roll pulls out to take the tire

No. 2-Champion, will bend any size up to 3x2 in., w't 120 lbs., each

CHUCKS

CHAMPION IMPROVED 3-JAW ADJUSTABLE



Ball-bearing, hand adjustable. Accurate, self-centering, simple and positive in operation.

No. 0 — in. adjustable each \$5.00

No. 00 — in.,each 0.85

No. 000— 1%4 in.each 0.85

No. 1 — Morse taper ...each 1.25 No. 2 -Morse taper ...each 1.25 No. 3 -Morse taper ...each 1.25 No. 4 -Morse taper arboreach 2.00

CHAMPION MOLE TIRE SHRINKER



Guaranteed to work correctly and is recommended only where lowest priced shrinker is desired. Built of first-class material and workmanship throughout and furnished with and without Anti-Kinking attachment.

No. 1-Will shrink tires, 21x1 in.,

No. 5-With anti-kinking device, will shrink tires, 4x7 in., w't 275 lbs.,

ONE IN A CRATE

ONE IN A CRATE * Items Marked Thus * Are Shipped From Factory Only ROSE TOOLS, INC.

BENCH DRILLS

The feature of these drills are their strength, convenience and rapidity of operation, by means of automatic and friction feeds the operator has the free use of one hand to hold work. The columns are cylindrical, giving strength and rigidity as well as being graceful in appearance. The bracket and table are removeable for any high work that can be supported on floor or other wise.



YANKEE

One Speed.

One turn of the crank gives 31 revolutions to spindle. The spindle is § in. in diameter. The chuck is made of steel, polished and nickel plated and is 1 % ins. long and 1 in. in diameter. The jaws are of tool steel and take round shank drills up to 1 in. diameter inclusive. The feed is of steel, has V tread and fitted with ball bearing at lower end. All steel parts subject to wear are hardened. The table is 43 ins. in diameter, its center 21 ins. from face of slide. This drill has an extra large capacity the distance from the table to the chuck being 5 ins. The frame is finished in dead black. Height of drill overall 182

No. W1003-W't. each 20 lbs.

ONE IN A BOX



YANKEE

Two Speed

The speeds can be changed quickly. Fast speed gives 32 revolutions of the spindle to one of the crank and slow speed gives one revolution of the spindle to one of the crank. The spindle is %6 in. in diameter. The chuck is of steel, polished and nickel plated and is 2% ins. long and 1%6 ins. in diameter. The jaws are of tool steel and take round shank drills up to in. inclusive. The feed screw is of steel, has square thread to insure durabliliy, and fitted with ball bearing at lower end. All steel parts subject to wear are hardened. The table is 61 ins. in diameter, its center is 31 ins. from fall of slide. This drill has an extra large capacity the distance from the table to the chuck being 71 ins. The frame is finished in dead black. Height of drill overall 28 ins.

No. W1005—W't each 57 lbs., each\$34.5 Carry a line of goods upon which you can rely.

The dealer who carries H. S. B. & Co. Brands marks his store as a place where the better goods are sold.

A house with over sixty-seven years' experience stands back of our brands.

Our reputation founded on over sixty-seven years' business stands back of the

All goods branded are guaranteed to be of highest quality material and workmanship and free from imperfections.

In selling articles there is a profit for you and satisfaction to your customers.

ONE IN A BOX

HIBBARD, SPENCER; BARTLETT & CO.

CARPENTERS' SHOULDER TOOL CHESTS

finished, with iron han-



M Size 28×8×8 in. inside measurement, will take measurement.

PACKED LOOSE

REVONOC



Hardwood, nicely finished and stained. Opens on side, furnished with lifting handle, brass suit case lock, clasps, knees and corners. Has saw rack and tray.

٠.																				11	112
į,	Ŀ.	ļ,																		32×7×12	32×7×17
à,	í	1	ä	H	5.															4.66	15
				-							2	į,			Ü		ı	i	ï	\$9.50	12.00

PACKED LOOSE

MESANC CABINET MAKERS' BENCHES



thoroughly seasoned and kiln-dried, glued to the thin thick, 10 in. recess for tools at back, the thin thick, 10 in. recess for tools at back, the thin thick, 10 in. recess for tools at back, the thin thick, 10 in. recess for tools at back, the thin thick, 10 in. recess for tools at back, the thin thick, 10 in. recess for tools at back, the thin thick, 10 in. recess for tools at back, the thin thin thin the thin thin the thin thin the thin the thin thin thin the thin the thin the thin thin the thin thin the thin the thin thin the thin


۰	*	۰	-	-	*	*	*	*		*	×	*	×	*		٠			.,			*	AA I	842	MA3
		,				,		-															61	7	54
	6													á									24	24	24
	ü																			Š			34	34	34
	'n	Ĺ		-				Ġ											0				16	16	16
	'n	Ĺ												Z.		-		٠	Į.	ŝ			180	200	150
					-										9						8	5	7.60	68.40	54.00

GNE IN A CRATE

REVONOC MANUAL TRAINING BENCHES



No. W16—Hard
Maple, thoroughly
seasoned and
kiln-dried. Height
32 in., length 52
in., width 22 in.,
including tool recess 7½ in wide.
Top 2½ in. thick,
drawer 30×19×6
in., fitted with
bronzed pulls, w't
each 150 lbs.,
each\$36.00





Hard maple, thoroughly seasoned and kiln-dried, with cabinet, length 4 feet exclusive of vises, width 22 in., height 32 in., glued-up maple top 13 in. wide and 18 in. thick, 8% in. recess for tools at back, backboard for holding tools, cabinet contains three drawers and cupboard all fitted with locks and keys. Drawers are 19×16×5 in., cupboard is 18½×18×10 in., legs 12×3 in., furnished with front and tail vises, both fitted with 1 in. wood bench screws; also furnished with three spring wood stops.

No. W14—With Rapid-Acting Vise on side, w't each 190 lbs. each \$47.50
No. W13—Without Rapid-Acting Vise on side, w't each 175 lbs. each \$38.00

ALL ABOVE ONE IN A CRATE ROSE TOOLS, INC.

TOOL CHESTS



Chestnut Box, Heavy Brown Moulding.

No. 245—Size 91×41×21 in., hinged cover, locked corners, well finished, containing about 8 tools, w't per doz.

No. 260-Size 11x5x35 in., with till, hinged cover, containing about 11 tools, w't per doz. 40 lbs. . . per dozen \$19.80

No. 290—Size 124x6x41 in., with tray, locked corners, containing about 13 tools, w't per doz. 621 lbs.,

per dozen

No. 2600-Size 148x62x42 in., with tray, containing about 16 tools, w't per doz. 90 lbs.per dozen \$36.00

No. 2700-Size 151x71x5g in., with tray, containing about 16 tools, w't per doz. 105 lbs. per dozen \$50.40

No. 2725—Size 161×77×6 in., with tray, polished hammer, large level, brace and bit, containing about 16 tools, w't

No. 2750-Size 17x8x6 in., with tray, bronze handles, containing about 24 tools, w't per doz. 125 lbs.,

per dozen

No. 2800—Size 18x81x63 in., with tray, bronze handles, containing about 28 tools, w't per doz. 140 lbs., per dozen

NO. 45B, SIX DOZEN; NO. 60B, THREE DOZEN; NO. 90B, TWO DOZEN; BALANCE, ONE DOZEN IN A CRATE.

All sizes given are inside measures.



No. 500-H. S. B. & Co.'s men's work box, containing 17 different tools as enumerated below, made by the best makers and taken direct from stock, the assortment includes just such tools as every man needs about the house, dovetailed box, length 2 ft. 31 in., width 81 in., height 4s in., w't 19 lbs.each \$14.50

Contents One Each of the Following:

No. 102 Level. No. 40 Tool Handle. Pair 6-in. Button Pliers. No. 1-5 in. Serew Driver. No. 61 Rule. 8 in. Agricultural Wrench.


I such t, t, t and 1 in. Cast

Steel Anger Bit.

Gimlet Bit. No. 2 Maricopa Half Hatchet.

No. 110 REVENSE Block Plane. 8 in. Washita Oil Stone, 1 lb. Calumet Bell Face Nail Hammer.

No. 80-22 in. Panel Saw. 10 in. Barker's Brace.



No. T200 CVB-Hardwood box with tray size 251x111x9 dovetailed box, nicely finished, fitted with lock and keep and chest handles on ends, contains 25 high grade too

Contents One Each of the Following: No. 2 OWD A. E. Nail

Hammer. in. Socket Butt

Chisel. in. Socket Butt

Chisel. 20 in. Panel Saw. No. 100 Coping Saw.

6 in. Wing Divider. 10 in. Other Steel Square. Scratch Awl.

No. 62 Marking Gauge.

No. R24 Plane. No. 221 Mallet. No. 102 Level.

No. 03 Zigzag Rule.

6 in. CAM Flat Bastan File and Handle.

6 in. OND Flat Sin Taper and Handle.

1 each 1, 8, 1 and 1 =

Gimlet.


8 in. Own Plain Brace. 5 in. CAD Screw Driver. No. 351 CAD Nail Set. No. 322 REVERSE Pliers.

No. 31 Oiler.

2 oz. of Glue.

No. 111 Carpenter's Pencal


CRUSO BOYS'



Not a cheap plaything, but a real set of tools with which a boy can do careful work. A great bargain at the price

No. 1800-Contains 15 well-made serviceable tools taken from our regular stock; No. 3 Cruso nail hammer. No. 14 Cruso panel saw, No. 20 Cruso mallet, 1-inch butt chisel, No. 110R RECENT plane, No. 012 3-in. screw driver, No. 0100 coping saw, No. 6 try square 1-ft. flat rule, No. 68 boxwood rule, No. 010 gimlet. 8-in. mill file with handle, No. 306 plier, scratch awl: Also package tacks, brads and wire nails; Chest is 18½×8½×6½ in. with tray; w't 14 lbs. Nicely finished. each

TOOL CHESTS



Hardwood dovetailed box, with tray size in., nicely finished, fitted with lock and key maded chest handles on ends—contains 40 high state tools especially adapted for home and farm use, ## each 45 lbs,each \$36.00

Contents One Each of the Following:

No. 2113 REVERSE Hammer. 6 in. No. 6 REVERSE Screw 24 in. No. 70 REVENED Saw.

No. R26 REVENUE Plane. Each 5, 7 and 12 in. No. 415 REVERT Chisels.

No. 208 REVENCE Brace. Each %6, %6, %6, %6, %6 %6 and 1%6 in. No. 26 REWEST Auger Bits.

Each 1, %2, %6, 1 and %6 in. No. 108 RWWNE Bit Stock Drills.

Each 6 and 10 in. REVONOC Mill Files.

6 in. REVONOC Slim Taper File.

8 in. REVONOC Round Bastard

8 in. No. 14 RWYKE Wrench. No. 600 REVENCE Pliers.

Driver.

in. REVONOC Cold Chisel. No. 35 REVENDE Nail Set. No. 33 RIVENOT Tape.

No. 127 REVERSE Screw Driver Bit.

No. 1 REVENOT Scratch Awl. Brad Awl.

No. 1 Gimlet.

No. 121 Hack Saw Frame and Blade.

No. 100 Coping Saw and

1 doz. Blades. No. 62 Marking Gauge. No. 26 Try Square.


No. 61 Rule.

No. 277 Oil Stones.

No. 24 RWSNOC Sand Paper Assortment.

No. 3 Chalk Line and Chalk.

TOOL CABINETS



Hardwood, nicely varnished, dovetailed, paneled doors, brass hinges, lock with key and brass bolt, outside measurement 31×224×74 in., measurement 294×21×74 in., inside drawer 194×5×2 in., grade tools, w't each 85 lbs. each \$75.50

Contents One Each of the Following:

Drawing Knife. Ratchet

Auger

and %2nds Office

muntersink Bit. Mill File with

14. %s, 1, %s and Bits.

No. 1-1 in. Reamer Bit. No. 7 Screw Driver Bit, 金号型. and 1 in. Styl Socket Firmer Beveled Chisels. No. 31 Oiler. No. 12 Mallet. No. 2 Carriage Maker's Clamp. No. 041 Yankee Hand Drill. 53 in. Shim Taper File, with Handle. 10 in. Half Round

Cabinet File, with Handle.

Contents-Continued.

No. 716 Mounted Oil Stone.

No. 2 Com Tool Handle.

3 in. Strew Driver.

6 in. Screw Driver.

8 in. Wing Divider.

Scratch Awl.

Brad Awl.

No. 44 WW Nail Set.

No. 206 Combination Plier.

No. 5 Glass Cutter.

No. 22 Cabinet Scraper.

No. 33 Measuring Tape.

No. 781 Carpenter's Pencil.

No. 62 Marking Gauge.

2 ounces LePage's Glue.

No. 60 1 in. Str Socket Firmer Gouge.

No. 00 CVD Level.

1 doz. No. 1-9 in. WW Hack Saw Blades.

Tack Claw.

No. 61 Rule.

8 in. Agricultural Wrench.

No. 26 RIVERST Jack Plane.

No. 95 REVENOR Block Plane.

22 in. Panel Saw.

12 in. Compass Saw.

Girin Hack Saw Frame.

Coping Saw.

No. 2 ** Bell Face Nail Hammer.

No. 1 ** Riveting Hammer.

No. 1 CYS Shingling Hatchet.

No. 10 WW Blue Steel Square.

No. 20-6 in. Try Square.

No. 25-8 in. Sliding T Bevel.


STANLEY TOOL CHESTS AND ROLLS FOR BOY SCOUTS

The following chests have been designed especially for Boy Scouts. The officials of this organization have put the Tool Chests in the new Equipment number of Scouting. Appeals have been sent out to thousands of Boy Scouts and Adult Scout Leaders to put over new development in the scouting program in encouraging and interesting boys in the large of tools in the boxe. use of tools in the home.

The tools in these assortments are of the dependable Stanley quality. A practical collection of good tools for the

home. All chests are made from hardwood nicely finished, 20 in. long, 101 in. wide, 8 in. deep. TOOL CHESTS

TOOL CHESTS



No. T888A-Contains 32 tools w't 35 lbs.each \$54.50

Contents, one each of the following:

No. 04 Stanley Zig Zag Rule No. 12, 13 oz. Stanley Hammer No. 302 Stanley Hollow Tool Set,

containing Gimlet

File

Saw Chisel

Square Reamer

Small Screw Driver

Two Brad Awls

Extra Long Saw

Pair Pliers

in. Stanley Cold Chisel

8 in. Adjustable Wrench

No. 2, 6 in. Stanley Try and Mitre

Square

16 in. Hand Saw

No. 3 Stanley Bailey Plane

Coping Saws with 12 extra blades

No. 20 Stanley Hurwood Screw

Driver

No. 945, 8 in. Stanley Bit Brace

in. Auger Bit

in. Auger Bit

Gimlet Bit

Sharpening Stone

No. 40, 1 in. Stanley Chisel

8 in. Flat Mill File with Handle

No. 62 Stanley Marking Gauge

No. 742 Stanley Vise

Glass Cutter

No. 23 Stanley Countersink

No. 10, 12 in. Stanley Steel Square

Expansive Bit

No. 11 Stanley Nail Set


No. 104, 18 in. Stanley Level

Adjustable Pipe Wrench No. 147, 4 oz. Stanley Riveting

Hammer No. 3 Stanley Hand Drill

Pair Pincers

No. 40, à in., Stanley Chisel No. 10 Stanley Center Punch



No. T888B—Contains 18 tools, w't 25

Ibs. each \$36.50

Contents, one each of the following:

No. 04 Stanley Zig Zag Rule

No. 12, 13 oz. Stanley Hammer No. 302 Stanley Hollow Tool Set,

Gimlet

Square Reamer

Small Screw Driver

Two Brad Awls

Pair Pliers

Coping Saw with 12 extra blades No. 20, 4 in. Stanley Screw Driver No. 945, 8 in. Stanley Bit Brace

Gimlet Bit

Sharpening Stone

No. 40, 3 in. Stanley Chisel

Glass Gutter

Adjustable Pipe Wrench

TOOL CHESTS

containing

File

Saw

Chisel

Extra Long Saw

in. Stanley Cold Chisel


16 in. Hand Saw No. 3 Stanley Bailey Plane

in. Auger Bit

in. Auger Bit

No. 10, 12 in. Stanley Steel Square

TOOL ROLLS



This set is designed for Boy Scot and is included in the equipment reco in. long, 14 in. wide, when opened.

No. 20, 4 in. Stanley Hurwood Screen

Coping Saw with extra blades

No. T888C-Contains 12 tools, w't !

lbs.each \$21.

Contents, one each of the following No. 04 Stanley Zig Zag Rule

No. 12, 13 oz. Stanley Hammer No. 302 Stanley Hollow Tool Se

containing

Two Saws

Gimlet Bit

Three-cornered

Screw Driver

Two Brad Awls

Tapering File

in. Stanley Cold Chisel

Stanley Chalkline Reel

Adjustable Pipe Wrench

No. 11 Stanley Nail Set

16 in., 10 point Hand Saw

Chisel

Reamer

Pair Pliers

Driver

Glass Cutter

No. 873-Contains 5 tools, w't 3 l each\$9

Contents, one each of the following

No. 12, 13 oz. Stanley Hammer

in. Stanley Cold Chisel

No. 302 Stanley Tool Set contain

Gimlet Saw

File Chisel

Square Reamer Small Screw Driver


Two Brad Awls Pair Pliers

No. 61 Stanley Rule ONE IN A BOX

IBBARD, SPENCER, BARTLETT &

STANLEY TOOL CABINETS

Made of black walnut, very finely finished. The paneled doors are hung on brass hinges. Cylinder lock with two keys. are held firmly in place by specially constructed clips. The drawers are divided into compartments for holding small



Teon-Contains 25 tools, length height 12 in., depth 6 in., with leather handle for the contains, with 33 lbs. .each \$57.00 one each of the following:

Screw Driver

in. Screw Driver

in. Screw Driver

in. Chisel

Zag Rule

Zag Rule

in. Nail Set

in. Nail Set


in. Screw Driver Bit

in. Screw Driver

in 5 in Screw Driver

Expansive Bit m. Anger Bit Anger Bit

STANLEY TOOL CHESTS



covers are swung on ornabrass hinges, a brass handle

Teol—Contains 15 tools, length

width 82 in., dcpth 62 in., 30 lbs.each \$26.50 ats, one each of the following:

564 in. Center Punch Hollow Handle Tool Set with Extra Saw

Plane 13 oz. Hammer dez. Hammer

in. Chisel

in. Chisel


in. Chisel

in. Screw Driver

in. Screw Driver

in. Screw Driver

in. The Zig Zag Rule




No. T852—Contains 20 tools, height 22 in., width 14 in., depth 61 in., w't 37 lbs.each \$44.00 Contents, one each of the following:

Contents, one each of the No. 26, 5 in. Screw Driver No. 50, 3 in. Screw Driver No. 50, 3 in. Screw Driver No. 40, 34 in. Chisel No. 40, 34 in. Chisel No. 11, 2-32 in. Nail Set No. 26, % in. Screw Driver Bit No. 151 Spoke Shave No. 1 Odd Job No. 204 Zig Zag Rule No. 204 Zig Zag Rule No. 945. 8 in. Bit Brace No. 12, 13 oz. Hammer No. 741 Vise No. 220 Plane No. 230 Flate No. 305 Hollow Handle Tool Set 16 in. Panel Saw

16 in. Panel Saw Pair Pliers Gimlet Bit

14 in. Auger Bit 16 in. Auger Bit 17 in. Auger Bit

STANLEY TOOL ROLLS



No. 871-Contains 12 tools, length 25 in., width 14 in. when open, heavy brown canvas, w't 6 lbs., each\$18.30

Contents, one each of the following:

No. 04 Zig Zag Ruie

No. 40, 34 in. Chisel

No. 40, 34 in Chisel

No. 11, 2-32 in. Nail Set

No. 12, 13 oz. Hammer

No. 12, 13 oz. Hammer

No. 14, 4 oz. Hammer

No. 203 Plane

No. 304 Hellow Headle Teal Continue

No. 303 Flane
No. 302 Hollow Handle Tool Set with
6/4 in. Extra Saw
Pair Pliers
No. 70, 5 in. Screw Driver
No. 77, 3 in. Screw Driver

ONE IN A BOX .

No. T851-Contains 35 tools, height 26½ in., width 19½ in., depth 8 in., w't 80 lbs. each \$90.50


Contents, one each of the following:

No. 25, 8 in. Bevel No. 20, 5 in. Screw Driver No. 40, 4 in. Screw 50, 3 in. Screw Driver No. I Rule 105, Zig Zag No. 40, 14 in, Chisel No. 40, 15 in, Chisel No. 40, 1 in, Chisel No. 18, B Steel Squares No. 6534 Gauge No. 741 Vise

915, 8 in. Bit Brace 10, 305 No. 305 Hollow Handle Tool Set No. 36- G. 12 in. Plumb and Level No. 151 Spoke Shave No. 514 Plane No. 60 Plane

No. 80 Scraper No. 11, 2-32 in. Nail Set No. 1A, 1/2 in. x 6 in. Cold Chisel Driver Bit No. 26, fg in. Screw Driver Bit No. 49 Bit Gauge No. 21, 9 in. Square No. 12, 13 oz. Hammer No. 147, 4 oz. Hammer
20 in. Panel Saw
Keyhole Saw
Pair Pliers
Oil Stone
10 in. Back Saw
Gimlet Bit 14 in. Auger Bit in. Auger Bit in. Auger Bit Coping Saw w with

STANLEY TOOL ROLLS



No. 872-Contains 6 tools, length 20 in., width 14 in. when open, heavy brown canvas, w't 3 lbs.,

Contents, one each of the following: No. 20, 4 in, Screw Driver Pair Pliers

No. 103 Piane No. 12, 10 er. Hammer No. 35 Hellow Handle Tool Set No. 404, Zig Zag Rule

ONE IN A BOX

TOOL CABINETS



No. T125 CMB-Hardwood, nicely varnished, dovetailed, with two paneled doors, outside measurement 24×17×6 in., inside measurement 224×154×5½ in., inside drawer 131×3×2 in., brass hinges, lock with key and heavy brass bolt with 21 best grade tools, w't each 43 lbs., each \$32.50

Contents One Each of the Following:

No. 24 REVENER Plane.

18 in. Panel Saw.

No. 2 200 Bell Face Nail Hammer.

No. 1 CWE Shingling Hatchet.

1 each & and 1 in. Of Auger Bits.

No. 30-%2nds @ Gimlet Bit.

No. 213-14 in. Butt Chisel.

No. 1 OWD Tool Handle.

No. 126 CVB Plier.

No. 3 Cabinet Scraper.

No. 111 Carpenter's Pencil.

8 in. Plain Brace.

No. 20-6 in. Try Square.

6 in. Strew Driver.

No. 70-6 in. Oil Stone.

8 in. Mill File, with Handle.

51 in. Star Slim Taper File, with Handle.

No. 44 CMB Nail Set.

No. 61 Rule.

No. 62 Marking Gauge.

No. 31 Copper Plated Oiler.

2 oz. LePage's Glue.

No. 115-CRUSO, cottonwood box, size 24x17x6 in., nicely finished, fitted with one handle on end, contains 25 tools,

Contents One Each of the Following:

No. 012 Calumet Hammer.

No. 315-2 in. Chisel.

No. 50-18 in. Panel Saw.

No. 100 Coping Saw.

No. F68 Rule.

1 each 1, 2 and 1 in. No. 62

Auger Bits.

No. P8 Brace.

No. 306 Plier.

No. 26-6 in. Try Square.

No. 10-4 in. Screw Driver.

No. 25 Gimlet.

No. R102 Plane.

No. 20 Mallet.

No. 100 Scratch Awl.

No. 351 Nail Set.

No. 155 Level.


No. 01 Alligator Wrench.

No. 3-6 in. Divider.

2 oz. Glue.

No. 111 Pencil.





No. T101 RWORD Hardwood, dovetailed, panneled and nicely finished, outside dimensions 26%×198×8%6 in., contains 35 first quality tools, w't each 55 lbs.,

Contents One Each of the Following:

2 Planes.

Rule.

Try Square.

Marking Gauge. Knurled Nail Set.

Pair Wing Dividers.

Pair Gas Pliers.

Pair Flat Nose Pliers.

1 Pair Cutting Nippers.

Saw File. Oil Whetstone.

Oiler.

1 Coping Saw.

1 Glue Pot.

1 Drawing Knife.

1 18 in. Saw.

1 Brace.

3 Gimlets.

3 Auger Bits.

3 Chisels.

2 Screw Drivers.

1 Hack Saw.

1 Hexagon Level.

1 Countersink.

1 Cabinet Scraper. 1 Steel Nail Hammer.

1 Tack Hammer.

10 with 1 Tool Holder,

Tools.

SCROLL SAWS



ROGERS, japanned iron striped in red and gold, japanting-table, selected ash arms man, steel arbors, carefully fitbearings, 4½ in. iron balance with drilling attachment, im-The swing around the table 5-in. bracket saw blades, sheet of designs and drill 25 lbs., boxed for shipment

With Emery flywheel, \$20.00

IN A BOX, SHIPPED KNOCKED DOWN



Her carpenters and builders, cabinet and other wood workers. Will pine 2 in. thick, 1 ft. per minute; 4 ft. per minute.

The swing around the blade under is 24 in.

- Cast iron frame, hard maple and arms, balance wheel runs I dozen saw blades, w't 55 lbs., for shipment 80 lbs., *\$66.50

A BOX, SHIPPED KNOCKED DOWN

VELOCIPEDE SCROLL SAWS

Cast iron frame, hard maple table and arms, balance and drive wheels run on steel arbors, 7 in. blade, with one dozen blades, w't 90 lbs., boxed for shipment 130 lbs.

No. F2-Without boring attachment, No. F2B-With boring attachment, including one 3/16 in. bit,

each* Swing around blade under arm is 24 in. Boring attachment can be furnished at any time. We furnish extra bits at following prices, each: 1/16, 15c.; %2, 15c.; h, 20c.; %2, 20c.; %6, 25c.; %2, 18c., a, 35c. %2, 30c.; 1, 35c. ONE IN A BOX, SHIPPED KNOCKED DOWN

COMBINED CIRCULAR AND SCROLL SAWS



Showing Circular Saw Only.

Neither circular nor scroll saw interferes with successful operation of the other. Capacity of scroll saw is same as that of No. 7. Table can be adjusted up or down by a cam, to allow any desired depth of cut being made by saws or cutter tools. Circular saws are 6 in. in diam. and reach 18 in. above the table. W't boxed for shipment 350 lbs. No. F25-Circular saw only-with two 6 in. saws-without attachments,

each*\$161.50* No. F26-Scroll saw attachment-1 dozen saws, extra*each \$19.00 No. F27-Boring attachment, with drill chuck, extra*each \$28.50 No. F28-Combined machine, complete with attachments,

each* ONE IN A BOX, SHIPPED KNOCKED CIRCULAR SAWS



Iron and steel frame, 30x30 in. iron table, complete with self-feed, two 10 in. circular saws-1 each rip and cross-cut, w't 400 lbs., crated 480 lbs.

Hand and foot power for hard or soft, thick or thin lumber. Can be used as a cross-cut saw. Self-feed mechanism can be instantly thrown back to rear of machine, also rip gauge, leaving table perfectly clear for cut-off work. Can be used for rabbeting and grooving. The self-feed can be used for grooving and rabbeting as well as when the machine is used for ripping. Cutter heads are also used for graining and dadoing and with knives of suitable width for joining. Can be provided with boring attachment which is the same as used on the combined machine.

No. F4-For Foot Power, each*\$285.00

No. F5-With countershafts, for steam instead of foot power, each*\$285.00

BORING ATTACHMENTS


COUNTERSHAFTS

No. F7C-Countershaft and belt pulleys*\$28.50

ONE IN A BOX, SHIPPED KNOCKED DOWN

* Items Marked Thus * Are Shipped From Factory Only.

LATHES



Cut showing portion of No. o Screw Cutting Engine Lathe.

Barnes all iron and steel, velocipede foot power.

Swings 11 in. on the face plate, 61 in. over the tool carriage, and is 34 in. between centers. Back-gearing and cone pulleys give great range of speed. Head stock has a steel spindle with 15/32 in. hole through its entire length. Tail stock can be readily set at any desired point, and can be taken off altogether, leaving it free for face plate or chuck work. It can also be set over for turning tapers. Spindles of both head and tail stocks are of steel, with positively true taper holes for the reception of the centers. Tail stock center is self-discharging. Tool carriage is gibbed to the bed. The tool can be set to the work at any position or angle desired; also to bore a taper hole. All the works are securely protected from chips and dirt. As a right or left screw cutting lathe it is simply perfect. All the gearing is cut from solid metal in the best machinery known for gear cutting, and is as true and noiseless as it is possible for metal gearing to be. Weight 385 lbs., boxed ready for shipment, 500 lbs.

No. F5-Lathe, complete,

each*\$362.00

ONE IN A CRATE



We Stand Behind the Brand.

FOOT POWER MORTISERS



Has great range for work, power on the chisel, accuracy in its action, and has all the required adjustments, which are easily and quickly made. Has abundant strength, is durable, and occupies but little space. Except for the supplementary table and treadle, the machine is made entirely of iron and steel.

No. F9—Foot power mortisers, without chisels, w't 135 lbs.; boxed 170 lbs.★each \$95.00

No. F10 — Self-cleaning mortising chisel, sizes \$, \$16, \$, \$6, \$, \$6, \$, \$6, \$, \$1, \$2 and 1 in.*each \$4.50

ONE IN A CRATE

EMERY WHEEL DRESSERS



No. 15—Huntington, for truing, shaping and removing glaze from solid emery wheels while running at full speed, w't per doz. 22 lbs., per dozen\$9.80

No. 25—Extra Cutters, w't per doz. sets 1 lb.per set \$0.09

ONE IN A BOX

REVONOC GRAIN EMERY









Fine. Medium. Coarse.

Made from the highest quality ore
throughly washed and evenly grade.

Sizes 36, 46, 60, 80, 90, 100, 120 and 150

Per 18

5 lb. Cansper pound \$0.1
WE DO NOT BREAK PACKAGES

REVONOC EMERY FLOUR



Highest quality, smooth and long-

5 lb. Cans per pound \$0.10

WE DO NOT BREAK PACKAGES

Carry a line of goods upon which you can rely.

The dealer who carries H. S. B. & Co. Brands marks his store as a place where the better goods are sold.

A house with over sixty-seven years' experience stands back of our brands.

* Items Marked Thus * Are Shipped From Factory Only.

EMERY WHEELS

Special Price Quoted on Application

Priced Each.

Diam. in. 6 8 10

BEER 2

PER S PER S

THE A

secondly as its grain and grain

BEST EMERY

6	3	

													-	STATE OF THE PERSON NAMED IN		
						Flat	Face W	heels (Carried 1	n Stock	o During Vil			The st		
		Thi	ckness	, in.												
		· F	1	+	1	100	1	4	4	1	1	1	1	11	11	2
231	ion.	Arbo	or, in.													
Sinc.	1	2	9	b	2	1	11	1	0112	1	9	11	12	2	2	1
IIEF.	3			1.00											****	
HEE	4				1.40	1.65	****	****	1.65	****	1.95				2.55	
INC.	5		A		1.90				2.25		2.65	Interelo			3.40	
HEF	6	1.90	2.40				2.90	2.90	2.90	3.40	3.40	3.40	3.40	3.90	4.45	5.40
				4												
				No.												
			Thick	ness, i	n.	Blan.		48	AB, I H	6 157		me al			16 06 33	
			1	1	1		1	100	0.4	1	1	1 1	1	11	11	2
	2	Kam.	Arbo	r, in.							1					
Stee.		in.	9	1	11	1	11	11.	11	1	11	1	11	11	11	11
-		7										4.30				****
1827		8	2.70		2.70	3.55		3.55		4.40	4.40		5.20	6.10	6.90	8.60
HEF		10		3.60			4.90	4.90	6.20				7.50		10.20	12.80
DEED		12			4.20		6.00	6.00	7.80		7.80		9.50	11.30	13.10	16.70
							FARLYN YS T									

Round	Face	Wheels	Carried	In	Stock.
Roung	Lace	AA HOCEE	Carried	AM	DOUGH.

Thickne	ess, in.	distribution of	4			-		Dalla A	- 1
Arbor, i	n.		12000	DE-53	100 20 4				- 19
2 0	1	9	1	11	2	1	11	11	11
1.90		2.40			2.40				***
2.70	2.70		3.55			3.55			
	3.60			4.90			4.90	6.20	6.20
				6.00			6.00	7.80	7.80

Flat, Round or Beveled Face Wheels Shipped From Factory.

Thickn	ess, In			36.30						0				
1	1	1	-	1	1	11	11/2	11	2	21	3	31	4 Di	am.
.40	\$0.50	and the same of	\$0.60	.60	.70	.80	.95	\$1.05	1.15	\$1.35	\$1.55	\$ 1.80	\$2.00	1
.60	.75		.90		1.00	1.15	1.30	1.45	1.60	1.85	2.15	2.40	2.70	2
.80					1.45	1.65	1.85	2.10	2.30	2.70	3.15	3.55	4.00	3
1.10	TO THE REAL PROPERTY.					2.25		2.80	3.10	3.70	4.25	4.80	5.40	4
	100000					THE PARTY OF THE PARTY.		3.80	4.15	4.90	5.70	6.40	7.20	5
	USS							4.95		6.50	7.50	8.50	9.50	6
2.30	2.95	Children Co. Lynner	3.60			4.95	100	6.30	6.90	8.20	9.60	10.90	12.20	7
			4.40					7.80		10.30	12.00	13.70	15.40	8
		4.15	5.20	5.20	6.30	7.40	8.40	9.50	10.60	12.70	14.80	17.00	19.10	9
								11.50		15.40	18.00	20.70	23.30	10
								14.90		20.20	23.80	27.30	30.90	12
4,90		C. Barrier					16.50							14
5.70		STORY WALL	11.60	MADE SOUTH					26.50				50.20	16
6.60			14.00	14.00	17.70	21.40	25.10	28.80	32.50	39.80	47.20	54.60	62.00	18
	12.30		A DESCRIPTION	16.80	21.40	25.90	30.50	35.00	39.60	48.70	58.00	67.00	76.00	20
			20.10	20.10	25.60	31.10	36.70	42.20	47.70	59.00	70.00	81.00	92.00	22
			24.00	24.00			44.00				85.00	99.00	113.00	24

* Items Marked Thus * Are Shipped From Factory Only.



CARBORUNDUM AND ALOXITE GRINDING WHEELS

HARDEST AND SHARPEST

Carborundum and Aloxite grinding wheels are electric furnace manufacturabrasives and guaranteed for uniformity as to grits and grades.

When ordering sizes not listed be sure to state sizes of arbor hole and class of work wheels are to be used for so that factory may be able to furnish progrades for each class of work.

Carborundum and Aloxite grinding wheels can be used wet or dry and a guaranteed when used with ordinary care.

CARBORUNDUM WHEELS

FROM STOCK

Flat Face, Medium Grit For General Use.

Nos.	Diameter In.	Thickness In.	Arbor In.	Each.	Nos.	Diameter In.	Thickness In.	Arbor In.	Pas
23	3	à	à			6	11	1	23.0
24	4	1	1	1.40	28	8	1.	9	33
34	4	9	9	\$1.00 1.40 1.65	56 28 38	8	9	1	4.3
44	4	1	9	1.95	48	8	All Passenth	4	5.0
35	5	2	1	61460	48 58 68	8	11	1	6.1
45	5	1	2	2.65 2.40 2.90	68	8	16	1	6.3
28	6	1		2.40	410	10	1	1	7.3
36	6	1	9	2.90	810	10	13	11	12.4
48	6	1	1	3.40	812	12	2	11	16.1

ALOXITE SAW GUMMING WHEELS

FROM STOCK

		Office and the second	1000000	Round Pace	medium Grit			
Nos.	Diameter In.	Thickness In.	Arbor In.	Each.	Nos.	Diameter In.	Thickness In.	Arbor In.
64 83	6 8		1	\$2.40 3.55	124 P125	12 12	700	2 9
84 104	10		100	3.55 3.55 4.90	P126	12	1	1

CARBORUNDUM OR ALOXITE GRINDING WHEELS

PICK-UP

In ordering specify thickness, size of arbor and class of work wheels are to be used for.

	Diam.	Thick	ness, ir	1.											
Nos.	in.	1	9	1	9	9	1	11	11	13	2	21/2	3	31/2	4 Diam
PI	1	\$0.40	\$0.50	\$0.50	\$0.60	\$0.60	\$0.70	\$0.80.	\$0.95	\$1.05	\$1.15	\$1.35	\$1.55	\$1.80	\$2.00
P2	2	.60	.75	.75	,90	.90	1.00	1.15	1.30	1.45	1.60	1.85	2.15	2.40	2.70
P3	3	.80	1.00	1.00	1.20	1.20	1.45	1.65	1.85	2.10	2.30	2.70	3.15	3.55	4.00
P4	4	1.10	1.40	1.40	1.65	1.65	1.95	2.25	2.55	2.80	3.10	3.70	4.25	4.80	5.40
P5	5	1.50	1.90	1.90	2.25	2.25	2.65	3.00	3.40	3.80	4.15	4.90	5.70	6,40	7.20
P6	6	1.90	2.40	2:40	2.90	2.90	3.40	3.90	4.45	4.95	5.40	6.50	7.50	8.50	9.50
P7	7	2.30	2.95	2.95	3.60	3.60	4.30	4.95	5.60	6.30	6.90	8.20	9.60	10.00	12.20
P8	8	2.70	3.55	3.55	4.40	4.40	5.20	6,10	6.90	7.80	8,60	10.30	12.00	13.70	15.40
P9	9	3.10	4.15	4.15	5.20	5.20	6.30	7.40	8.40	9.50	10.60	12.70	14.80	17.00	19.10
P10	10	3,60	4.90	4.90	6.20	6.20	7.50	8.90	10.20	11.50	12.80	15.40	18.00	20.70	23,30
P12	12	4.20	6.00	6.00	7.80	7.80	9.50	11.30	13.10	14.90	16.70	20.20	23.80	27.30	30.90
P14	14	4.90	7.20	7.20	9.60	9.60	11.90	14.20	16.50	18.90	21.20	25.80	30.50	35.10	35.80
P16	16	5.70	8.70	8.70	11.60	11.60	14.60	17.60	20.50	23.50	26.50	32.40	38.30	44.30	50.20
P18	18	6.60	10.30	14.00	14.00	14.00	17.70	21.40	25.10	28.80	32.50	39.80	47.20	54.60	62.00
P20	23.		12.30	12.30	16.80	16.80	21.40	25.90	30.50	35.00	39.60	48.70	58.00	67.00	76.00
P02	22		*****		20.10	20.10	25.60	31.10	36.70	42.20	47.70	59.00	70.00	81.00	92.00
P04	24	****	*****		24.00	24.00	30.60	37.30	44.00	51.00	59.00	71.00	85.00	99.00	113.00

PIKE'S OIL STONES AND SLIPS

MEKANSAS SOFT NO. I QUALITY



extensively by sheep sl	hearers.
396	398
=54 to 6	79 to 8
2	2
	1 to 1
about, lbs 13	18
	0 52.00

IN AN INDIVIDUAL BOX

MEKANSAS SOFT NO. 2 QUALITY

extensively by sheep shearers.
496 498
=51 to 6 71 to 8
to 1 2 to 1
about, lbs 12 16
=\$18.00 25.60
BULK BULK

LILY WHITE WASHITA

murtin, in. Manne, in.

Militaness.

AL.

	386	387	388
5%	to 6h	61 to 71	72 to 8
	2	2	2
in. 2	to 1	1 to 1	2 to 1

stimut. The... 11 121 INDIVIDUAL BOX

although usually called can be used with water can be used with water can be used with water can be used stone and is unmillionly the best low priced sharpentime for mechanics' tools.

The areassas oil stone is found in mown as hard and soft. where grade is especially adapted to summing highly tempered tools, reteen, smooth edges, also mind mois, mich as are used by enwater-akers, die-sinkers, all and hear carvers, surgeons, etc. wit Ariansas is better adapted machinists, cutters and was regard a stone for putting finishing edge.

Washing stone is more generally marpenters and joiners than This stone is obtained in brand is conceded to be the purpose stone yet dist being capable of cutting mounty and leaving a fine, wer bering edge.

WASHITA NO. 1 QUALITY



Nos	276	277	278
Length, in			
Width, in		2	2
Thickness, in.		% to 1	a to 1
W't, doz.,	CARRE		
about, lbs	111	13	14
Per dozen	\$7.20	8.80	12.00
PACKED IN	INDIVI	DUAL FO	DLDING

QUEER CREEK

Nos	165	166	167
Length, in	5	6	7
Width, in		2	2
Thickness, in		I to 1	
W't, doz., about, lbs.	9	10	10%
Per dozen\$2	.70	3.70	4.80
PACKED IN INDIVI		FOLI	DING

HINDOSTAN ASSORTED

No. 57-Blue small, assorted 7x2x1 to 1 in., w't 1 lb.per pound \$0.25 No. 58-Blue regular, assorted 8x2x1 to 1½ in., w't from ¾ to 1½ lbs., per pound\$0.20 PACKED IN BULK

MOUNTED OIL STONES



No. 907-Arkansas, soft, 7x2 in., mahogany box, w't per doz. 18 lbs., per dozen\$32.00 No. 716 ENGROC-Washita, 6x13 in., polished hardwood box, w't per doz. 14 lbs.per dozen \$11.20 No. 717 RESTANC_Washita, 7x2 in., pol-

ished hardwood box, w't per doz. 16 lbs. per dozen \$14.40

No. 725-Cruso, Queer Creek, 5x2 in., polished hardwood box, w't per doz. 14 lbs. per dozen \$3.80

No. 727-Cruso, Queer Creek, 7x2 in., polished hardwood box, w't per doz. 161 lbs.per dozen \$6.00

No. 805—Two Bits, 5x12x1 in., polished hardwood box, especially adapted for the household, w't per doz. 111 lbs. per dozen \$3.40 ONE IN A BOX

BEVELED OIL SLIPS



ARKANSAS ROUND EDGE HARD 母母 No. 1 QUALITY

Nos 93	94
Length, in 27 to 34	37 to 41
Width, in 12 to 2	12 to 2
Thickness, in { to g	# to b
(1/16 to h	to %o
W't, doz., about, lbs 29	3
Per dozen\$18.00	24.00

ONE IN A BOX

ARKANSAS ROUND EDGE SOFT CAME No. 1 QUALITY

Nos	. 593	594
Length, in		39 to 41
Width, in		17 to 2
Thickness, in	l i to i	% to à
Interness, In	1 1/10 to 1	1 to %10
W't, doz., about, lbs.	3	31
Per dozen	\$6.40	9.60

ONE IN AN INDIVIDUAL BOX

◎學動 LILY WHITE ROUND EDGE No. 184 €₩2 -32 to 43 in. long x 12 to 2 in. wide x # to h x h to h in. thick, w't per doz. about 3h lbs., per dozen\$4.80

ONE DOZEN IN A PASTEBOARD BOX

WASHITA ROUND EDGE, No. 1 QUALITY

Nos	. 174	175
Length, in	.39 to 43	49 to 53
Width, in	. 19 to 2	17 to 2
Thickness in	a to h	I to i
Thickness, in	a to a	a to a
W't, doz., about, lbs	. 3	33
Per dozen		4.80
ONE DOZEN IN A PA	ASTEBOAL	ED BOX

AXE STONES



No. 153-Hindosten, small, assorted 3x2x1 to 1 in., w't 1 to 1 lb., per pound\$0.20

No. 254-Hindostan, large, assorted 4x2x2 to 11 in., w't 1 to 1 lb., per pound

INDIA POCKET KNIFE STONES



One of the best all around sharpeners for all sorts of small tools around the home, office and workshop. It is made of selected material and gives a sharp, keen edge.

No. 293—3½ in. long × 1 in. wide × § in. thick, w't per doz. about 2½ lbs., per dozen\$3.20

PACKED IN NATURAL WOOD DISPLAY STANDS CONTAINING ONE DOZEN STANDS

SAND STONES



No. 38—Shoemakers' about 8×13×
1½ in., w't about 1½ lbs.,
per pound\$0.15

LOOSE



No. 32—Kitchen, 8x1\(\frac{1}{2}\times 1\frac{1}{2}\) in., neat wood box, w't per doz. 30 lbs., per dozen\$3.40

ONE DOZEN IN A BOX

INDIA OIL SLIPS



INDIA "KANT-BREAK" KNIFE SHARPENERS



These "Stone Steels" are made of the most satisfactory abrasion known -India Corundum-a substance in hardness about that of a diamond. It is crushed into small grains, bound together under heavy pressure and hardened by heat. There is a strong reinforcing rod running the entire length of the steel as well as rubber tips at both ends and a rubber ring upon the handle. All serving to make the hone strong and less liable to break. We cannot too highly recommend these hones to the man who wants a very rapid cutting, durable sharpener.

No. 10—"Kant Break" w't per doz.

8 lbs. per dozen \$9.60

STRONG, NEAT COUNTER DISPLAY STAND PACKED WITH EVERY DOZEN SHARPENERS

INDIA OIL STONES



India oil stone has been on the market but a few years, yet its reputation has become world-wide. For rapid cutting it has no equal and it leaves remarkably smooth, lasting edge of the tool. It is made in coarse and madium grits. The coarse grit is use only where very rapid work is desired the medium grit being used mostly be carpenters, joiners and others wanting a stone for general use.

The India is also made with the coarse grit on one side and medium on the other. This stone is very popular as it saves many the necessity of buying two stones.

FINE	
Nos 67	266
Length, in	6
Width, in 2	18
Thickness, in 1	3
W't, doz., about, lbs 17	81
Per dozen\$20.00	10.0


MEDIUN

Length, in		1	48 18 6 58
Per dozen		\$9.60	12.0
Mos	2 1 133	17 7 2 1 17 20.00	18 8 2 1 19 24.0

COMBINATION

THE THE RESIDENCE THE PROPERTY OF		
One Coarse Side and One	e Fine	Side
Nos 194	96	84
Length, in 41	6	6
Width, in 11		2
Thickness, in 8	3	14
W't, doz., about, lbs. 51	91	14
Nos	. 87	88
Length, in	. 7	8
Width, in	. 2	2
Thickness, in	. 1	1
W't, doz., about, lbs	. 16	18
Per dozen	328.00	32.
Per dozen \$16.00	23.00	24.

OIL STONE ASSORT-MENT



- Assortment, conauthor of 23 oil stones, as follows, mil m in a handsome display case m, w't complete for shipper asst. \$30.00 \$2.00 \$2.00 = CYB Soft 3.25 3.25 三 6 学会 Lily Washita75 = CYB Lily

Washita85 1.70 二 C学已 Lily Washita ... 1.25 Mounted Washita 70 .70 Mounted Washing80 .80 Hard STEERS Slips ... 1.00 Hard Amansas Slips ... 1.50 m. Combination

1.00 m Medium India .. 1.15 Medium India Medium India 1.20 Hone 1.50 1.50

\$21.60

EMERY OIL STONES



One Side Coarse, One Fine man of emery and silicates, for use

			. 126	127	128
m.			. 6	7	8
L			. 2	2	-2
		100		1	1
SSE.,	lbs.		. 10	11	12
B			\$6.80	8.70	9,60
THE	DO	127	A TAT A	POY	

RUBY OIL STONES



"CRUSO"


Finest Ruby Corundum, One Coarse Side and One Fine Side.

Made of ground corundum, held together by special bond. One side is coarse for quick cutting on a very dull tool and the opposite side is very fine for finishing. Not affected by moisture. The bond is of such a peculiarly tough nature that the stone is not easily broken. It may be dropped from quite a height without damage. This does away with the necessity of having each mounted in a wooden case.

Nos	224	226	227
Length, in	4	- 6	7
Width, in	18	2	2
Thickness, in	- 5	2 .	1
W't, doz., lbs	51	15	16
Per dozen\$	3.00	5.10	6.50
Nos		2227	228
Length, in		. 7	8
Width, in		. 21	2
TILL I Take a see that		100000	-

IN HANDSOME PASTEBOARD CASE HALF DOZEN IN A BOX

RUBY OIL SLIPS



"CRUSO"

Finest	Ruby	Corundum	, 4x21x1
No. 334-	-Coarse	, w't per	loz. 2 lbs.,
per do	zen		\$3.00
		w't per do	
per do	zen		\$3.00
Н	ALF DOZ	EN IN A BO	XC

RUBY KNIFE STONES



"CRUSO"

Pocket, Finest Ruby Corundum. No. 403-32x3x8 in., in leatherette case, w't per doz. 12 lbs., per dozen\$2.00 ONE DOZEN IN A WOOD DISPLAY CASE

CARBORUNDUM RUBBING BRICKS



For Dressing or Scouring.

Suitable for dressing granite and marble, or scouring castings, chilled iron and steel. Made in any grit, 20 (coarse) to FF (fine). State grit wanted or for what purpose.

Nos. P206 P207 P211 P212 Length, in... 8 8 8 8 8 8 Width, in. . . 3 3 2 2 Thickness, in. 2 3 2 W't, doz., lbs. 47 70 32 Per dozen \$36.50 57.60 27.85 15.35 P213 P205 P214 Length, in. 6 6 Width, in. 3 2 Thickness, in. 3 2 W't, doz., lbs. 45 35 19 Per dozen\$43.20 30.70 22.10

Nos. P215 P221 P228 Length, in. 6 4 4 ONE IN A CARTON



For Concrete.

The carborundum rubbing brick is the fastest cutting medium known for removing form marks and for dressing down concrete work. Brick is fluted

on two sides, so as to give a shear cut.
All made by vitrified process and can be used dry, or with water or oil.

Absolutely guaranteed. Nos. P286 P285 P284 Length, in. 6 8 8 Width, in. 2 Thickness, in. 2 W't, doz., lbs. 22 2 3 32 Per dozen\$22.10 27.85 57.60 ONE IN A CARTON

CARBORUNDUM STONES



For Truing and Dressing Emery Wheels.

Especially adapted for shaping, truing and dressing gummers.

No. P212C—8x2x1 in., w't per doz. 16 lbs. per dozen \$15.35 ONE IN A CARTON

HIBBARD, SPENCER: BARTLETT & CO.

CARBORUNDUM STONES

Every Stone is Guaranteed to be Perfect, Can be Used with Oil, Water or Dry.

POCKET HONES



No. 150—Fine, Round, 2 in. diam., 1 in. thick, w't per doz. 14 oz., per doz. \$3.00

ONE IN A BOX




Made of finest carborundum powder, suitable for sharpening pocket knives, ink scratchers, scissors and small tools. Smooth, fast cutting. Stone is put up in a neat buff colored carton.

No. 149C—Two doz. stones 3×4×8 in., mounted in a 10×12 in. attractive display box with easel back,

per carton\$4.80

AXE



Medium Grit.

Nos	193	194	195
Length, in	25	3	21
Width, in		11	21
Thickness, in	1	1	40
W't, doz., lbs	12	21	3
Per dozen	4.20	5.40	5.40
ONE IN			

ROUND COMBINATION AXE



Carse Side and One Fine Side.

DEE IN A BOX

ROUND COMBINATION BENCH



CARBORUNDUM HOUSEHOLD STONES



SLIP



Fine Grit.

Nos. 174 177 180 183

Length, in. . . 6 4½ 4½ 4½

Width, in. . . 2½ 1¼ 2½ 1¾

Thick., in . . ½to¾ ½to¼6 ₺to¼6 ₺to¾6

W't, doz., lbs. 8 1½ 4½ 2¾

Per dozen \$13.80 7.80 10.80 7.80

Medium Grit.

Nos.P175 P178 181 184
Length, in... 6 4½ 4½ 4½
Width, in... 2½ 1¾ 2½ 1¾
Thick., in... ¾to¾ ½to¼6 ¾to ¼6 ¾to ¼6
W't, doz., lbs. 8 1¾ 4½ 2¾
Per dozen \$13.80 7.80 10.80 7.80
ONE IN A BOX

CARBORUNDUM STONES



Extra hard, fine stones, especially adapted for manual training schools, cabinet makers and wood carvers. Made for all tools that require an extra fine, delicate edge. Made in six sizes.

Nos. 156 157 158 159
Length, in. . . 8 8 6 6
Width, in. . . 2 2 2 2
Thickness, in. 1 3 1 8
W't, doz., lbs. 161 102 101 61
Per dozen. . \$21 00 18.00 15.00 12.00

SEIT		
Nos	154	155
Length, in	41	44
Width in	21	11
Thickness, in	to %16	a to %is
W't per doz., lbs	5	Ð
Per dozen\$	12,00	9.00
ONE IN A		

COMBINATION

CARBORUNDUM

BENCH

CARBORUNDUM

Fine Grit. Nos. 115 118 121 Length, in... 8 8 6 2 2 Width, in. .. 2 Thickness, in. 1 2 W't doz., lbs. 161 101 103 Per dozen \$18.00 16.20 13.80 Nos. 130 133 136 Length, in... 6 7 5 Width, in. . . 13 2 9 B Thickness, in. 1 W't, doz., lbs. 41 13 Per dozen ..\$8,40 15.00 9.00 Medium Grit. Nos. 116 119 122 Length, in. . 8 8 6 Width, in. . . 2 2 2 2
Thickness, in. 1 \$\frac{1}{2}\$ 1
W't doz., lbs. 13\$ 10\$ 10\$
Per dozen \$\frac{18.00}{23.40}\$ 16.20 13.80
23.40 19.50 15.60

23.40 19.50 15.60

Nos. 131 134 137

Length, in. .. 6 7 5

Width, in. .. 1½ 2 2

Thickness, in. ½ 1 §

W't, doz., lbs. 4½ 13 8

Per dozen ..\$8.40 15.00 9.00

ONE IN A BOX


MACHINISTS' SPECIAL



Designed for machinists' use. $4 \times 1 \times \frac{1}{2}$ in., w't per doz. 12 lbs.

CARBORUNDUM STONES

CARBORUNDUM DISPLAY CASES



About fourteen inches square and seven inches high. Natural wood colors, is strong, durable and practical as a stock keeper.

Has four spacious drawers, each fitted with a strong drawer pull. Each drawer is large enough to hold a good supply.

The lift-top cover is lowered and fits tightly to the body of the case, making the interior dust-proof. This case is given absolutely free to any dealer purchasing any one of the following assortments:

Assortment—Containing 26 carborundum stones,

ment	.\$24.00
是一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个	Retail
	Value.
Combination Stone	
lination Stones	3.50
lination Stones	2.50
bination Stone	
bination Stone	85
pening Stones, Fine	2.30
pening Stone, Fine	1.25
pening Stones, Fine	3.60
pening Stones, Fine	
Stones, Fine	
Stone, Medium	
Stones, Fine	1.30
Stone, Medium	65
Stones	70
Stones	
value	.\$24.00

CARBORUNDUM OIL STONE BOXES



Varnished Wood

or duty Rs.

P49	P50	P51
6×2×1	$7 \times 2 \times 1$	$8 \times 2 \times 1$
NORTH THE PARTY OF		44
\$4.80	3.40	0.00



Iron, Painted Black.

LOOSE

			P52	P53	P54
į,			6×2×1	$7 \times 2 \times 1$	8×2×1
	t		28	33	35
			.\$10.20	12,00	13.80

CARBORUNDUM GRAINS AND POWDERS



The carborundum grains and powders are produced by crushing the crude carborundum crystal masses.

The grains are subjected to an acid treatment, then graded into the different grits by a sieving process.

The grains too small to grade by sieving are graduated in running water, the finest grains being those which float longest.

Prices on Application

Following carried in stock:	
No. 80-80 grain, 1 lb. cansper lb.	\$0.40
No. 80-80 grain, 5 lb. cansper lb.	.40
No. 120-120 grain, 1 lb. cansper lb.	.40
No. 120—120 grain, 5 lb. cansper lb.	.30
No. 2F-2F powder, 1 lb. cansper lb.	.40
No. 2F—2F powder, 5 lb. cansper lb.	.30

GRAIN .

the transport on death clothe course strained to the floor are four the transport of the the thors are four tour


		1 lb.	5 lb.	10 lb.	50 lb.	100lb.	150lb. 3	3001ь.
		Cans	Cans	Bags	Drums	Kegs	Kegs	Kegs
	Grain	Per	Per	Per	Per	Per	Per	Per
Nos.	No.	Lb.	Lb.	Lb.	Lb.	Lb.	Lb.	Lb.
P24	24	\$0.40	,30	.25	.221	.211	.201	.20
P30	30	.40	.30	.25	.224	.211	203	.20
P36	36	.40	.30	.25	.221	.213	.201	.20
P40	40	.40	.30	.25	,221	.211	.201	.20
P50	50	.40	.30	.25	.225	.211	.201	,20
P60	60	.40	.30	.25	.221	,213	.201	.20
P70	70	.40	.30	.25	.221	.211	.201	.20
P80	80			.25	.221	.211	.201	.20
P90	90	.40	.30	.25	.221	.211	.209	.20
P100	100	.40	.30	.25	.223	.211	.209	.20
P120	120			.25	.221	.211	.204	.20
P2F	F	.40	,30	.25	.221	.213	.203	.20
P2F	FF			.25	.221	.211	.203	.20
PIF	F	\$0.40	.30	.25	.224	.211	.201	.20
P2F	FF			.25	.221	.211	,207	.20
P3F	FFF	:40	.30	.25	.221	.211	,203	.20

POWDER

		1 lb.	5 lb.	10 lb.	50 lb.	100lb.	150lb.	3001ь.
		Cans	Cans	Bags	Drums	Kegs	Kegs	Kegs
	Powde	r Per	Per	Per	Per	Per	Per	Per
Nos.	No.	Lb.	Lb.	Lb.	Lb.	Lb.	Lb.	Lb.
PIF	F	\$0.40	.30	.25	.221	.211	.201	.20
P2F	FF		***	.25	.221	.211	.201	.20
P3F	FFF	.40	.30	.25	.221	.211	.203	.20
		.50	.40	.35	.30	.30	.25	.25
		ROSE	FOOLS, IN	C.				

HIBBARD, SPENCER, B

CARBORUNDUM STONES NO. 7 DISPLAY CASE



We will furnish FREE, the above illustrated display case, providing the dealer will purchase from us the stones

played in case, and a selling stock of stones, at a total investment of \$6170, list price.

With this proposition the dealer is assured of three things—first, of a wide margin of profit. Second a quick sells stock of Carborundum Sharpening Stones, made of Carborundum, the hardest, sharpest, quickest cutting abrasive known third of a very attractive display case of such finish and workmarship as to be quite in keeping with the furnish and third, of a very attractive display case of such finish and workmanship as to be quite in keeping with the furnish

The case is 24 inches high, 18 inches wide and 12 inches deep, made of the pest grade golden finish quartered as the door and heavy glass-covered display panel showing an assortment of carborundum stones are in one. The star attractively arranged on dark cloth-covered panel, with number and selling price of stones stamped on each star attractively arranged on dark cloth-covered panel, with number and selling price of stones stamped on each star attractively arranged on dark cloth-covered panel, with number and selling price of stones stamped on each star attractively arranged on the door are four spacious compartments for carrying stone assortment. Stones are easily removable. Back of the door are four spacious compartments for carrying stone assortment.

This is a splendid attractive case especially designed for the window or counter display.

This is a splendid, attractive case especially designed for the window or counter display.

The following stones are displayed on the panel of the show case. They are rapid sellers and known to the trade.

Retail Value. 1 103C Razor Hone\$1.15 \$1.15 1 200C Aloxite Razor Hone 1.00 1 109C Combination Stone 1.25 1.25 1 111C Combination Stone 1.00 1.00 .85 1 118C Sharpening Stone, Fine 1.35 1.35 1 124C Sharpening Stone, Fine90 .90 .65 .45 .20 .65 .65 .45 1 292C Machinist's Stone, Fine55 .55 1.40 2 4x8 Square Sticks 1.00 .50 2 4×8 Triangular Sticks 1.30

The following list, based upon our experience, is gested for a sample stock of sharpening stones. This, ever, must be considered only as a suggestion, as we deevery dealer to order what he considers best for his trade

	every dealer to order what he comme	B	
	2 200C Aloxite Razor Hones	1.00 1.15 .75 1.35 1.25 1.75 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.5	00
	No. P7—Display case complete with stock, per case		400
ĸ	per comments.		

ALL STONES GUARANTEED

We Guarantee All Stones in the Display and Stock, and Will Refund Full Price Paid for Any Stone Not Giving Es Section to Your Customer.

Items Marked Thus * Are Shipped From Factory Only.

CARBORUNDUM FILE



of the mower sections, but it can be used in most any farm or garden tool, sickles, seythes, lawn mower knives, etc.

long, wood handle, w't per doz. 15 lbs.,

OSF

SETTHE STONE ASSORTMENTS



that looks well on a counter, with the series circulars for free distribution, the various kinds of stone, and with the selling price.

seven varieties of our best selling be merchant to offer to his customer, meaning form, a large assortment. Ev-


Consisting of 80 scythes a finished 12×11½×10½ in. case, per assortment \$11.35

×	***	10.	9.	\mathbf{r}	G,	F.	MUSOUL	ment a	11.00
							.each	\$0.10	1.80
	-			S	-		.each	.15	1.80
i,				١.			.each	.15	1.80
į.		6					.each	.15	.90
i.							.each	.20	2.40
							.each	.20	2.40
ú			à				.each	.20	1.60
							FILLER		

Total\$12.70

CARBORUNDUM ALOXITE SCYTHE STONES

Aloxite Scythe Stones are made of carborundum aloxite, the hardest and sharpest known abrasive material. The sharpness gives an exceeding rapid cutting quality, and the hardness imparts durability unequaled by any abrasive.



This display box is made of card-board reinforced with wood, and covered with a buff glazed coated paper.

Three sizes are put up in this way; one dozen No. 190C, 10 inches in length, one dozen No. 191C, 12 inches in length, and one dozen No. 192C, heavy, 10 inches in length.

The box is hinged at the center and when folded back for display, is very substantial and makes an exceedingly attractive appearance.

ONE DOZEN IN A CARTON

SHIPPING FACILITIES

With our immense stock and very modern facilities for shipments we are enabled to fill orders with unequaled promutness. On some of the roads we have special through cars which enable us to reach distant points 24 hours ahead of shipments made in the regular way.

SCYTHE STONES



dum, length 10 in., fine, w't per gro. 95 lbs.

Made of pure corundum, that is, they represent between 95 and 100 per cent of pure cutting material, therefore are the fastest cutting stone on the market

No. N80—Full quarter gross box, per gross\$24.00

No. 80—Less than quarter gross, per gross\$25.00



REVONOC —Oval, terra cotta, corundum, medium grit, length 10 in., w't per gro. 96 lbs.

Made of pure ground corundum, with steel rod extending entire length through center to prevent breaking.

No. N95—Full quarter gross box, per gross\$22.50

No. 95—Less than quarter gross. per gross\$23.50 QUARTER CROSS IN A BOX



Cruso, very coarse, rapid cutting, western grindstone grit with flat face and square edges, with red ends, w't per gross 120 lbs. Give a very coarse edge.

No. N65—Full quarter gross box, per gross\$23.50

No. 65—Less than quarter gross, per gross\$24.50 QUARTER GROSS IN A BOX



White Mountain, oval, square edges, best New Hampshire grit, medium fine, length 10 in., w't per gro. 120 lbs.

No. N72—Full quarter gross box, per gross\$30.00

No. 72—Less than quarter gross, per gross\$31.00 EACH IN AN INDIVIDUAL CARTON QUARTER GROSS IN A BOX



Crescent, oval, coarse, grindstone grit, length 10 in., w't per gro. 120 lbs.

No. NS2—Full quarter gross box, per gross\$24.00

than quarter gross, \$25.00 gives a quick, coarse

CHARTER CROSS IN A BOX

SCYTHE STONES



Black Diamond, flat octagon, best Verment grit, very fine, length 10 in., w't per gro. 105 lbs.

No. N78—Full quarter gross box, per gross\$31.50

No. 78—Less than quarter gross, per gross\$32.50

QUARTER GROSS IN A BOX

Description 1

Pike's Genuine Indian Pond, No. 1, oval, red end, very sharp grit, length 10 in., w't per gro. 108 lbs.

No. N66—Full quarter gross box, per gross\$21.60

No. 66—Less than quarter gross, per gross\$22.60

QUARTER GROSS IN A BOX



Willoughby Lake, round oval, bluish gray, fine sharp grit, length 10 in., w't per gro. 100 lbs.

No. N68—Full quarter gross box, per gross\$25.20

No. 68—Less than quarter gross, per gross\$26.20

QUARTER GROSS IN A BOX

Whet Stone

Green Mountain, flat oval, Vermont grit, sharp, length 10 in., w't per gro. 100 lbs.

No. N64—Full quarter gross box, per gross\$20.00

No. 64—Less than quarter gross, per gross\$21.00

QUARTER GROSS IN A BOX

ENGNE LAMBLE WHETSTONE

Lamoille, round oval, extra quality Vermont grit, very sharp, length 10 in., w't per gro. 108 lbs.

The Green Mountain and Lamoille are taken from the same quarry. The Lamoille is better finished and gives a finer edge.

No. N76—Full quarter gross box. per gross\$25.50

No. 76—Less than quarter gross, per gross\$26.50

QUARTER GROSS IN A BOX

EMERY GRINDER HEADS

Wheels Not Included.



for very light work, will carry two 6×1 in. wheels Split cast irom bearings. Spinds 11 in. long, diam

in bearing 2 in., diam. on end 2 in. size of pulley 15×12in., distance be tween wheels 6 in., height to center of spindle 5 in., w't complete 15 lbs. each\$6.81

with babbitted bearings and adjustable tool rests, will carry two 8×14 in.



wheels, length of spindle 14 in diam. in bearing 3 in., diam. on end 3 in., size of pulley 2\$x2 in., distance between wheels 8 in., height to center of spindle 61 in., w't complete 25 lbs. each \$13.50



Built with babbitted bearings with wick oiling ar-

rangement as insurance against faulty lubrication, will carry two 10×1½ in. wheels, length of spindle 18 in., diam. in bearings 1½6 in. diam. on end 1 in., size of pulley 2½×2¾ in., distance between wheels 10 in., h't to center of spindle 7½ in. w't complete 45 lbs. ...each \$23.00

Bearings are babbitted and



POLISHING



Will run emer; wheels, buffers, polishing wheels and small circular saws, also fitted with chuck for holding drills. We furnish head only as shown in illustration.

No. 10—63 in. high, for wheels not larger than 6×1 in., 9 in. spindle, 3 in diam. between flanges, one end 2 in taper screw, other end fitted to hold emery wheel, etc., 2 speed pulleys for 1 in. round belting, w't 31 lbs. each\$4.61

TOOL GRINDERS


NIAGARA GRINDERS

with Genuine Carborundum Wheels.



cast iron castings, malhandle and clamp, spiral enclosed casing, fitted with tool-grinding guide. Size amor note I in.

Equipped with 4x1 in. wheel of fine grit, w't mes 15 lbs.each \$7.50 Equipped with 5x1 in. unterendum wheel of medium Equipped with 6×1 in. wheel of medium each 14 lbs. ..each \$12.35 ONE IN A BOX



Best grade cast iron handle and cut gears, enclosed casmer seasoned with 74x14 carborunof medium grit, fitted tool-grinding guide, in, w't 26 lbs., \$18.20

CHE IN A BOX

企學 TWIST DRILL ATTACHMENT



The attachment is mechanically simple and its cost is so low that every mechanic should have one.

No. P23 @W Attachment is built expressly for Nos. N3 and N4 @ 3 Grinders, enables a wide range of drills to be accurately pointed, w't 1a lbs.each \$4.55 ONE IN A BOX

GRINDER FOOT POWER ATTACHMENT



Illustration shows attachment fitted No. N4 Chim Grinder.

Made of malleable iron, is strong and durable and readily adjusted to several heights.

No. 21-Attachment to fit No. N4

No. 20-Attachment to fit No. N3 Grinder, w't each 5 lbs. each ... ONE IN A BOX


Grinder is mechanically correct. It is a high-speeded, fast-cutting and durable grinder. Each part is man and the material best adapted for the use of that part. As each machine a genuine Carborundum wheel, only a slight pressure is needed Carborundum is fast and cool cutting and will not burn nor draw see from any tool.

Grinder has spiral gears cut from tough, solid blocks of steel, most approved and mechanically correct construction for gearing. machine are made of steel on cast iron—the most lasting to mechanics. The gears are enclosed in a one-piece oil-tight muligroof case of gray iron.

making it impossible me bearing to get out of alignment.

selectional feature is the malleable iron back plate, clamp and clamp The back plate reinforces the supports and distributes equally the and the three screw. Each Chin Grinder is absolutely guaranteed.

GRINDER DISPLAY STANDS



No. P31.

Genuine Oak, Golden Finish.

No. P31 649-Height 45 in., 15 in. square at base, one center shelf 12 in. square, one shelf at top 10 in. square, w't knocked down 36 lbs., shipped free of charge with an order for three each Nos. N1 and N2, two each Nos. N3 and N4 or their equivalent, ten machines.

No. P32 @WD-Height 32 in., 12 in. square at base, shelf 12 in. square, w't knocked down 19 lbs., shipped free of charge with an order for two each Nos. N1, N2 and N3 and one No. N4 Grinder or their equivalent, seven machines.

ONE IN A BOX

All goods branded are guaranteed to be of highest quality material and workmanship and free from imperfections.

BBARD, SPENCER, BART

TOOL GRINDERS

REVONOC Tool Grinders are made in three sizes, designed to withstand constant and heavy work.


The castings are of a good grade of gray iron. The gears are spiral machine cut, the pinions of steel, machine cut, surfaces between gear case and cover ground, making machine oil tight and dust-proof, the grinders are finished cut, surfaces between gear case and cover ground, making machine oil tight and dust-proof, the grinders are finished black enamel and equipped with genuine Carbordundum Wheels and practical tool rests. REVONOC HOUSEHOLD GRINDERS



A small, compact grinder, suitable for the home, office, or wherever a light, portable sharpening machine is wanted.

No. 44 MWW High grade cast iron castings, malleable iron handle and clamp, spiral machine cut gears, en-closed casings dust proof and oil tight, fitted with 4x1x1 in. carborundum wheel, fine grit, equipped with tool rest, w't 7 lbs.each \$8.40

ONE IN A CARTON




This size grinder is particularly adapted for Mechanics and Carpenters' Tool Chests.

No. 45 KWWWC-High grade cast iron castings, malleable iron handle and clamp, spiral machine cut gears, en-closed casings dust proof and oil tight. Fitted with 5xl in. carborundum wheels, medium grit, § in. arbor hole, guide for chisels, scissors and plane bit, w't 10 lbs., each\$10.50

ONE IN A CARTON

A durable, quiet running and satisfactory grinder, combining many special features.

No. 46 EWENGE-Machine cut gears, high grade cast iron castings, malleable iron handle and clamp, enclosed castings, dust proof and oil tight, fitted with 6x1 in. wheels medium grat, i in arbor hole, equipped with adjustable tool rest and guide for chases, scissors and plane bit, w't -----each \$13.30 GOT IN A BOX



A very practical grinder for household and light use. Is equipped with a special combination knife and shear guide, so that anyone, however inexperienced, can successfully sharpen knives and shears.

Mechanical Construction

Machine cut gears, high grade cast iron castings, malleable iron handle and clamp, enclosed casings, dust proof and oil tight,

The Bearings are extra wide and heavy, so as to give ample oil-retain-ing surfaces and long life.


The Tool Guide is especially de-

signed to give the proper bevel to knives and shears.

No. 33 REVENEZ-Equipped with 3x2 in.

carborundum wheel of very fine grit and combination knife and shear guide, w't packed for shipment 31each \$3.30

CRUSO



Cruso steel cut gearings, enclosed and dust-proof, long and durable bear-

ings. Good competitive grinders-good value for the money; they are durable

and efficient. No. 14—Equipped with 4x3 in. medium grit Carborundum grinding wheel and tool rest, 1 in. arbor hole, w't 6 lbs. each \$6.30

No. 15-Equipped with 5x1 in. medium grit Carborundum grinding wheel and tool rest, 1 in. arbor hole, w't

7 lbs.each \$7.70

ONE IN A CARTON

No. 16—Equipped with 6x1 in. medium grit Carborundum grinding wheel and tool rest, 1 in. arbor hole, w't 11 lbs,each \$10.50 "BEST MAIDE"



This machine is built for hard ser ice; every part of the wheel can used in grinding. The worm gear of iron and is cut from the solid blaz on special designed machinery.


The swiveling device allows quie and accurate adjustment, horizon or vertical, and holds the machine rigidly in any position.

All gears and shafts are of exten large diameter, with great wearing and oil-retaining surfaces. The entire mechanism is inclosed in a dust-procasing, strictly oil tight, and ball bear ings take up all end thrust.

No. N51-"BEST MAIDE," bake japan finish, adjustable body so the wheel can be run either in the ve tical or horizontal position, entire enclosed cut worm gears, ball bear ings making it quiet and easy ru ning, fitted with adjustable tool re-Equipped with a 5x11 in. Carboru dum wheel of medium grit, face with very fine grit so that grinding and finishing can be done with the same wheel, 7/6 in. arbor hel w't 11 lbs.each \$14.

No. 510-Extra Wheels, for N Best Maide Grinder, w't each 2 lb each\$3.1

GRINDERS



farm grinder for tool and appening. Made especially to a fall general grinding on a as axes, scythes, chisels, sickles, etc. This machine takly attached to a mower beach and is exceptionally as a general all-around farm

Mechanical Construction

The Drive Gear is large and accur-

in diameter, giving long

The One-Piece Case is rigid and con-

mit durings are extra wide, heavy mit during a second a s

The Two Rest may be used either as

Holding Attachment can be side of the wheel and most modern method of make of sickle.

The side of the side on the flat side modern clear down any bevel, long or short, the sections.

The Camp is beavy. The supports man had the machine to the table machine to the machine machine rigidly to a mower

Equipped with 6x18 sharpening wheel grit to take care of all sharpening, w't each \$12.60



ONE IN A BOX

month, consisting of a signing place

Our reputation founded on over sixty-seven years' business stands back of the brand.

All goods branded are guaranteed to be of highest quality material and workmanship and free from imperfections.

In selling articles there is a profit for you and satisfaction to your customers.

REVONOC HAND TOOL AND SICKLE GRINDER




Simple, very compact, serviceable grinder. No oscillating parts or difficult adjustment. Grinding in full control of the operator, easy to sharpen every section, clamps to mower wheel or bench.

No. N75—Spartan cog gear, 41×18 in., Carborundum tool grinding wheel and barrel shaped wheel for sickles, wide bearings, high speed, w't 17 lbs. each \$9.45

ONE IN A FIBRE CASE

SICKLE GRINDER



Very similar to the Spartan grinder.

No. N182C—Equipped with one barrel-shaped carborundum wheel, compact, efficient, clamps anywhere,
shipping w't 22 lbs. ...each \$8.00


ONE IN A FIBRE CASE

EXTRA WHEELS

No. 1—Carborundum barrel shape, for No. N75 RWWW sickle and No. N182C Grinders, w't 2 lbs. each \$3.60

HIBBARD, SPENCER, BARTLETT & CO.

FOOT POWER TOOL GRINDER



HUMMER

No. N75-SI

No. N271C-An unequalled foot-power grinder, all-metal frame, shaft drive, beveled gears, fully enclosed. The upper transmission is by ball bearings and a machine cut worm gear and shaft, both being extra heavy. The head containing the grinding wheel shaft may be turned to any desirable angle. Two foot-pedals, bicycle type, adjustable metal seat. Regular equipment consists of two work rests, which are adjustable, sickle and disc attachment and two Dimo-Grit wheels one medium and one coarse, size 6x11x1. Height of machine over all 42 in., packed for shipment 75 lbs., \$35.00 each

ONE IN A CRATE

Sickle and Disc Sharpening Attachment.

Order Separately If Wanted.

Grinding is done on the side face of either of the wheels, rest is adjustable to any angle and can be used on either side, will hold any disc from 14 to 28 in. in diameter, any bevel can be given to the disc and work done automatically or at the will of the

No. 174 With disc adjustment, w't

EDOSE

REVONOC RAILWAY GRINDER



A heavy, powerful machine, made to stand up under great abuse. Equipped with a medium grit Dimo-Grit stone 7x14 in., which will sharpen the herdest steel without drawing the temper. A very strongly constructed hand power grinder designed for rail-wade and other heavy uses.

roads and other heavy uses.

Description of Attachments
In the tooling attachments of the

In the tooling attachments of the No. N175 NWW Railway Grinder, simplicity, ruggedness and at the same time accuracy, have been the first considerations. The working parts of these attachments are machined and finished in gray enamel with good weather resisting properties.

Aside from the regular tool attachments, consisting of a sliding plane bit and chisel guide, and the twist drill sharpening attachment, we furnish, as special equipment, a flat drill sharpening attachment.

The three attachments are mountable and interchangeable on one tool post furnished with each machine. Mounting and operating is so simple that any workman can use them.

The Sliding Plane Bit and Chisel


The Sliding Plane Bit and Chisel Guide attachment consists of a plain tool rest and also a clamp suitable for holding firmly any flat tool. The holding device then can be moved backward and forward on the tool post, in a straight line, across face of wheel, producing an accurate bevel.

The Twist Drill Sharpening Attachment. Twist drills, ranging in sizes to 14 inches, are merely laid into a "V" way, with the cutting edge lying against a steel lip at the nose of the attachment. The adjustment of the drill in the "V" way is regulated by a screw operated stop, and the advance of the work against the grinding wheel is controlled by sliding the attachment along the tool post. The operation of grinding is merely that of swinging the "V" way about its turning post.

turning post.

The Flat Drill Sharpening Attachment in its general operation, is the same as that of the twist drill sharpening attachment, excepting that the flat drill is clamped between jaws by a thumb screw. The process of grinding is the same as that of the twist drill sharpening attachment.

No. N175 REPORT Railway grinder, w't 39 lbs....each \$21.00 GRINDERS OF



No. N310C

A very practical Power Bench Grinder, capable of taking care of all farm grinding and heavy machine work. Power can come from above below or either side. This grinder is equipped with adjustable tool rests adjustable bearings, spring oil cups solid malleable iron frame tight and loose pulleys, one coarse and one medium Dimo-Grit wheel. Cuts steel about ten times faster than emery leaving a keen cutting edge without drawing the temper. Fully guaranteed. Wheels 7x14x1 in.,

Nos	N309C	N310C
No. of pulleys	man Tent	bns 2
W't each, lbs		42
Each	\$18.90	22.40

ONE IN A BOX

DISC ATTACHMENT




Fits either the Nos. N310C or N309C models.

The disc attachment sharpens each blade separately. Easily adjusted for any size disc. Disc blade will automatically revolve when the handle on the attachment is raised.

No. 925AC—Attachment includes all the equipment for the above work each\$4.90


LAWN MOWER GRINDERS



DEAL LAWN MOWER the only practical machman market for sharpening the and of lawnmowers. It will pay more quickly than any other make. It means of business and increased the repair man. The minutes perfectly in from 15 to 20 whoat removing the wheels knife. Skates can be ground as the machine by clamping them in are used when sharpening blades of mowers. Travel wheel 24 in., w't 215 lbs.

For power, with sub-base,

For hand, with sub-base, ONE IN A CRATE




bolted hardwood frame, manager 200 fixtures, painted, ments 42 meber.

----- W3 18 to 20 22 to 24 1 to21 2 to21 \$11.70 ENOCKED DOWN

MOUNTED GRINDSTONES



No. W50 REVENCE—Heavy Tubular Steel Frame, with seat, water guard and dry cup. Ball Bearing. Painted red. High grade Huron stone. Diam. 19 to 22 in., thickness 17 to 21 in. The most rigid grindstone on the market. Can be set up by fastening



Schofield's, Malleable Iron Fix-tures, Wrought Steel Frame and Seat, Double Treadle, Front Shield. Length. 30 in., diameter 19 to 22 in., thickness 13 to 23 in., w't of stone 50 to 60 lbs., w't complete 100 lbs.

No. W5-Plain Bearing, each\$12.80 No. W05—Ball bearing, each\$13.30

ONE IN A CRATE No. W6 Cruso-Angle iron frame, ball bearing, painted black, w't of stone about 50 lbs., w't complete about 85 lbs.each \$11.00 KNOCKED DOWN AND WIRED TO CRATED STONE

af larger dimensions than are regularly furnished with the different numbers of Grindstones are ordered, an extra charge will be made.

MOUNTED GRINDSTONES



No. W12-Auto, bolted hardwood frame, malleable iron fixtures. Ball bearing. Length 44 in., diam. of stone 22 to 24 in., thickness 2 to 21 in., w't 70 to 80 lbs. W't complete 115 to 125 lbs. each \$13.00 SHIPPED KNOCKED DOWN



Designed specially for railroad and New England trade, where a strong heavy article is required.

Frame made of seasoned hardwood; with oil and varnish finish, strongly braced in all directions. Heavy bolts and washers. Furnished with crank, treadle, water trough and clothes protector. Extra heavy patent shaft and turn rollers furnished.

Nos. ... F201H F202H F203H F204H Diam. of stone, in. 24 Width of stone, in. 2 W't complete lbs. . . . 140 180 178 Each ...\$8.00 * 9.00 * 9.50 * 10.00 *
Nos.F205H F206H F207H Diam. of stone, in. 28 Width of stone, in. 3 W't complete, Ibs. 225 265 Each\$11.50 ± 11.00 ± 12.00 ± Nos.F208H F209H F210H

Diam. of stone, in. 32 Width of stone, in. 21 W't complete, lbs. 275 250 Each SHIPPED KNOCKED DOWN

* Items Marked Thus * Are Shipped from Factory Only ROSE TOOLS, INC.

IBBARD, SPENCER, BARTLETT &

FAMILY GRINDSTONE



REYOROC

REVONOC Improved ball bearing, fine, especially selected Berea grindstone, turned and rubbed smooth, mounted in extra heavy malleableiron trough on wood base, enameled blue, fitted with

patent hub, steel shaft and steel ball bearings.

Can be shipped knocked down, can be set up er a new stone applied in a few minutes by any one, no cement necessary.

Nos. R27 R28 R29
Diam. stone, in.... 7 8 9
W't doz., lbs. 102 120 156 Per dozen\$56.00 58.50 63.50 ONE IN A CARTON

LOOSE GRINDSTONES



Selected Stones. No. W20-20 to 39 lbs., \$115.00 \$95.00 per ton* No. W49-40 to 100 lbs., \$110.00


.,\$90.00\$100.00 per ton★ ...LOOSE

	and sizes of loose Diam.,	Thickness,
W't,	The state of the s	In.
Lbs.	In.	THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.
20	12 to 14	2 to 21
30	14 to 16	2 to 2 a
	17 to 19	2 to 21
49	The second secon	2 to 21
50	20	2 to 21
69	22	A WAR THE PARTY OF THE PARTY.
79	24	2 to 22
80	26	2
	The second secon	9
98	28	Spinishing St. At
100	20	1

SMALL GRINDSTONES OR LATHE STONES

Thickness 1 in. to 1; in. 6 In.per dozen \$12.10 7 In.per dozen 12.70 8 In.per dozen 13.20 14.30 3 In.per dozen 15.10 10 In.per dozen 11 lm.per dozen 16.30 18.20 er dozen

EXTRA PARTS FOR MOUNTED GRINDSTONES



No. 30 Shafts and nuts for Nos. 11, 12 and 13 Auto, and REVENOC, each\$1.50

No. 11-Shafts and nuts for No. W5 Schofieldeach \$1.50

No. 7-Shafts and nuts for Nos. 1, 2 and 3 Sampsoneach \$1.50

No. 56-Shaft bearings for No. W05 Schofield and REVONOC, per set \$0.50

No. 57A-Shaft bearings for Nos. 11, 12 and 13 Auto per set \$0.50

No. 58-Bushings or Hubs (2 and 3 complete) for Sampson, Schofield and Crusoper set \$1.00

No. 55-Pitman bearings for Nos. 11, 12 and 13 Auto, REVONOC and Cruso, each\$0.30

No. 56A-Round steel balls for Pitman and shaft bearings, per set of nine\$0.50

No. 59-Treadle Rods for REVONOC and Autoeach \$0.25

No. 54-Cranks for Nos. 11, 12 and 13 Auto and REFORM each \$0.30

No. 12-Cranks for Nos. W5 and W05 Schofieldeach \$0.50

No. 1-Hand cranks for Nos. 1, 2 and 3 Sampsoneach \$0.60 LOOSE

* Items Marked Thus * Are Shipped From Factory Only.

GRINDSTONE FIXTURES



Cast iron, japanned, double wheel, anti-friction covered bearings, two iron washers and adjustable nut.

Full half dozen bexes Nos. T15 T17 T19 Axle, in. ... 15 17 19 21 W't, doz.,


lbs. 60 68 70 80 Per dozen \$11.70 12.30 13.80 16.50 Less than box

Nos. 15 17

Per dozen \$12.30 12.90 14.50 17.40 HALF DOZEN IN A BOX No. 10-Extra cranks,

per dozen\$2.18 No. 117-Extra shafts with nuts

stone shafts per dozen \$0.80 No. 25-Extra flanges or washers,



Giant, cast iron japanned, extra heavy, 17 in. axle, w't per doz., 102 lbs Will hang a stone true and fast to its

shaft by means of set screws. No blocking, wedging or cementing is necessary.

No. T2-Full half dozen case, per dozen\$22.00

No. 2-Less than half dozen, per dozen\$23.80 HALF DOZEN IN A CASE

BALL BEARING GRINDSTONE FIXTURES



RICHARD'S, ball bearing journals, adjustable on shafts, suitable for stones 2 to 3 in. thick, weighing from 50 to 100 lbs., fitted with ball bearing treadle arm for foot power and hand

crank, w't per doz. sets 85 lbs. per dozen sets\$33.00

No. 100-Less than dozen case, per dozen sets\$36 00 ONE DOZEN IN A CASE



based in every direction, firmall sizes of wood power substitute required size mount actual difference in price. F220P F225P F230P 30 36

3 and oth 4 cours of 3 col \$53.70* 65.30* 77.00*



and varnished to has hand crank so man be used in an emergency. k. d.; stone crated. foot treadle with on crank, stone each \$23,00



were by gasoline engine, un mon, regular pattern of used staft, roller bearing. Stone 24 in. in m I to I - thick, shipping mmed 25 lbs. ..each \$40.00

SHEWE ONE IN A CRATE

POWER GRINDSTONES Iron

Keystone Frame

Trough thick, heavy onepiece casting. Legs secure-ly fastened

with two bolts. Adjustable tool rest, with drip pan. 12-in. pulley furnished with all sizes; required size furnished at actual difference in price.

Nos. F508K F506K Size of stone in.,50×7½ to 8 50×5½ to 6 Size of shaft at

Size of shaft at bearings, in. 13 W't packed, lbs. 1850 Each\$150.00★

Size of shaft at bearings, in. . . 11 W't packed, lbs. . 1600 1450 Each\$136.00★ 132.00★

Size of stone, in.40×5½ to 6 Size of shaft at bearings, in. 11 W't packed, lbs. 1050 Each\$102.00*

Nos. F405K F366K Size of stone, in, 40x41 to 5 36x51 to 6 Size of Shaft at

bearings, in. . 11 11 Wt packed, lbs. 950 950 Each\$98.00★ 98.00★

Size of shaft at bearings, in. 11 W't packed, lbs. 875

Nos. F364K F305K Size of stone, in....36×4 to 41 30×41 Size shaft at brgs., in. 11 1 W't packed, lbs. . . . 825 500

mounted 225 lbs.*each \$36.25 Size of stone, in. 30×4 Size of shaft at bearings, in... 1 W't packed, Ibs. 480 Each\$76,00★

Nos.F303K Size of stone, in....30×31 Size shaft at brgs., in. 1 W't packed, lbs..... 450 425 Each 874.00* 73.00*

ONE IN A CRATE

"LITTLE" GIANT

Frame is east iron, the trough being cast in one piece, legs securely bolted to frame. An adjustable tool rest with drip pan is furnished. I in. diam., steel shaft, roller bearing, diam, of stone 24 in., thickness 31 to 4 in., ship-ping w't mounted 225 lbs.

No. F400G-With 12 in. pulley for power*each \$45.50

No. F491G-With 12 in. pulley for power and heavy steel treadle and No. F402G—With heavy steel treadle

and crank, no pulley* each \$47.00



The frame folds, and it is only necessary to attach one end of each of four side braces to set it up. It is constructed of heavy 11x11x3/16 in. angle steel, and is handsomely painted green and black. Can be set up in a few minutes without instructions.

Roller bearings made from cold rolled steel shafting, the only cheap power stone with bearings of this type. Frame knocked down; stone crated.

No. W800—Regular, which includes steel frame, stone 24 in. in diam. and 2 in. thick, 12×23 in. pulley, hand crank and drip cup, w't each 125 lbs.each \$17.80

No. W801-Complete with trough, treadle, pitman and bearing, w't each 149 lbs.each \$21.20

ABOVE, ONE IN A CRATE

REVONOC PAPERS



Finest pure rope manila paper backing, extra tough and flexible glue, carefully graded abrasive coating, throughly seasoned, in sheets 9x11 in.

furougury beautiful		
Nos	143	19
Nos 0 W't, ream, lbs 22 Per ream \$9.00	1-2 23 9.80	1 32 11.00
Nos 1½ W't, ream, lbs 35 Per ream\$13.00	2 41	2½ 47
Nos	DU	10
	anah	L voom

HALF REAM IN A BUNDLE

REVONOC. GARNET

KEV	ONOU.	MATERIAN		
Nos	. 00	0	1-2	1
W't, ream, lbs Per ream .	94	32 17.60	38 20.30	48 24.00
Nos	. 11	2	21	3
W't, ream, lbs Per ream .	62 \$28,00	73 32.60	88 36.00	42.00
HALF R	EAM	IN A	PACKA	GE

REVONOC EMERY

Imionos			NOT LASE.
Nos	150	0 120 24 16.00	1-2 90 34 17.30
Nos. Nos. Grade emery W't, ream, ibs. Per ream	80 -40		46

MARICOPA FLINT PAPERS



Good fibre paper, selected glue and carefully graded Quartz coating, sheets 84×104 inches.

Nos. W't, ream, lbs Per ream	. 000 15 \$7.0	00 16 0 7.50	0 17 8.10
W't, ream, lbs Per ream			
Nos	. 2 . 31 \$13.50	2½ 40 13.50	3 44 13.50
Assorted Nos. 00	to 3,	each 1	ream

We cannot supply assorted sheets to the quire.

REVONOC EMERY CLOTH

Finest heavy woven twill cloth backing, extra tough and flexible glue, carefully graded pure emery abrasive coating, thoroughly seasoned, in sheets 9×11 inches.

W't, ream, lbs	. 150	0 120 34 50.00	1-2 90 41 53.00
		Cherry	MINDY

Nos	80	1½ 70 49 58.30	2 60 53 62.00
-----	----	-------------------------	------------------------

REVONOC CROCUS CLOTH

e emery 80 70 60 ream, lbs 40 44 46 ream \$19.00 21.80 25.20	

ALOXITE CLOTH



In Sheets 9x11 Inches, in Reams.

Aloxite is an artifical abrasive, uproduct of a special bauzite clay, treated in the electric furnace at a temperature of 3000 degrees Fahrenheit; in Aloxite grains are much harder at tougher than emery, and will cut menuickly and easily, leaving a superstinish.

Aloxite cloth is made with the greet care, the grains being thorough cleaned, graded and coated on the bequality of brown drill by impropered and best quality obtainable, and as result Aloxite cloth is uniform coated, durable and flexible.

Nos		600	60	603
Grit, Nos.	he	32	0 35	42
Per ream .	\$	57.00	57.00	59.3
Nos		61	611	62
Crit. Nos		1	U. C.	54
W't, ream, I	Ds \$	62.20		69.3
Grit, Nos W't, ream, l Per ream .		44	93	

QUARTER REAM IN A PACKAGE



In Economy Rolls, 50 Ft. Long.

The handiest form for use in sho or garage, prevents waste, and always ready for use.

1 INCH WIDE

Nos 6100	6101	611
Grit, Nos 00 W't per roll lbs 11	2	25 4.80
Per roll\$4.10	4.20	4.00

1 INCHES WIDE

Nos 6150	6151	616
Grit, Nos 00 W't per roll, lbs 21	3	31
Per roll\$5.50	5.75	6.4

2 INCHES WIDE

Nos	6200	6201	621
Grit. Nos	00	4	11
W't per roll, lbs	\$6.80	The second second	8.0
101 1011			

ABRASIVE PAPER AND CLOTH, IN ROLLS PRICES ON APPLICATION

FIRST QUALITY FLINT PAPER



than 24 in, size must be ordered in quantities use up full rolls of sizes 24 in, or larger. For 14 in. is a regular size, but we can furnish rolls of 8 in. are ordered, which will cut, state, from the single 24 in. roll

Per Roll, 50 Yards Long.

m F (\$0.00

5.6

10 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日	F 1/2 \$0.50 .70 .50 1.10	F 1 \$0.53 .76 .98 1.20	\$0.55 .81 1.05 1.30	F 2 \$0.58 .87 1.15 1.45	F 21/2 \$0.61 .92 1.25 1.55	F 3 \$0.64 .98 1.30 1.65	\$0.67 1.05 1.40 1.80	F 4 \$0.70 1.10 1.50 1.90
25 45 45 45 45 45 45 45 45 45 45 45 45 45	1.30	1.45	1.55	1.70	1.85	2.00	2.15	2.30
	1.50	1.65	1.85	2.00	2.15	2.35	2.50	2.70
	1.70	1.90	2.10	2.30	2.45	2.65	2.90	3.10
	1.90	2.10	2.35	2.55	2.80	3.00	3.25	3.50
9888	2.30	2.60	2.85	3.15	3.40	3.70	4.00	4.50
	2.70	3.05	3.35	3.70	4.00	4.35	4.75	5.10
	3.10	3.50	3.85	4.25	4.65	5.05	5.45	5.85
	3.50	3.95	4.35	4.85	5.25	5.70	6.20	6.65
SERIA.	1.90	4.40	4.90	5.40	5.85	6.40	6.95	7.45
	4.35	4.85	5.40	5.95	6.50	7.05	7.70	8.25
	5.15	5.75	6.90	7.10	7.75	8.40	9.15	9.85
	5.35	6.70	7.40	8.25	9.00	9.80	10.60	11.45
3500	6.35	7.15	7.95	8.80	9.60	10.45	11.35	12.20
	6.75	7.60	8.45	9.35	10.20	11.10	12.10	13.00
	7.55	8.50	9.45	10.45	11.40	12.45	13.55	14.60
	8.35	9.40	10.45	11.60	12.65	13.80	15.05	16.20
NEB	9.10	10.30	11.50	12.80	14.00	15.30	16.70	18.00
	10.75	12.15	13.55	15.05	16.40	17.90	19.50	21.00
	11.35	12.85	14.35	16.00	17.50	19.10	20.85	22.50
8.8	12.80	14.45	16.05	17.85	19.50	21,30	23.20	25.00
	13.65	15.45	17.25	19.20	21.00	22,95	25.05	27.00
	15.15	17.15	19.15	21.35	23.35	25,50	27.85	30,00
MRH	15.90 15.00 16.20	18.00 20.35 20.60	20.10 22.70 23.00 the pri	22.40 25.20 25.60	24.50 27.55 28.00	26.75 30.10 30.60	29,20 32,80 33,40	31.50 35.35 36.00

FIRST QUALITY GARNET PAPER

Narrower than 24 inch sizes must be ordered in quantities sufficient to use up full rolls of sizes 24 inch or larger. For example: 24 in. is a regular size, but we can furnish 8 in. if three rolls of 8 in. are ordered, which will cut, without waste, from the single 24 in roll.

100		E 4/0	1975 B. T.						
No	S.	to FO	F 1/2	F 1	F 11/2	F 2	F 236	F 3	F 31/4
3	in.	\$0.59	\$0.62	\$0.65	\$0.71	\$0.77	\$0.83	\$0.89	\$0.98
1	in.	.88	.95	1,05	1.15	1.25	1.35	1.45	1.65
13	2 in.	1.15	1.25	1.40	1.35	1,25	1.85	2.05	2.30
2	in.	1.45	1.60	1.40	1.95	2.15	2.40	2.65	3.00
23	4 in.	1.45	1,90	2.15	2.35	2.65	2.90	3.25	3.65
- 3	in.	2.05	2.25	2.50	2.60	3.10	3.45	3.80	4.35
33	in.	2.30	2.55	2.85	3,20	3,55	3.95		5.00
4	in.	2,60	2.90	3.20	3.60	4.05	4.50	5.00	5.70
5	in.	3,20	3,55	3.95	4.45	4.05	5.55	6.15	7.05
6	in.	3.75		4.70	5.25	5.90	6.60	7.35	8,40
7	in.	4.35		5.40	6.10	6.85	7.65	8.50	9.75
7	in	4.90	5.50	6.15	6.90	7.75	8.70	9.65	11,10
9	in.	5.50	6.10	6.85	7.75	8.70	9.75	10.80	12,40
10	in.	6.05	6.75	7.60	8.60	9.55	10.75	12.00	13.80
12	in,	7.20	8.05	9.05	10.25	11.50	12.85	14.35	16.50
14	in.	8.35	9.35	10.50	11.85	13.35	15.00	16,70	19.20
15	in.	8.95		11.25	12.70	14.30	16.05	17,90	20,55
16	in.	9.50		11.95	13.50 15.20	14.30 15.20	16.05 17.10	19.05	21,90
18	in.	10,65	11.90	13.40	15,20	17,10	19.15	21.40	21.60
20	in.	11.80	13.20	14,90	16.80	18.95	21.25	23.75	27.30
24	in.	13.00		16.50	18.70	21,10	23.70	26,50	30.50
26	in.	15,25		19.30	21.80	24,60	27.60	30.80	35,45
30	111.	16.25	18.25	20.60	23.35	26.35	29.65	33.15	38.15
31	in.	18.15		22.95	26,00	29,30	32.85	36.70	42.15
36	m,	19,50		24.75	28.10	31.70	35.60	39.80	42.15
40	in.		24,30	27.50 28.85	31,20 32,70 36,70	31.70 35.20	39.55	44.20	50.90
42	in.	22.75	25.55 28.75	28.85	32.70	36.95	41.50	46.40	53,40
44	III.	25.60	28.75	32,40	36.70	41.45	46,55	52.00	59.80
48	in.	26.00		33.00	37,40		47,40	53.00	61.00
	Width		listed w	ill be	charged	at the	prica	of the	next
gre	eater v		Alexander of the		L CHIEF !		Studen	Store was	
	FF 5 50 50								

FIRST QUALITY EMERY OR ALUNDUM CLOTH

Narrower than 9 in, sizes must be ordered in quantities sufficient to use up full rolls of sizes 9 in, or larger. For example: 9 in, is a regular size, but we can furnish 3 in, if three rolls of 3 in, are ordered, which will cut, without waste, from the single 9 in, roll. Per Roll, 50 Yards Long.

Nos.		toFo	F 1/4	F1	F 11/2	F 2	F 2	F3	F 31/2	F4	F 41/2
	ie of	FF-100	90	90	70	-			1981	Rob	3517
				80	70	60	46	36	24	20	16
14-1/2	110.		\$1.25	\$1.30	\$1.35	\$1.45	\$1.50	\$1.55		****	****
. 34	in.	1.55	1.60	1.65	1.75	1.85	1.95	2.05	2.15	*****	****
711	in.	1.85	1.90	2.00	2.15	2,25	2.39	2.50	2.65	*****	****
15/2	in.	2.50	2.60	2.75	2.90	3.05	3.25	3.45	3.70	*****	****
2	in.	3.10	3.25	3,40		3.85	4,15	4.45	4.75		****
21/2	in.	3,75	3.90	4.15	4.40	4.70	5.00	5.40	5.80		*****
31/2	in.	4.10	4.30	4.55	4.90	5.10	5.50	6.00	6.50	7.25	8,20
3/2	in.	4.75	4.95	5.25	5.65	6.00	6.50	7.00	7.60	8,40	9.55
4	111.	5,35	5.65	6.00	6.40	6.80	7,35	7.95	8.60	9.55	10,85
5	in.	6,65	7.00	7.40	7.95	8,45	9.15	9.85	10.70	11.85	13,50
6	in.	7.90	8.30	8.85	9.45	10:10	10,90	11,75	12,75	14,15	16.15
7	in.	9.15	9.65	10.25	11.00	11.70	12.65	13.65	14.85	16.45	18,80
8	in.	10.40	10.90	11.65	12.50	13,35	14.40	15.60	16.90	18.80	21.40
9	in.	11.65	12.25	13.05	14.00		16.15	17.50	18.95	21.10	24.05
10	in.	12.95	13.60	14,50	15.55	16.60	17,95	19,40	21,05	23,40	26,70
12	in.	15.45	16.20	17.30	18,60	19.85	21,45	23.20	25,20	28.00	32.00
14	in.	18.00	18.90	20,20	21.65	23.10	25.00	27.05	29.35	32.05	37.25
15	in.	19,25	20.30	21,60	23,20	24.75	26.75	28,90	31,40	34.95	39.85
16	in.	20.55	21.60	23.00	24.70	26,40	28.50	30.85	33.50	37.25	42.55
18	in.	23.05	24.25	25.85		29.65	32.05	34.65	37.60	41.85	47.80
20	in.		26,90	28.70		32,90	35.60	38,50	41,80	46,50	
24	in.	30,60	32,20	34.35	36.90	39,40	42.60	46.15	50.05	55.75	53.10
27	in.	32.15		36,10		41.50	44.90	48,60			63.65
		at liste	d cha	roed a	t the r	TELEBO A	of the		53.80	58.80	67.20
			or contract	Deer H	- make 1	A LUCK	AT FILE	mext	greater	WILL	EX.

supply promptly, in rolls, Flint Cloth, Garnet Cloth, or Emery Paper. Write for prices.

WEIG PAPER IN ROL wt per roll, lbs. .. wt per roll, lbs. .. wt per roll, lbs. .. lbs. .. wh per roll, wit per roll, lbs. .. wt per roll, lbs. wit per roll. lbs. wit per roll, lbs. .. The per roll, lbs. ..

weighs considerably more than flint, running from 26 to 120 lbs. on 24 in., as compared with 23 to 78 lbs. 3-4 to 3. Garnet and flint cloth weigh approximately the same as paper. Emery paper and cloth weigh about me and cloth.

ment and the page are not carried in stock, and can only be furnished for factory shipment. ROSE TOOLS, INC.

BBARD, SPENCER:

NAIL PULLERS



ECLIPSE

Box Joint-Round Rod

The best popular priced puller made. Rammer has octagon head. Prevents rolling. Polished Jaws; round rammers, japanned.

No. 91-Giant pattern, 18 in., w't per doz. 57 lbs.per dozen \$22.00

THREE DOZEN IN A BOX



Box Joint with Hand Guard

The box joint keeps the Jaws in perfect allignment. The hand guard prevents pinching the hand. Jaws open by gravity. Polished long and short jaws, octagon rammer, japanned.

Nos. 11 1 Inches 17 18 W't doz., lbs. 42 Per dozen\$28.50 31.50 THREE DOZEN IN A BOX

TACK CLAWS



No. 100 @ 5- % in., octagon steel shank, rosewood finished handle, nickel plated ferrule, w't per doz., 21 lbs.per dozen \$4.20

ONE DOZEN IN A BOX




No. 150-Drop forged steel, tempered, polished claw, length 7 in., w't per doz. 2½ lbs. per dozen \$3.20 ONE DOZEN IN A BOX



No. 35-Yankee, steel claw, cast iron per der in itsper dozen \$1.50

THE DOZEN IN A BOX

BOX CHISELS



flat head. No. 2 REVEROC_In. . 10 14 W't per doz., lbs. . . 7 113 17 Per dozen \$6.00 7.00 7.50 ONE DOZEN IN A BOX

CRATE OPENERS

This is a tool of quality and dura-



Forged from good material and

does the work. No. 328 REVEND One piece, 9 in., drop forged steel square head, satin finish, face and claw polished, w't per doz. 11 lbs.per dozen \$15.50 ONE DOZEN IN A BOX

BOX AND WOOD SCRAPERS



No. 60-Triangular, solid steel, wood handle, 23 in. cutter, length 11 in., w't per doz. 71 lbs.,



No. 16 REPROC Solid steel, hard wood handle, 21 in. cutter, length 111 in., w't per doz. 8 lbs., per dozen\$13.00 HALF DOZEN IN A BOX



No. 70-Malleable iron, adjustable steel blade, 2 in. cutter, wood handle, length 12 in., w't per doz. 12 lbs.,

....\$3.50 per dozen HALF DOZEN IN A BOX



No. 280—Double handle, solid steel blade, 41 in cutter, w't per doz. 9 lbs.per dozen \$13.50 HALF DOZEN IN A BOX

HANDY TOOL BARS

No. 25-Octagon steel, polished pour and claw, length 12 in., diam. 1 in. w't per doz. 10 lbs., per dozen\$4.

HALF DOZEN IN A BOX

BARREL HEADERS




The screw press has the follower attached to the screw and is taken with the screw after the barrel headed.

No. N10-Cruso, with hardwood her piece 21 in. long, 31×2 in. stock 1 in. steel screw 8 in. long w malleable fittings; 14x1 in, hickor handle; hardwood follower piece 14 in. long by 1 in. thick; steel clamp bars 36 in, long, 1x1 in, stoc braced and bolted, height over a closed, 39 in., w't per doz. 172 lb per dozen\$38.

LOOSE

BUNG BORERS



Cast steel, tempered, polished bla with round lip bit.

The own bores a regular taper round hole, holding its own chi preventing them from entering cask. It is tempered to cut in a kind of wood and the round lip assures smoothness in boring.

No. 10 CVB_Bores from 8 to 11 w't per doz. 18 lbs., per dozen\$60

No. 20 CVB_Bores from 15 to 2 w't per doz. 20 lbs., .\$84 per dozen



WASH APRONS

Useful for many purposes, while repairing car on the road, cleaning machine, etc. Made of superior quality rubber cloth. Will be found a most useful article by automobilists.

Medium weight, heavily coated, w't each 2 lbs.,

BEEF DOZEN IN A PACKAGE

EARPENTER APRONS

No. 2 Silver aboriaction, 6 ft. handle



double stitched nail are rule pocket, length 34 may be in., w't per doz. 6 lbs.,

LOOSE | hand all

CARPENTERS' APRONS




Short pattern, good quality heavy duck, web neck and waist bands, two nail pockets and one combination rule and nail pocket, double stitched, well made and finished, 21 in. long, 30 in. wide, w't per doz. 33 lbs.

Per Dozen.

We can furnish No. 1 aprons stenciled with customer's advertisement.

ONE DOZEN IN A BUNDLE



BOX HOOKS



Hexagon tool steel, oil tempered flattened shank, oval natural oiled hardwood handle.

Nos		5
Size, W't.	in	10×8
Per	dozen\$6.80 ONE DOZEN IN A BOX	8.30



HALF DOZEN IN A BOX

BOX OR HAY HOOKS




An extra heavy hay hook.

No. 65—All steel, 73×716 in., extra cast steel, with large loop for hand, w't per doz. 12½ lbs., per dozen\$7.20

HAY OR COTTON HOOKS



No. 6 GVI2-6xi in., hexagon oil tempered tool steel, flattened shank, natural oval oiled hardwood handle, w't per doz. 6 lbs.,



No. 62 *** n., hexagon oil tempered tool steel, shank, natural oiled hardwood oval handle, w't per doz. 6 lbs. per dozen \$7.00

CHE HAY HOOKS






No. 63 CVD — 7½x\$ in., extra tool steel, polished shank, natural oiled handle, w't per dozen 6½ lbs., per dozen\$8.00 ALL ABOVE ONE DOZEN IN A BOX

BOX OR HAY BOOKS SIDEWALK TAMPERS



Steel plate, malleable riveted socket, 4 foot, squared plain end, wood handle.

nandie.	N4	N5
Nos		10×10
Size, in	15	18
	12 20	48.00
Per dozen	40.60	
No. N45-Extra Handles	,	es 60





One-piece, reinforced cast plate and socket, 4 foot round slotted end, wood handle.

N3	0 N40
Nos N3	8×8
Size, in	16
W't each, Ibs	30 32.00
D deepn	
No. N34—Extra Handles,	\$5.60
per dozen	
PACKED LOOSE	

BEADING TOOLS

Polished cold drawn steel, milled true to gauge, length 83 in., one end concave and the other convex.

140	130	120
Nos	9	5/16
Size, in.	9	28
W't per doz., lbs\$3.00 Per dozen\$3.00	9 00	9.00
Por dozen	3.00	
HALF DOZEN IN A B	OX	

POINTING TOOLS



102 402 -8 in. long, one end round for mortar joints, one end and tempered, w't per doz. MANUAL DOCUMENTS OF WINDS TOWN

CONCRETE TOOLS

BRICK CHISELS AND SETS





Solid forged steel, 4 inch octagon shank, polished head and blade, length

over all about 7 inches.

No. 75—Chisels, double bevel, 4 in.
blade, w't per doz. 13½ lba.,
per dozen

No. 55—Sets, single bevel, 4 in.
blade, w't per doz. 13½ lbs.,
per dozen
HALF DOZEN IN A BOX

REVONOC STAR DRILLS

Made of tough high carbon octagon steel, hand forged, ground to size, tempered in oil and slightly drawn to color, polished wings and head. Nos. 412 418 5/16 18 Size, in. 1 12 Length, in . 12 18 31 W't, doz., lbs. 24 31 3 Per dozen ..\$6.30 8.30 6.50 8.60 818 2 18 18 74 5 W't, doz., 1bs. 33 Per dozen ..\$6.70 8.90 8.00 9.80 1218 1212 Nos. 1012 1018 3 9 18 12 13 131 Per dozen .\$10.00 13.00 11.60 15.00 Nos. 1412 1418 1612 Size, in. ... \$\frac{7}{8}\$ 1

Length, in. 12 18 12

W't, doz., lbs. 19 19\frac{1}{8}\$ 20 1 Per dozen .\$14.30 18.00 17.30 21.00



Concave. Forged steel, 41 inch hardwood polished handle with ferrule, length of pointing surface 5 inches.


Concave.	3
Nos g	3
Width, in 33	7
W't per doz., lbs\$14.40	14.40
Per dozen HALF DOZEN IN A BOX	
Convex.	113
Nos112	110
Width, in A	7
W't per doz., lbs	14.40
Per dozen DOZEN IN A BOX	

ABRAMS JOINTERS



No. 20-Nickeled iron, 10x31 in., de ble action, cuts groove in, deep in. wide at surface, 6 ft. hand w't each 6 lbs.each \$10 LOOSE

FINISHING TROWELS



No. 1—Silver steel, 24x5 in., don action, 6 ft. handle, w't each 6\$153 each No. 2-Silver steel, 16x5 in., dod

action, 6 ft. handle, w't each 6 1 each\$12 LOOSE

EDGERS



No. 30-Nickeled iron 10x31 in., ble action 3 in, form face, a in, radius 6 ft. handle, w't 6 lbs.each \$10 LOOSE

We Stand Behind the Brand

CEMENT AND SIDEWALK TOOLS

Made of Close Grained Cast Iron, Well Polished, with Waxed Maple Handles.

JOINTERS



the sections of a concrete walk,
a groove in in deep, in wide.
In Iron, 6x2? in, both ends
wit per doz. 11i lbs.,
57.60

SIATH DOZEN IN A CASE



The sections fo a concrete walk,

6x3 in., one end straight,

DOZEN IN A CASE



8x11 in., both ends

DOZEN IN A CASE

SIDEWALK GROOVERS



A CONTRACTOR OF THE PARTY OF TH

Groovers make a cut ½ in. deep and ½ in. wide. Used for drainage grooves or to prevent slipping.

No. 14—Iron, 6x3 in., one end straight, w't per doz. 14 lbs., per dozen\$7.60

SIXTH DOZEN IN A CASE

CURBING EDGERS



For finishing curbs, copings, etc., giving a full rounded edge.

SIXTH DOZEN IN A CASE

SIDEWALK EDGERS



 Nos.
 01
 02

 Size, in.
 6×2½ €×2½

 Radius, in.
 ½


 Depth, in.
 ½

 W't per doz., lbs.
 16

 17
 Per dozen

 \$7.60
 8.70

SIXTH DOZEN IN A CASE



Edgers are used for finishing and slightly rounding the edges of cement walks, to prevent slipping.

SIXTH DOZEN IN A CASE

SQUARE EDGERS



For finishing steps and all right angled corners.

No. 21—Iron, 6x3 in., radius 1/16 in., depth 1 in., w't per doz. 17 lbs., per dozen\$12.00

BBARD, SPENCER BARTLET

BRICK TROWELS



WIDE HEEL, forged from high grade trowel steel, tempered, ground and polished; leather wound handle. Nos.— 3010 3010½

Blade, in. 10 10½

Width at heel, in. 5½ 6

W't per doz., lbs. 14½ 15

Per dozen \$30.00 30.00

Nos. 3011 3011

HALF DOZEN IN A BOX

POINTING TROWELS



多种型

PHILADELPHIA PATTERN, forged from high grade trowel steel, tempered, ground and polished; leather wound handle.

wound nanule.	
Nos. @ 3110	3111
NOS. 10	11
Blade, in 10	51
ware tall at least till	
Per dozen\$28.00	28.00
Per dozen	2112
Nos.—@##3111	3114
Blade, in	6
Per dozen\$28.00	20.00
Let doven	

HALF DOZEN IN A BOX



6 TO TO

CHICAGO PATTERN forged from high grade trowel steel, tempered, ground and polished; leather wound handle.

handle.	22101
Nos. 3210	103
Blade, in	61
Width at heel, in 14	143
Blade, in. 6 Width at heel, in. 14 W't per doz., lbs. 530.00	30.00
	0
Width at heel, in 63	15%
Wighth at need, its 15 Wt per doz. lbs 15	
The done	

EALF DOZEN IN A BOX

BRICK TROWELS **金种**

PHILADELPHIA PATTERN, forg-ed from high grade steel, tempered, ground and polished; hardwood handle. Nos. REVONOC. 2910 2910;
Blade, in. 10 10;
Width at heel, in. 5 5;
W't per doz., lbs. 11; 12 Per dozen\$24.00 24.00 Nos.—RW6N0C, 2911 29111 Blade, in. 11 113



ROSE'S Philadelphia pattern, cast steel blade, solid shank, steel ferrule,

maple handle.	2410	24101	3411
Nos	10	10%	11
The donor	333.00	0.4 - 0.4	
Blade, in			
Don dozon	200.00	0.5 1.00	39.00
Per mozera POZI	IN IN	BOX	A. Service

HALF DOZEN IN A BOX Rose's wide heel pattern, cast steel blade, solid shank, steel ferrule, maple

W't, doz., lbs. ... 131 14 15
Per dozen \$35.20 36.20 37.20
HALF DOZEN IN A BOX



No. 3610 Farmers,' 10 in. width at heel 4% in. polished cast steel blade, riveted shank, beech-wood handle, w't per doz. 8 lbs. ... per dozen \$8.30 ONE DOZEN IN A BOX



DISSTON'S cast st	ceel po	lished
Nos	5010	5011
Nos.	10	11
Blade, in. Width at heel, in.	Hall The	10 48
Width at heel, in,	Marie Land	12
Per dozen	,\$27.40	30.20
Nes	50114	5012
Nos. Blade, in.	. 111	12
Blade, III.	4.5	0.5
Blade, in Width at heel, in	124	133
W't per doz., lbs.	621 00	32 00
Per dozen HALF DOZEN IN	A BUA	

BRICK TROWELS

CRUSO, Philadelphia pattern, for ed from special steel, tempered, groun and polished; hard wood handle. Nos. 379 3710 Nos.3711} Blade, in. 113 Width at heel, in. 51 W't per doz., lbs. 111 Per dozen\$16.00 16.0 HALF DOZEN IN A BOX Gygs in, both ends

MARSHALLTOWN EXTRA WID HEEL; forged from highest grad trowel steel, carefully tempered, tape ground and full polished; has smithed; leather wound handle, will polished ferrule.

Nos. 1710 1710 1711 1711 Length, in... 10 101 11 Width, in. . . 6 61 62 61 W't doz., lbs. 14 141 15 15 15 Per dozen \$32.00 32.00 32.00 32.00

HALF DOZEN IN A BOX POINTING TROWELS



Forged from high grade steel, tem ered, ground and polished; hard wo handle.

Nos.-424 425 425 Blade, in. . . 41 5 51 Width at heel, in. .. 21 258 21 W't per doz., Per dozen \$10,00 10.00 10.00 10.



CRUSO, cast steel, polished, so shank, steel ferrule, beech handle Nos. 434 434 435 43

Blade, in. . 4 44 5

Width heel, in. 2½6 2¾6 2¾6 2¾

W't doz., lbs. 24 24 33

Per dozen ...\$8.00 8.00 8.00 8

HALF DOZEN IN A BOX

Forged from special steel, temper

ground and polished, hardwood han No. 2151—Blade 51 in., width at 1 21 in., w't per doz. 31 lbs. per dozen\$1 ONE DOZEN IN A BOX

HIBBARD. SPENCER. BARTLETT & CO.

PLASTERING TROWLES



金林



合於西

HIME-E

STATE OF THE PARTY OF

The Dist.


iner mile

LES


STREET, O

MATI PATTERN, full pol-

¥2 1510}	1511
10104	1011
101×41	11×43
5	5
Ibs 13	13
=\$28.50	28.50
1511	1512
1 113×42	12×44
5	5
L. Bs 131	144
\$28.50	28.50
DOZEN IN A ROY	





PATTERN, polished



CRUSO, polished blade and mounting, plain handle; four rivets.


Nos. 1910 1911 19111 1912
Inches 10×4½ 11×4½ 11½×4½ 12×4½
W't doz., lbs. 11 12 13 14
Per dozen \$16.50 16.50 16.50 16.50
HALF DOZEN





MARSHALLTOWN Browning, finest crucible spring steel blades, carefully tempered, ground and full polished; extra long mountings full polished and fastened with twelve steel rivets; smooth turned natural finish handles.

Nos. 5011 5011 5012
Sizes, in. 42×11 42×113 42×12
W't, doz., lbs. 14 141 143
Per dozen \$45.00 45.00 45.00
Nos. 55111 5512
Sizes, in. 5×113 5×12
W't per dozen \$45.00 45.00
THIRD DOZEN IN A BOX



No. 1610—Farmers, 10×41 in., polished steel blade, three rivets in shank, w't per doz. 10 lbs.,
Per dezen\$5.50
ALL ABOVE HALF DOZEN IN A BOX



DISSTON'S, "Sure Grip," cast steel polished blade, high mounted, drive shank, basswood handle, rubber grip.

Nos. ... 310½ 311 311½ 312

Inches ... 10½×4½ 11×4½ 11½×4½ 12×5

W't doz., lbs. 14 14½ 15½ 16½

Per dozen \$33.40 35.40 36.90 38.40



DISSTON'S, extra cast steel, polished blade, improved screw shank, with shoulder, bass wood handle.

Nos 110	111
inches	11 was
W t per doz. lbs 12	191
rer dozen	36.90
Nos	112
Inches 111 4a	12×5
W't per doz., lbs 141	15
rer dozen\$38.05	39.90
HALF DOZEN IN A BOX	

(4)

DISSTON'S, extra cast steel blade, drive shank,


Nos. 210 211 2111 212 Inches 10×41 11×42 113×42 12×5 W't doz., lbs. 111 12 13 14 Per dozen \$28.60 30.66 32.16 33.60



WOODROUGH & McPARLIN'S Cincinnati, cast steel, polished, high mounted, drive shank, poplar handle, Nos. 18101 1811 Inches 10½×4½ 11×4½ Wt per doz., ibs. 12½ 13 Per dozen \$30.40 32.40 Nos. 18111 1812 Inches 11½×4½ 12×5 Wt per doz., ibs. 13½ 14 Per dozen \$33.90 35.40 HALF DOZEN IN A BOX ROSE TOOLS, INC.

MISCELLANEOUS PLASTERING TOOLS

PLASTERER'S HAWKS



Wood.

Made of one piece clear seasoned redwood, fitted with dovetailed cross brace to prevent warping; brass flange fastened under cross brace and tapped for handle which is detachable.

No. 11—Marshalltown, 13½×13½ in., w't per doz. 25 lbs., per dozen\$21.00



Marshalltown Aluminum.

Made from hard rolled aluminum, 12 gauge with smooth straight edges; aluminum flange with brass nut tapped for handle which is detachable.


Equipped with rubber cushions the purpose of this is to protect the operator from callouses.

DARBIES



made from 8 gauge aluminum; equipped with one handle and 18 in. rib, w't per doz. 30 lbs., per dozen\$57.60

HALF DOZEN IN A CASE



THE DOCES IN A CASE

with one handle are doz. 13 lbs.,

PLASTERER'S FLOATING CORKS



Made from one thickness of cork, carefully smoothed on both sides.

LOOSE

SIARSHALLTOWN finishing, fin



No. 7—Size 5x12 in., made from one thickness of cork, carefully smoothed and cemented on wood block with handle, w't per doz. 18 lbs., per dozen\$19.60

ONE IN A BOX, ONE DOZEN IN A CASE

IMITATION TILE AND BRICK MARXERS



The groove on this marker is gauged to the proper depth, cuts both ways so as to cut into corners.

No. 1—Spring steel, polished; hardwood handle per dozen \$8.30

114 LB. A DOZEN

HALF DOZEN IN A BOX

CORNER TROWELS



金钟

No. 70 CVB-6 in., made of special steel, full polished; 88 degree angle with sharp corner; bronzed mountings and cherry finished handle, we per doz. 10½ lbs...per dozen \$16.50

HALF DOZEN IN A BOX

Company of the contract of the

TOOL BAGS



For masons or plasterers, steel frame, with lock and key, leather handles, billets and buckle pieces riveted to frame, large inside pocket.

24 oz. duck sewed on lock stitch


ONE DOZEN IN A PACKAGE

Leather bottom, with leather extending 3 in. up the sides.

ONE DOZEN IN A PACKAGE



No. T12, Rev-o-noc Brood Coop



No. T7, Rev-o-noc Insulated Chicken Waterers







No. 25, Cruso Jar Fountain Feeder





ROSE TOOLS, INC.

HIBBARD, SPENCER, BART



Effective-It causes te cow to resist attempts at sucking; other types don't.

Firmane-Prevents mastant annoyance to cow during weanperiod.

Spacing of ball controlled by the prevents ulcerafrom pinching.

Permits calf ar graze without enmarlement of dirt or trash.

Non-rusting, adjustable ball-tipped nose ring, with seven smooth prongs. Fastened by steel cotter.

FOR CALVES

No. 131-Width closed $4\frac{1}{5}$ in., nose ring $1746x_5^2$ in., w't per doz. 2 lbs... per dozen \$6.00

FOR YEARLINGS


No. 132-Width closed 6 in., nose ring 1 klk in., w't per doz. 24 lbs., per dozen\$8.00

FOR COWS

No. 133-Width closed 7½ in., nose ring 2gx1質 in., w't per doz. 4 lbs., per dozen \$9.60 ONE DOZEN IN A BOX







Patent, Carroll, Tinned Wire Muzzle, Web Halter. For calves, w't per doz. 9 lbs. per dozen \$7.20 For yearlings, w't per dozen 11 lbs., I For cows and horses, w't per doz. 16 lbs.,


2 ONE DOZEN; NO. 3, HALF DOZEN IN A CARTON

KANT SUK, Tinned Malleable Iron.

"Kant Suk" Calf Weaners are absolutely safe, cannot in-jure cow or do injury to calf. Permits calf to graze, eat or drink, still effectually prevents sucking of cow. Can be used for tying or leading calves, also cows.

No. 111-For calves, w't per doz. 31 lbs., dozen \$7.20 No. 112-For cows, w't per doz. 5 lbs., dozen 7.20 ONE DOZEN IN A BOX

LAWN MOWERS




Ball Bearing

No. E115 No. E117 No. E119 No. E121

REVONOC Ball Bearing

No. E214 No. E216 No. E218 No. E220



Il-a-noy Ball Bearing

No. E314 No. E316 No. E318 No. E320

Cruso Ball Bearing

No. E414 No. E416 No. E418

